



REPUBLIC OF THE PHILIPPINES  
**CATANDUANES STATE UNIVERSITY**  
VIRAC, CATANDUANES

# **PHILIPPINE BIDDING DOCUMENTS**

**Procurement of Supplies and Materials for  
Repair and Rehab of Various Buildings to  
Increase the Carrying Capacity of  
Nursing and Allied Health Programs**

**With Approved Budget for the Contract (ABC) of  
PhP10,430,818.05  
(Project ID No.: 2023-015)**

**Sixth Edition  
July 2020**

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>3</b>
<b>Section I. Invitation to Bid.....</b>	<b>5</b>
<b>Section II. Instructions to Bidders.....</b>	<b>8</b>
1. Scope of Bid .....	8
2. Funding Information.....	8
3. Bidding Requirements .....	8
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	8
5. Eligible Bidders.....	8
6. Origin of Goods .....	9
7. Subcontracts .....	9
8. Pre-Bid Conference .....	9
9. Clarification and Amendment of Bidding Documents .....	9
10. Documents comprising the Bid: Eligibility and Technical Components .....	10
11. Documents comprising the Bid: Financial Component .....	10
12. Bid Prices .....	10
13. Bid and Payment Currencies .....	11
14. Bid Security .....	11
15. Sealing and Marking of Bids .....	11
16. Deadline for Submission of Bids .....	12
17. Opening and Preliminary Examination of Bids .....	12
18. Domestic Preference .....	12
19. Detailed Evaluation and Comparison of Bids .....	12
20. Post-Qualification .....	13
21. Signing of the Contract .....	13
<b>Section III. Bid Data Sheet .....</b>	<b>13</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>18</b>
1. Scope of Contract .....	18
2. Advance Payment and Terms of Payment .....	18
3. Performance Security .....	18
4. Inspection and Tests .....	18
5. Warranty .....	19
6. Liability of the Supplier .....	19
<b>Section V. Special Conditions of Contract .....</b>	<b>20</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>23</b>
<b>Section VII. Technical Specifications .....</b>	<b>24</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>Error! Bookmark not defined.</b>

## Section IX. Bidding Forms

### *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid



Republic of the Philippines  
**CATANDUANES STATE UNIVERSITY**  
Virac, Catanduanes

## INVITATION TO BID FOR

### PROCUREMENT OF SUPPLIES AND MATERIALS FOR REPAIR AND REHAB OF VARIOUS BUILDINGS TO INCREASE THE CARRYING CAPACITY OF NURSING AND ALLIED HEALTH PROGRAMS

1. The CATANDUANES STATE UNIVERSITY, through the *GAA FY 2022* intends to apply the total sum of *Ten Million Four Hundred Thirty Thousand Eight Hundred Eighteen Pesos & 05/100 (PhP10,430,818.05)* being the ABC to payments under the contract for *“Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs”* (Project ID No. 2023-015), consisting of the following lots and its corresponding ABC:

Lot No.	Description	ABC (₱)
Lot 1	Hardware Materials	9,295,149.55
Lot 2	Electrical Fabrication	118,140.00
Lot 3	Door Supplies	544,769.00
Lot 4	Glass Supplies	27,145.00
Lot 5	Office and IT Equipment	107,114.50
Lot 6	Furniture and Fixtures	338,500.00
	Total ABC	<b>10,430,818.05</b>

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The CATANDUANES STATE UNIVERSITY now invites bids for the above Procurement Project. Delivery of the Goods is required **within sixty (60) calendar days** upon receipt of Notice to Proceed. Bidders should have completed, within **three (3) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

A handwritten signature in blue ink, appearing to be "G. O.", located in the bottom right corner of the page.

4. Prospective Bidders may obtain further information from Catanduanes State University Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below from 9:00a.m. to 4:00p.m. (Mondays-Fridays).
5. A complete set of Bidding Documents may be acquired by interested Bidders (with Letter of Intent) on **May 22 to June 13, 2023** from the given address and website below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amounts:

<b>Total Amount of ABC to be Bid (In Philippine Peso)</b>	<b>Maximum Cost of Bidding Documents (In Philippine Peso)</b>
500,000.00 and below	500.00
More than 500,000.00 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million	25,000.00

Payment shall be made directly to the CatSU Cashiering Services or thru deposit to CatSU LBP Account. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means. Transmittal of scanned deposit slip is required for the issuance of Official Receipt. Bank Account details are as follows:

Account Name:	Catanduanes State University Trust Liability Account
Account Number:	0892-103330

6. The Catanduanes State University will hold a Pre-Bid Conference on **May 30, 2023, 3:00pm** at the BAC Conference Room, 1<sup>st</sup> Floor, Administration Building, Catanduanes State University, Virac, Catanduanes, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address as indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before **June 13, 2023 at 2:00pm**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **June 13, 2023 at 2:15pm** at the BAC Conference Room, 1<sup>st</sup> Floor, Administration Building, Catanduanes State University, Virac, Catanduanes. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.  
  
Only representative/s of the bidder with the prescribed **Authorization Letter/Special Power of Attorney** shall be allowed to participate in the procurement activities of the stated project.
10. The Catanduanes State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in

accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:


*The BAC Secretariat  
1<sup>st</sup> Floor, Administration Building,  
Catanduanes State University, Virac, Catanduanes  
Cellphone No.: 0948-898-7227  
E-mail Address: bac@catsu.edu.ph*

12. You may visit the following websites:

For downloading of Bidding Documents: [www.philgeps.gov.ph](http://www.philgeps.gov.ph)  
[www.catanduanesstateu.edu.ph](http://www.catanduanesstateu.edu.ph)

For online bid submission: [bac@catsu.edu.ph](mailto:bac@catsu.edu.ph)

22 May 2023

  
**LILY P. CUSTODIO, Ph.D.**  
BAC Chairperson

## ***Section II. Instructions to Bidders***

---

### **1. Scope of Bid**

The Procuring Entity, **Catanduanes State University** wishes to receive Bids for the **“Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs”**, with identification number **2023-015**.

The Procurement Project (referred to herein as “Project”) is composed of **six (6) lots**, the details of which are described in Section **VII (Technical Specifications)**.

### **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for **FY 2022** in the amount of **Ten Million Four Hundred Thirty Thousand Eight Hundred Eighteen Pesos & 05/100 (PhP10,430,818.05)**.

2.2. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

### **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

### **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

### **5. Eligible Bidders**

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.



- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations or which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. **For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.**
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

The Procuring Entity has prescribed that **SUBCONTRACTING IS NOT ALLOWED.**

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the

Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **three (3) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

### 13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in **Philippine Pesos**.

### 14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid for **One Hundred Twenty (120) calendar days from the date of bid opening**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which

must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

**16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

**17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

**18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

**19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as **One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.** IN CASE MORE THAN ONE (1) LOT ARE AWARDED TO THE SAME BIDDER, ONE (1) CONTRACT MAY BE ENTERED INTO CONTAINING ALL THE LOTS AWARDED.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

**20. Post-Qualification**

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its **latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS)** and other appropriate licenses and permits required by law and stated in the **BDS**.

**21. Signing of the Contract**

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.



## Section III. Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> <li>a. Supply and delivery of hardware supplies, office equipment and furniture;</li> <li>b. completed within <b>three (3) years</b> prior to the deadline for the submission and receipt of bids.</li> </ol>
7.1	Subcontracting is not allowed.
10.1	<p>Bidders shall submit the following:</p> <p><b>ELIGIBILITY AND TECHNICAL COMPONENTS:</b></p> <ol style="list-style-type: none"> <li>1. Valid <b>PhilGEPS Certificate of Registration</b> under <b>PLATINUM CATEGORY</b> with the current and updated copy of the documents as follows:             <ol style="list-style-type: none"> <li>a. Photocopy of Registration Certificate from SEC, DTI, or CDA, whichever is applicable;</li> <li>b. Photocopy of valid Mayor's/Business Permit or its equivalent document;</li> <li>c. Photocopy of Tax Clearance Certificate per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).</li> </ol> </li> <li>2. Statement of <u>ALL</u> its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid and supported by a Notice of Award, Purchase Order/Contract and Notice to Proceed. Submit accomplished <b>FORM 1: STATEMENT OF ALL ONGOING GOVERNMENT &amp; PRIVATE CONSTRUCTION CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED;</b></li> <li>3. Statement of its Single Largest Completed Contract (SLCC), similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA 9184, within the relevant period as provided in the Bidding Documents supported by Purchase Order/Contract, Certificate of Completion and Acceptance and/or Official Receipt or Sales Invoice. Submit accomplished <b>FORM 2: STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID.</b></li> <li>4. Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration. Submit accomplished <b>FORM 3: BID SECURING DECLARATION.</b></li> <li>5. Conformity with the Technical Specifications. Submit accomplished <b>FORM 4: TECHNICAL SPECIFICATIONS</b>, which may include Production/Delivery Schedule, Manpower Requirements, and/or After-Sales/Parts, if applicable.</li> </ol>

	<p>6. Duly notarized Omnibus Sworn Statement <b>and</b> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Submit accomplished <b>FORM 5: OMNIBUS SWORN STATEMENT.</b></p> <p>Under <u>Item 2</u> of the Omnibus Sworn Statement: The representative authorized and named in the Special Power of Attorney (SPA) should be:</p> <ol style="list-style-type: none"> <li>a. An employee of the company/business entity (certified as bonafide employee by the owner/bidder (if sole proprietorship) and by the Corporate Secretary or Chairman of the BOD, if a corporation, partnership or joint venture) (Certification attached in the (SPA).</li> </ol> <p>7. Photocopy of audited Financial Statement (Independent Auditor's Report, Balance Sheet &amp; Income Statement) stamped "received" by the BIR or its duly accredited and authorized institutions for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.</p> <p>8. Duly signed Net Financial Contracting Capacity (NFCC) computation of at least equal to the ABC of the project. Submit accomplished <b>FORM 6: NFCC.</b></p> <p>9. Duly signed Joint Venture Agreement (JVA), in case the joint venture is already in existence. In the absence of a JVA, duly notarized statements from all the potential joint venture partners should be included in the bid, stating that they will enter into and abide by the provisions of the JVA in the event that the bid is successful.</p>
11.1	<p>Bidders shall submit the following:</p> <p><b>FINANCIAL COMPONENTS:</b></p> <ol style="list-style-type: none"> <li>1. Original of duly signed and accomplished Financial Bid Form (please refer to <b>FORM 7: BID FORM.</b></li> <li>2. Original of duly signed and accomplished Price Schedule (please refer to <b>FORM 8: PRICE SCHEDULE FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES</b> or <b>FORM 8-A: PRICE SCHEDULE FOR GOODS OFFERED FROM ABROAD.</b></li> </ol>
12	<p>The price of the Goods shall be quoted DDP CatSU, Virac, Catanduanes or the applicable International Commercial Terms (INCOTERMS) for this Project.</p>
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>2% of the ABC</b> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less <b>5% of the ABC</b> if bid security is in Surety Bond.</li> </ol>

Lot No.	2%	5%
Lot 1	185,902.99	464,757.48
Lot 2	2,362.80	5,907.00
Lot 3	10,895.38	27,238.45
Lot 4	542.90	1,357.25
Lot 5	2,142.29	5,355.72
Lot 6	6,770.00	16,925.00

15 Each Bidder shall submit *ONE (1) SET original* and *ONE (1) SET copy* of the first and second components of its bid, enclose in one mother envelope. Each set shall be properly fastened with tabbing for each requirement.

*Requirements and instructions for markings and sealing of bid envelopes is on the last page.*

**For online submission of bids:**

The Bidder shall submit an electronic copy of its Bid (Eligibility, Technical and Financial Documents including all required Bidding Forms), which must be digitally signed.

The Bidder shall submit **two (2) password-protected bidding documents in compressed archive folders**. The first shall contain the technical component of the bid, including the eligibility requirements and the second shall contain the financial component of the bid. All files must be in a PDF format.

An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus automatically disqualified.

19.2 Partial bids are allowed. All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation will be undertaken on a PER LOT BASIS. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.

In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.

Lot No.	Description	ABC (₱)
Lot 1	Hardware Materials	9,295,149.55
Lot 2	Electrical Fabrication	118,140.00
Lot 3	Door Supplies	544,769.00
Lot 4	Glass Supplies	27,145.00
Lot 5	Office and IT Equipment	107,114.50
Lot 6	Furniture and Fixtures	338,500.00

Bids received in excess of each of the above amounts shall be automatically rejected at bid opening, or during bid evaluation.

19.3 The description of the items are indicated in Section VII (Technical Specifications) with the following ABC per lot:



	<table border="1"> <thead> <tr> <th data-bbox="448 174 608 219">Lot No.</th> <th data-bbox="608 174 1010 219">Description</th> <th data-bbox="1010 174 1281 219">ABC (₱)</th> </tr> </thead> <tbody> <tr> <td data-bbox="448 219 608 253">Lot 1</td> <td data-bbox="608 219 1010 253">Hardware Materials</td> <td data-bbox="1010 219 1281 253">9,295,149.55</td> </tr> <tr> <td data-bbox="448 253 608 286">Lot 2</td> <td data-bbox="608 253 1010 286">Electrical Fabrication</td> <td data-bbox="1010 253 1281 286">118,140.00</td> </tr> <tr> <td data-bbox="448 286 608 320">Lot 3</td> <td data-bbox="608 286 1010 320">Door Supplies</td> <td data-bbox="1010 286 1281 320">544,769.00</td> </tr> <tr> <td data-bbox="448 320 608 353">Lot 4</td> <td data-bbox="608 320 1010 353">Glass Supplies</td> <td data-bbox="1010 320 1281 353">27,145.00</td> </tr> <tr> <td data-bbox="448 353 608 387">Lot 5</td> <td data-bbox="608 353 1010 387">Office and IT Equipment</td> <td data-bbox="1010 353 1281 387">107,114.50</td> </tr> <tr> <td data-bbox="448 387 608 421">Lot 6</td> <td data-bbox="608 387 1010 421">Furniture and Fixtures</td> <td data-bbox="1010 387 1281 421">338,500.00</td> </tr> </tbody> </table>	Lot No.	Description	ABC (₱)	Lot 1	Hardware Materials	9,295,149.55	Lot 2	Electrical Fabrication	118,140.00	Lot 3	Door Supplies	544,769.00	Lot 4	Glass Supplies	27,145.00	Lot 5	Office and IT Equipment	107,114.50	Lot 6	Furniture and Fixtures	338,500.00
Lot No.	Description	ABC (₱)																				
Lot 1	Hardware Materials	9,295,149.55																				
Lot 2	Electrical Fabrication	118,140.00																				
Lot 3	Door Supplies	544,769.00																				
Lot 4	Glass Supplies	27,145.00																				
Lot 5	Office and IT Equipment	107,114.50																				
Lot 6	Furniture and Fixtures	338,500.00																				
20.2	No further instructions.																					
21.1	List of additional contract document: <i>Company Profile</i>																					

## ***Section IV. General Conditions of Contract***

---

### **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

### **2. Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

### **3. Performance Security**

Within **ten (10) calendar days** from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder **shall furnish the performance security** in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

### **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

**5. Warranty**

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

**6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



## Section V. Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contract are delivered to <b>Catanduanes State University Main Campus</b>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is</p> <p style="text-align: center;"><b>Engr. Benjamin Hannycel T. Nuyda</b> Director, Planning and Development Services</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

*GS*

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of **three (3) months**. If not used, **nine (9) months** (*three times the warranty period*).

Spare parts or components shall be supplied as promptly as possible, but in any case, within **one month** of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity:

Name of the Supplier:

Contract Description:



	<p>Final Destination:  Gross weight:  Any special lifting instructions:  Any special handling instructions:  Any relevant HAZCHEM classifications</p> <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	No further instructions.
4	The inspections and tests that will be conducted are: <b><u>On Site</u></b>

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	No. of Items	Delivery Period
Lot 1	Hardware Materials	404	Within sixty (60) calendar days upon receipt of Notice to Proceed
Lot 2	Electrical Fabrication	3	
Lot 3	Door Supplies	11	
Lot 4	Glass Supplies	3	
Lot 5	Office and IT Equipment	4	
Lot 6	Furniture and Fixtures	9	

**I hereby certify to comply and deliver all the above requirements in accordance with the above stated schedule.**

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date



## Section VII. Technical Specifications

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] Please state the brand and model being offered</i>
<b>LOT 1 – HARDWARE MATERIALS</b>		
1	Acetylene Tank with Content	
2	Acoustic Boards, 5/8" thk x 2' x 4'	
3	Acrycolor (water-based), 1/4 L	
4	Acrycolor (water-based), 1/4 L, Color: Thalo Blue	
5	Adjustable Furniture Glides, 50mm Ø table desk leveling foot leg	
6	Aluminum Double Rail Channel Glass Door Track, 1.0m Long)	
7	Aluminum Flush Pull Handle	
8	Aluminum Roof Gutter Strainer	
9	Aluminum Stair Nosing, 1 3/4" x 1" x 9ft long	
10	Aluminum Stair Nosing, 1 1/2" x 8'	
11	Aluminum Tile Trim, Round-Edge, 8'	
12	Anchor Bolts, 16mm dia. x 500m L A325 with Std Nuts and Washers	
13	Anchor Bolts, 16mmØ x 200mm L	
14	Angle Bar, L38 x 38 x 4.5mm thk. x 6.0m Long	
15	Angle Bar, L50 x 50 x 4.5mm thk. x 6.0m Long	
16	Angle Bar, 3mm thk x 25mm x 25mm x 6m L	



Item	Specification	Statement of Compliance
17	Angle Bar, 4.5mm thk x 50mm x 50mm x 6.0m L	
18	Angle Bar, 4.5mm thk. x 25mm x 25mm x 6m L	
19	Angle Bar, 6mm thk x 50mm x 50mm	
20	Angle Bar, 6mm thk x 62.5mm x 62.5mm x 6.0m L	
21	Angle Bar, 6mm thk x 75mm x 75mm x 6.0m L	
22	Angle Valve, 12mm dia.	
23	Angle Valve, 20mm dia.	
24	Arbor Stainless Steel Brush For Bench Grinder Abrasive Wire, 6mm Professional Accessories	
25	Assorted Common Wire Nails	
26	Bidet Spray, Material: SUS304 Stainless Steel Satin Finish, Description: Brushed with Nickel-plated Holder and 1.20m Stainless Steel Double Locked Hose, with complete accessories	
27	Black Screw, 1 1/2"	
28	Black Screw, 1"	
29	Black Screw, 3/4"	
30	Blind Rivet, 1/8" x 5/16"	
31	Blind Rivet, 3/16"	
32	Blind Rivet, 5/32" x 1/2"	
33	Bolts, 12mm dia. with Std Nuts and Washer	
34	Cat6A 4-Pair 23AWG F/UTP indoor cable, 305m/box	
35	Ceiling Lamp, Round, 18W LED (Daylight) Surface type	
36	Ceramic Tiles w/ Nosing, 300m x 600m, Matte Finish; Color: Beige	
37	Ceramic Tiles, 300m x 600m, Matte Finish; Color: Beige	
38	Ceramic Tiles, 300mm x 300mm, Matte Finish; Color: Beads White	
39	Ceramic Tiles, 300mm x 600mm, Glossy Finish; Color: Lobby White	
40	Ceramic Tiles, 300mm x 600mm, Matte Finish; Color: Nueva Beige	
41	Ceramic Tiles, 600m x 600m, Glossy Finish; Color: Gavin Ivory	
42	Ceramic Tiles, 600m x 600m, Rustic Finish; Color: Rocky Beige	
43	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Brown	
44	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Ivory	
45	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Maine White	
46	Ceramic Tiles, 600mm x 600mm, Matte Finish; Color: Hampton Beige	

Go

Item	Specification	Statement of Compliance
47	Ceramic Tiles, 600mm x 600mm, Rustic Finish; Color: Rocky Grey	
48	C-Channel, C8 x 10.50 x 6.0m Long (Stringer)	
49	Channel Bars, 2.5mm thk x 50mm x 175mm x 6.0m L	
50	CHB, 4" thk	
51	CHB, 5" thk	
52	Check Valve, 20mm Ø	
53	Circuit Breaker 15AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	
54	Circuit Breaker 20AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	
55	Circuit Breaker 30AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	
56	Circuit Breaker 40AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	
57	Circular Downlight 6W LED, 230V, 630 Lumens, 6500K (DL), Recessed	
58	Clear Gloss Lacquer	
59	Clear Gloss Lacquer	
60	Coco Lumber, 2" x 2" x 10' S4S	
61	Common Wire Nails, 1"	
62	Common Wire Nails, 2"	
63	Common Wire Nails, 3"	
64	Concrete Epoxy, Set A and B	
65	Concrete Grinding Disk, 4" Ø	
66	Concrete Nails, 1 1/2"	
67	Concrete Nails, 1"	
68	Concrete Nails, 2"	
69	Concrete Nails, 3"	
70	Concrete Nails, 4"	
71	Concrete Neutralizer	
72	Conduit Body Type "LR" 20mmØ	
73	Conduit Body Type "T" 20mmØ	
74	Conduit Clamp, Stainless U-Bolt 32mm dia. w/ nuts and washer	
75	Conduit Clamp, Stainless U-Bolt 50mm dia. w/ nuts and washer	
76	Conduit Hanger, 32mm	
77	Conduit Hanger, 50mm	
78	Copper Split Bolt Connector for 125mm <sup>2</sup> wire	
79	Cornice, 1" x 2" x 10'	
80	C-Purlins, 1.2mm thk. (2" x 3"x 6m)	
81	Cross Tee, 0.70mm thk x 24mm x 28mm x 4' L	
82	Crushed Gravel, 3/4"	
83	Cut-off Wheel, 14"Ø	
84	Cutting Disk, 4"	
85	Desk Cable Hole Grommet, 50mm dia. (White)	
86	Double Furring Channel, 0.6mm thk x 17mm x 49mm x 17mm x 5m L	

Item	Specification	Statement of Compliance
87	Downlight 4" 7W LED (Daylight), Recessed Type w/ Frosted Cover	
88	Drawer Lock with Strike Plate, Chrome Plated	
89	Drill Bit, 12mm	
90	Drill Bit, 16mm	
91	Drill Bit, 20mm	
92	Drivepin Ramset, 1"	
93	Drop-in anchor, 8mm	
94	Drop-in Anchor, 3/8"	
95	Drop-in Anchor, 8mm	
96	Duplex Convenience Outlet, Weatherproof type	
97	Duplex Convenience Outlets/Receptacles (GT)	
98	Duplex Universal Convenience Outlets/Receptacles (GT)	
99	Elastomeric Sealant	
100	Electric Wire THHN/THWN-2, 125mm <sup>2</sup> Cu. Stranded	
101	Electric Wire THHN/THWN-2, 2.0mm <sup>2</sup> Cu. Stranded	
102	Electric Wire THHN/THWN-2, 22mm <sup>2</sup> Cu. Stranded	
103	Electric Wire THHN/THWN-2, 3.5mm <sup>2</sup> Cu. Stranded	
104	Electric Wire THHN/THWN-2, 30mm <sup>2</sup> Cu. Stranded	
105	Electric Wire THHN/THWN-2, 5.5mm <sup>2</sup> Cu. Stranded	
106	Electric Wire THHN/THWN-2, 8.0mm <sup>2</sup> Cu. Stranded	
107	Electrical Metallic Tubing (EMT), 20mm dia. x 3m	
108	Electrical Tape, Big	
109	EMT Connector, 20mm dia.	
110	EMT Coupling, 20mm dia.	
111	EMT Elbow 20mm, Long Sweep 90°	
112	EMT Locknut and Bushing 50mm (2") dia.	
113	EMT Tubing, 50mm dia. x 3m	
114	Enamel Quick Dry, White Color (top coat) - 1 coat	
115	Enclosed Circuit Breaker (ECB) 250AT, 3P, 230V, 60Hz, NEMA 3R	
116	Enclosed Circuit Breaker (ECB) 60AT, 2P, 230V, 60Hz, NEMA 3R	
117	Expansion Bolt, 3/8" x 70mm	
118	Expansion Bolt, 1/4" x 1" Lag Screw	
119	Expansion Bolt, 12mmØ	
120	Expansion Shield w/ Lag Screw, 5/16" x 2"	
121	Fiber Cement Board, 4.5mm thk x 4' x 8'	
122	Fiber Cement Board, 6mm thk x 4' x 8'	
123	Fine Aggregates	
124	Finishing Nails, 1"	
125	Finishing Nails, 1/2"	

Item	Specification	Statement of Compliance
126	Finishing Nails, 2"	
127	Finishing Nails, 3"	
128	Finishing Nails, 3/4"	
129	Flat Bar, 40mm x 6m x 2mm thk.	
130	Flat Bar, 4.5mm thk x 38mm x 6.0m L	
131	Flat Bar, 4.5mm thk x 50mm x 6.0m L	
132	Flat Wall Enamel (Primer) - 1 coat	
133	Flat Wall Enamel (White)	
134	Flexible Conduit, 20mm dia.	
135	Flexible Hose Clip and Adapter	
136	Flexible Metal Conduit Connector, 20mm dia.	
137	Flexible Metal Conduit, 20mm dia.	
138	Full Extension Ball Bearing Drawer Guide-Soft Close, 300mm (Black)	
139	Full Extension Ball Bearing Drawer Slide, 12"	
140	Full Threaded Rod, 3/8" x 1m	
141	Full Threaded Rod, 8mm x 1m	
142	G.I. Corrugated Sheet, GA. 24 x 12' L	
143	G.I. Long Span Pre-painted Roofing Sheets, Forest Green (with total coated thickness of 0.50mm)	
144	G.I. Pipe, 100mmØ x 6.0m L, Sch. 40	
145	G.I. Pipe, 25mm x 6m, Sch.20	
146	G.I. Plain Sheet, GA. 24 x 4' x 8' (Pre-painted Ridge Roll)	
147	G.I. Square Tube, 2mm thk x 25mm x 25mm (Baluster)	
148	G.I. Square Tube, 2mm thk x 50mm x 50mm (Top Rail & Hor. Mid-support)	
149	G.I. Tee, 1" x 1/2"	
150	G.I. Tie Wire, #16	
151	Gate Valve, 20mm Ø (Heavy Duty-Brass)	
152	GI Pipe 1 1/2" Sch 40	
153	Glazing Putty	
154	Good Lumber, 2" x 2" x 10' S4S	
155	Good Lumber, 2" x 3" x 10' S4S	
156	Good Lumber, 2" x 4" x 10' S4S	
157	Grinding Disk, 4"	
158	Ground Clamp Connector	
159	Ground Rod, 3/4" x 10'	
160	Hacksaw Blade	
161	Hand Gloves	
162	Heavy Duty Padlock	
163	Heavy Duty Stainless Steel Drawer Lockset	
164	Heavy Duty Stainless Steel Hinges 4"	
165	Highbay 100W LED , 230V, 60Hz, 9500 Lumens, 6500K (Daylight) w/ 120° Aluminum Reflector, IP54	
166	Hydraulic Inset Concealed Hinges	
167	Jack Hammer (15.1 kg Net Weight)	
168	J-Bolt, 6mm dia.	
169	Job Screw, 1/2" L	
170	Junction Box, PVC Deep Type, Orange	

Item	Specification	Statement of Compliance
171	Lacquer Flo (Additive)	
172	Lacquer Products Varnish (Clear Gloss)	
173	Lacquer Sanding Sealer	
174	Lacquer Sanding Sealer	
175	Lacquer Thinner	
176	LED Exit Sign, Single Face, Green, 230VAC, w/ battery back up	
177	LED Strip 8w/m, 230VAC, 6500K, daylight c/w accessories	
178	Liquid Nails, 320g	
179	Main Tee, 0.70mm thk x 24mm x 38mm x 12' L	
180	Marine Plywood, 1/2" thk x 4' x 8'	
181	Marine Plywood, 1/4" thk x 4' x 8'	
182	Marine Plywood, 3/4" thk x 4' x 8'	
183	Marine Plywood, 4' x 8' x 3/4" thk.	
184	Masking Tape, 3/4"	
185	Masonry drill bit for rotary hammer 12", 3/8" dia. Chuck type	
186	Masonry Drill Bit, 1/8"	
187	Masonry Drill Bit, 10mm Ø	
188	Masonry Putty	
189	Mesh Tape, 2" x 30m	
190	Metal Carrying Channel, 0.8mm thk x 11mm x 37mm x 11mm x 5m L	
191	Metal Clip	
192	Metal Drill Bit, 1.5mm	
193	Metal Drill Bit, 5/32"	
194	Metal Grinding Disk, 4" Ø	
195	Metal Screw, 1 1/2" Long	
196	Metal Spandrel, 0.40mm thk x 150mm W with Vent; Color: Brown	
197	Metal Studs, 0.6mm thk. x 32mm x 76mm x 3.0m L	
198	Metal Tracks, 0.6mm thk. x 32mm x 76mm x 3.0m L	
199	Metal Wall Angle, 0.8mm thk x 25mm x 25mm x 5m L	
200	Mica Tube	
201	MS Plate, 10mm thk. x 150mm x 150mm (Seatplate)	
202	MS Plate, 10mm thk. x 200mm x 200mm (Baseplate/Endplate)	
203	MS Plate, 20mm thk x 4' x 8'	
204	MS Plate, 3mm thk x 4' x 8'	
205	MS Plate, 6mm thk x 4' x 8'	
206	Nuts and Washer, 8mm	
207	Nuts and Washer, 8mm	
208	Nuts, 3/8" dia.	
209	Octagonal Box, Metallic (101mm x 101mm x 53mm), Deep type	
210	Oil Tinting Color, Grey	
211	Oil Wood Stain, Color: Beechwood	

Item	Specification	Statement of Compliance
212	Oil Wood Stain, Color: Mahogany	
213	Oil Wood Stain, Color: Maple	
214	Oil Wood Stain, Color: Oak	
215	Oil Wood Stain; Color: Maple	
216	One-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	
217	Ordinary Plywood, 1/4" thk.	
218	Oxygen Tank with Content	
219	Paint, Elastomeric (Primer)	
220	Paint, Elastomeric (Semi-Gloss)	
221	Paint, Elastomeric (White)	
222	Paint, Enamel Flat (White)	
223	Paint, Enamel, Semi-Gloss (White)	
224	Paint, Latex Flat (White)	
225	Paint, Latex Semi-Gloss (White)	
226	Paint, Latex, Semi Gloss	
227	Paint and Varnish Remover, 350ml	
228	Paint Brush, 1"	
229	Paint Brush, 2"	
230	Paint Brush, 3"	
231	Paint Brush, 4"	
232	Paint Reducer (B-1750)	
233	Paint Roller Tray, 9"	
234	Paint Roller, 9"	
235	Paint Thinner	
236	Paint Thinner, 350mL	
237	Panel Light 48W LED , 230V, Daylight, Recessed	
238	Phenolic Board, 1/2" thk x 4' x 8'	
239	Phenolic Board, 3/4" thk. 4' x 8'	
240	Pipe Hanger Clamp, 20mm	
241	Plain Round Bar, 10mm dia. x 6m, Grade 40	
242	Plexibond	
243	Polytuff Polyester Bodyfiller with Hardener	
244	Polyvinyl Chloride Pipes (uPVC) 20mm dia. x 3m	
245	Polyvinyl Chloride Pipes (uPVC) 25mm dia. x 3m	
246	Polyvinyl Chloride Pipes (uPVC) 50mm dia. x 3m	
247	Portland Cement	
248	PPR Coupling Elbow, 20mm dia.	
249	PPR Coupling, 20 mm dia.	
250	PPR Elbow 90°, 20mm Ø	
251	PPR Equal Tee 90°, 20mm Ø	
252	PPR Female Elbow, 20 mm dia.	
253	PPR Gate Valve, 20mm Ø	
254	PPR Male Adapter, 20 mm dia.	
255	PPR Pipe, 20mm dia. x 4m	
256	PPR Pipe, 20mm Ø x 2.8mm thk x 4m	
257	PPR Socket, 20mm Ø	
258	PPR Straight Way Valve, 20mm Ø	

Item	Specification	Statement of Compliance
259	P-Trap (for Wash Basin), complete with accessories, Size: 1 1/2"Ø, Material: Stainless Steel	
260	Pull Box, 12" x 12" x 4", NEMA 3R	
261	Pull Box, 150mm x 150mm x 100mm, NEMA 3R GA #16	
262	Putty Knife	
263	PVC 1/8 Bend, 50mm dia.	
264	PVC Cement	
265	PVC Cleanout W/ Plug, 50mm dia.	
266	PVC Coupling, 32mm dia.	
267	PVC Coupling, 50mm dia.	
268	PVC Elbow, 50mm dia.	
269	PVC End bell, 32mm dia.	
270	PVC End Bell, 50mm dia.	
271	PVC Male Adapter with Locknut, 20mm	
272	PVC Pipe Cement	
273	PVC Pipe, 2" Ø x 10', PNS1650 S1000, Orange	
274	PVC P-Trap, 50mm dia.	
275	PVC Sanitary Wye, 50mm dia.	
276	PVC/uPVC Pipe, 20mm dia. x 10'	
277	PVC/uPVC Pipe, 32mm dia. x 10'	
278	PVC/uPVC Pipe, 50mm dia. x 10'	
279	Quick Dry Enamel, Black	
280	Quick Drying Enamel (1 coat)	
281	Quick Drying Enamel (2-top coats)	
282	Quick Drying Enamel, Green	
283	Quick Drying Enamel, Royal Blue	
284	Quick Drying Enamel, Tulle White	
285	Rechargeable Emergency Light, Bug eye 3.2W, 230V, 60Hz, Automatic w/ Battery Backup	
286	Red Oxide Metal Primer	
287	Red Oxide Metal Primer	
288	Red Oxide Metal Primer (1 coat)	
289	Roller Brush, 7"	
290	Roller Brush Pan	
291	Roofing Sheet Insulation	
292	RSB, 10mm Ø x 6.0m, Grade 40	
293	RSB, 10mm Ø x 7.5m, Grade 40	
294	RSB, 12mm Ø x 6.0m, Grade 40	
295	RSB, 16mm Ø x 6.0m, Grade 40	
296	RSB, 20mm Ø X 6.0m, Grade 40	
297	RSC Clamp, 20mm dia. w/ Screw	
298	RSC Clamp, 25mm dia. w/ Screw	
299	RSC Clamp, 50mm dia. w/ Screw	
300	Rubber Tape	
301	Rust Converter	
302	Safety Breaker, 15AT, 2P, 230V, 60Hz	
303	Safety Breaker, 20AT, 2P, 230V, 60Hz	
304	Safety Breaker, 30AT, 2P, 230V, 60Hz	
305	Switch Set, 1-Gang, Wide, Flush type	

Item	Specification	Statement of Compliance
306	Switch Set, 2-Gang, Wide, Flush type	
307	Switch Set, 3-Gang, Wide, Flush type	
308	Sagrods, 12mm Ø x 7.50m	
309	Sand Paper, #60	
310	Sand Paper, #80	
311	Sand Paper, #100	
312	Sand Paper, #120	
313	Sand Paper, #600	
314	Scaffolding Set, Galvanized Sch 40 Consists of: 90 pc H-Frame 1.2mx 1.2m, 90 pc cross-brace, 180 pc Joints Pins	
315	Screw and Nut, 3/8" dia. x 3.5"	
316	Screw with Tox, #5	
317	Secondary Rack, 3W	
318	Self-Closing Stainless Steel Spring Door Hinges, 2"	
319	Semi-Gloss Enamel (White)	
320	Service Entrance Cap, 50mm dia.	
321	Single Convenience Outlet	
322	Skimcoat, 25kg-Bag	
323	Sliding Cabinet Door Lock with 135mm Ratchet Bar	
324	Smoke Detector, Single Station, battery operated	
325	Solvent Cement	
326	Solvent Cement	
327	Spatula, 4"	
328	Spool insulator	
329	Spot Putty, Cast 1711	
330	Square Box, PVC, Orange	
331	Square Downlight 18W LED , 230V, 1500 Lumens, 6500K (DL), Recessed	
332	Stainless Hydraulic Inset Concealed Hinges	
333	Stainless Steel (304) Double Kitchen Sink, 33" x 22" x 8" with complete accessories	
334	Stainless Steel (304) Flexible Supply Hose, complete with accessories, Size: 1/2"Ø	
335	Stainless Steel (304) Gooseneck Faucet (Kitchen sink mounted)	
336	Stainless Steel (304) Single Kitchen Sink, 22" x 18" x 8" with complete accessories	
337	Stainless Steel Brush (Handtools)	
338	Stainless Steel Cabinet Flush Pull Handle, 150mm	
339	Stainless Steel Cylinder Door Knobset	
340	Stainless Steel Door Handle Set	
341	Stainless Steel Rectangular Tube, 3.5mm thk x 25mm x 50mm	
342	Stainless Steel Satin Finish (304) Floor Drain, Dimensions: 100 x 100mm	
343	Stainless Steel Satin Finish Cabinet Flush Pull Handle, 128mm	
344	Stainless Steel Tube, 1.5mm thk x 50mmØ x 6.0m L	



Item	Specification	Statement of Compliance
345	Stainless Steel Wall Faucet, Wall Mounted, Elongated Bib Tap	
346	Steel Barrel Lock, 4"	
347	Steel Brush	
348	Supply Hose, 12mm dia.	
349	Swivel Clamps 1 1/2"	
350	T8 Tube 18W LED, (Daylight) w/ lamp holder	
351	Teflon Tape	
352	Tek Screw (for Roofing)	
353	Tek Screw, 3" (for Wood)	
354	Thinner (Reducer 1750)	
355	Threaded Rod, 3/8" x 1m	
356	Three-way 2-Gang Switch Set, Wide, Flush type	
357	Three-way 3-Gang Switch Set, Wide, Flush type	
358	Tile Adhesive, 25kg-bag	
359	Tile Grout	
360	Tile Spacer, 1.5 mm	
361	Tile Spacer, 2 mm	
362	Tile Spacer, 3 mm	
363	Toilet Paper Holder, Dimensions: 115 × 111 mm, Material: Zinc Alloy in Chrome Finish	
364	Top Coat Permacoat Latex	
365	Top Inlet Urinal Wall-Mounted Water Sense Urinal; Material: Vitreous China; Grade A	
366	Tox with Metal Screw, #5	
367	Troffer Light, Grilled Aluminum Louver w/ 2 x 18W LED T8, Recessed	
368	Twisted Hanger, 1/4"	
369	Two-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	
370	Union Patente, 1"	
371	uPVC Bend 45°, 2"Ø (1/8 Bend), Orange [for DWV]	
372	uPVC Bend 45°, 4"Ø (1/8 Bend), Orange [for DWV]	
373	uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow), Orange [for DWV]	
374	uPVC Bend 87.5°, 4"Ø (1/4 Bend/ elbow), Orange [for DWV]	
375	uPVC Clean-out w/ Plug & Seal Ring 4"Ø, Orange [for DWV]	
376	uPVC Clean-out w/ Plug & Seal Ring, 2"Ø, Orange [for DWV]	
377	uPVC Moulding, 14mm x 9mm x 8'	
378	uPVC Moulding, 25mm x 12mm x 8'	
379	uPVC Pipe, 4" Ø x 2.5mm thk, PNS1650 S1000, Orange [for DWV]	
380	uPVC P-trap, 2"Ø (U-trap + Bend 45°), Orange [for DWV]	
381	uPVC Single Branch Tee 87.5°, 2"Ø, Orange [for DWV]	

Item	Specification	Statement of Compliance
382	uPVC Single Branch Wye 45°, 2"Ø, Orange [for DWV]	
383	uPVC Single Branch Wye 45°, 4"Ø, Orange [for DWV]	
384	uPVC Socket/ Coupling 4"Ø, Orange [for DWV]	
385	uPVC Socket/ Coupling, 2"Ø, Orange [for DWV]	
386	Utility Box, PVC, Deep type, Orange	
387	Utility Box, PVC, Surface type, White	
388	Vinyl Tiles, 150mm x 900mm x 3mm thk. (Mariwasa, Sierra Brown)	
389	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Beige	
390	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Brown	
391	Vulcaseal, 1/2-lit	
392	Wash Basin Faucet, Dimensions: 140mm × 126mm × 36 mm, Elongated, Material: SUS304 Stainless Steel	
393	Wash Basin Lavatory, Square Vessel Type, Dimensions: 480mm x 480mm x 140mm, Color: White, Faucet Hole: 35mm, Material: Vitreous China; Grade A	
394	Washed Sand	
395	Washers, 3/8" Ø	
396	Water Closet, Dimensions: 700mm D x 365mm W x 805mm H, Color: American White, Flushing System: Siphon Jet, Bowl Shape: Elongated, Material: Vitreous China; Grade A	
397	Welding Rod, 1/8" Ø	
398	Wireway Elbow, 100mm x 100mm, G.I., gray finish	
399	Wireway, 100mm x 100mm x 3000mm, G.I., gray finish	
400	Wood Edging, 1/2" thk x 3/4" x 10'	
401	Wood Glue, 0.5L	
402	Wood Glue, 1L	
403	WPC Brackets	
404	WPC Fluted Indoor Wall Panel, 12mm thk x 200mm x 2900mm, Color: Golden Oak	
<b>LOT 2 – ELECTRICAL FABRICATION</b>		
1	Panelboard with Main and Branch Breakers (LP3) Main: 1-70AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-15AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	
2	Panelboard with Main and Branch Breakers (PP) Main: 1-250AT/250AF, 3P, 230V, 60Hz,	

Item	Specification	Statement of Compliance
	25KAIC Bolt on MCCB Branches: 11-60AT/2P, 1-30AT/2P, all MCCB in 100AF, 230V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	
3	Panelboard with Main and Branch Breakers (PP3) Main: 1-100AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-20AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	
<b>LOT 3 – DOOR SUPPLIES</b>		
1	Hollow Core Flush Cubicle Door, 600mm W x 1400mm H (Note: Use Kiln Dried Lauan Wood or equivalent)	
2	Hollow Core Flush Door (700mm W x 2100mm H ) w/ Door Jamb or equivalent (Note: Use Kiln Dried Lauan Wood or equivalent)	
3	Hollow Core Flush Door (900mm W x 2100mm H) w/ Door Jamb or equivalent, w/ Clear Vision Glass (6mm thk x 150mm W x 1600mm H); complete w/ Stainless Steel Hinges & Stainless Steel Lockset; Color: Dark Oak (Note: Use Kiln Dried Lauan Wood or equivalent)	
4	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 200mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple	
5	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 400mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple	
6	Single Leaf Hollow Core Flush Cubicle Door (600mm W x 1800mm H) w/ Stainless Steel Hinges & Stainless Steel Barrel Lock 4"; Door Paint Color: Cream	
7	Single Leaf Hollow Core Flush Door (800mm W x 2100mm H) on Lauan Door Jamb; w/ Stainless Steel Hinges & Stainless Steel Door Knobset; Paint Color: Mahogany	
8	Solid Panel Door (900mm W x 2100mm H) w/ Clear Vision Glass (6mm thk) + Fixed Transom (900mm W x 400mm H) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Knobset; Door Paint: Mahogany	
9	Solid Wood Panel Door (900mm W x 2100mm H) w/ Ordinary Clear Vision Glass (6mm thk) in Wooden Door Jamb (2" x 4");	



Item	Specification	Statement of Compliance
	w/ Stainless Steel Hinges & Stainless Steel Leverset; Paint Color: Maple	
10	Solid Wood Panel Door (900mm W x 2100mm H) with Door Jamb or equivalent with Ordinary Clear Vision Glass (6mm thk); (Note: Use Kiln Dried Lauan Wood or equivalent)	
11	Solid Wood Panel Door (900mm W x 2400mm H) with Door Jamb or equivalent with Transom (Note: Use Kiln Dried Lauan Wood or equivalent)	
<b>LOT 4 – GLASS SUPPLIES</b>		
1	Double Acting Double Panel Glass Door (1400mm W x 2100mm H) on Alum Frame (2.00mm thk., white) w/ Door Handle and complete hardware accessories	
2	Ordinary Clear Glass, 6mm thk x 440mm W x 1120mm H	
3	Ordinary Clear Glass, 6mm thk. x 300mm W x 700mm H	
<b>LOT 5 – OFFICE AND IT EQUIPMENT</b>		
1	Air Conditioning Unit, 0.6HP, Window Type Cooling Capacity: 5700 Btu/h Power Supply: 230V / 60Hz / 1-phase Rated Power: 550W Rated Current: 2.5A EER: 10.4 Btu/hW	
2	Air Curtain Specifications: <ul style="list-style-type: none"> <li>• 60 inches</li> <li>• 18 meters/sec air velocity</li> <li>• 1500x230x212 mm dimensions</li> <li>• 600 watts power; 220V/60Hz</li> </ul> <i>*including installation</i>	
3	Orbit Fan, 18" Metal blade w/ Switch and Thermal Fuse Protection	
4	Wireless Access Point <ul style="list-style-type: none"> <li>• Up to 1200Mbps w/ 2 x 2 MIMO technology</li> <li>• 802.3af/802.3at and Passive PoE</li> <li>• Dual-Band Antennas</li> <li>• 2.4 GHz: 2 x 3 dBi, 5 GHz: 2 x 4 dBi</li> <li>• Ethernet Port: 1 Gigabit Lan port</li> </ul>	
<b>LOT 6 – FURNITURE AND FIXTURE</b>		
1	Executive High Back Man-made Faux Leather Office Chair; Tilt Lock Function, 350mm Base and PU Casters, Pneumatic Height Adjustment, 360 degrees Swivel Function (Black)	
2	Mid-Back Office Chair; Tilt Back Function, Chromed Frame Base and Casters, Pneumatic height adjustment, 360 degrees swivel function	
3	Gang Chair, 3-Seater Materials: Leg Frames are Steel with Chrome-	



## ***Section VIII. Checklist of Technical and Financial Documents***

---

### **I. TECHNICAL COMPONENT ENVELOPE**

#### ***Class "A" Documents***

##### *Legal Documents*

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**or**
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**and**
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**and**
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

##### *Technical Documents*

- (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;  
**and**
- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;  
**and**
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration;  
**and**
- (h) Conformity with the Technical Specifications,
- (i) Conformity with the Schedule of Requirements;
- (j) Statement of availability of technical service personnel – Manpower Requirements;
- (k) Statement of After-sales/Parts and Services;  
**and**
- (l) Original duly signed Omnibus Sworn Statement (OSS);  
**and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (m) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission;  
**and**
- (n) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

**Class "B" Documents**

- (o) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

**II. FINANCIAL COMPONENT ENVELOPE**

- (p) Original of duly signed and accomplished Financial Bid Form;  
**and**
- (q) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (r) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (s) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Go

## ***Section IX. Bidding Forms***

---

Form 1	Statement of All Ongoing Government & Private Construction Contracts Awarded But Not Yet Started
Form 2	Statement of Single Largest Completed Contract Similar to the Contract to be Bid
Form 3	Bid Securing Declaration
Form 4	Technical Specifications
Form 5	Omnibus Sworn Statement
Form 6	Net Financial Contracting Capacity (NFCC)
Form 7	Financial Bid Form
Form 8	Price Schedule for Goods Offered from Within the Philippines
Form 8-A	Price Schedule for Goods Offered from Abroad





**STATEMENT OF ALL ONGOING GOVERNMENT & PRIVATE CONTRACTS**  
 (including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid)

**“Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs”**


Business Name: \_\_\_\_\_  
 Business Address: \_\_\_\_\_

Title of the Contract/Name of the Project	Contract Date	Contract Duration	Name of Client/ Contracting Party	Kinds of Goods/Services	Total Amount of Contract	Value of Outstanding Contracts	Date of Delivery
<u>Government</u>							
<u>Private</u>							

**Instructions:**

1. State all ongoing contracts including those awarded but not yet started (government & private contracts which may be similar or not similar to the project called for bidding).
2. If there is no ongoing contract, state none or equivalent term.
3. This statement shall be supported with:
  - a. **Notice of Award**
  - b. **Purchase Order/Contract**
  - c. **Notice to Proceed**
4. In case of contracts with the private sector, an equivalent documents shall be submitted.

Submitted by: \_\_\_\_\_  
 (Printed Name & Signature)  
 Designation: \_\_\_\_\_  
 Date: \_\_\_\_\_



**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT (SLCC) SIMILAR TO THE CONTRACT TO BE BID**  
 (except under conditions provided in Sections 23.4.1.3 and 23.4.2.4 of the 2016 Revised IRR of RA 9184,  
 within the relevant period as provided in the Bidding Documents)

**“Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of  
 Nursing and Allied Health Programs”**

Business Name: \_\_\_\_\_  
 Business Address: \_\_\_\_\_

Title of the Contract/Name of the Project	Contract Date	Contract Duration	Name of Client/ Contracting Party	Kinds of Goods/Services	Amount of Contract	Date of Delivery/ Acceptance

**Instructions:**

1. The SLCC should have been completed within **three (3) years** from the date of submission and receipt of bids.
2. The statement shall be supported with:
  - a. **Purchase Order/Contract**
  - b. **End-User’s Acceptance or Official Receipt(s) or Sales Invoice**
3. In case of contracts with the private sector, an equivalent document shall be submitted.

Submitted by: \_\_\_\_\_  
 (Printed Name & Signature)  
 Designation: \_\_\_\_\_  
 Date: \_\_\_\_\_



**Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_ ) S.S.

**BID SECURING DECLARATION**  
**Project Identification No.: [Insert number]**

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

## Technical Specifications Statement of Compliance

Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances. **Please state the brand and model being offered.**

Item	Specification	Brand/Model	Statement of Compliance
<b>LOT 1 – HARDWARE MATERIALS</b>			
1	Acetylene Tank with Content		
2	Acoustic Boards, 5/8" thk x 2' x 4'		
3	Acrycolor (water-based), 1/4 L		
4	Acrycolor (water-based), 1/4 L, Color: Thalo Blue		
5	Adjustable Furniture Glides, 50mm Ø table desk leveling foot leg		
6	Aluminum Double Rail Channel Glass Door Track, 1.0m Long)		
7	Aluminum Flush Pull Handle		
8	Aluminum Roof Gutter Strainer		
9	Aluminum Stair Nosing, 1 3/4" x 1" x 9ft long		
10	Aluminum Stair Nosing, 1 1/2" x 8'		
11	Aluminum Tile Trim, Round-Edge, 8'		
12	Anchor Bolts, 16mm dia. x 500m L A325 with Std Nuts and Washers		
13	Anchor Bolts, 16mmØ x 200mm L		
14	Angle Bar, L38 x 38 x 4.5mm thk. x 6.0m Long		
15	Angle Bar, L50 x 50 x 4.5mm thk. x 6.0m Long		
16	Angle Bar, 3mm thk x 25mm x 25mm x 6m L		
17	Angle Bar, 4.5mm thk x 50mm x 50mm x 6.0m L		
18	Angle Bar, 4.5mm thk. x 25mm x 25mm x 6m L		
19	Angle Bar, 6mm thk x 50mm x 50mm		
20	Angle Bar, 6mm thk x 62.5mm x 62.5mm x 6.0m L		
21	Angle Bar, 6mm thk x 75mm x 75mm x 6.0m L		
22	Angle Valve, 12mm dia.		
23	Angle Valve, 20mm dia.		
24	Arbor Stainless Steel Brush For Bench Grinder Abrasive Wire, 6mm Professional Accessories		
25	Assorted Common Wire Nails		
26	Bidet Spray, Material: SUS304 Stainless Steel Satin Finish, Description: Brushed with Nickel-		

Item	Specification	Brand/Model	Statement of Compliance
	plated Holder and 1.20m Stainless Steel Double Locked Hose, with complete accessories		
27	Black Screw, 1 1/2"		
28	Black Screw, 1"		
29	Black Screw, 3/4"		
30	Blind Rivet, 1/8" x 5/16"		
31	Blind Rivet, 3/16"		
32	Blind Rivet, 5/32" x 1/2"		
33	Bolts, 12mm dia. with Std Nuts and Washer		
34	Cat6A 4-Pair 23AWG F/UTP indoor cable, 305m/box		
35	Ceiling Lamp, Round, 18W LED (Daylight) Surface type		
36	Ceramic Tiles w/ Nosing, 300m x 600m, Matte Finish; Color: Beige		
37	Ceramic Tiles, 300m x 600m, Matte Finish; Color: Beige		
38	Ceramic Tiles, 300mm x 300mm, Matte Finish; Color: Beads White		
39	Ceramic Tiles, 300mm x 600mm, Glossy Finish; Color: Lobby White		
40	Ceramic Tiles, 300mm x 600mm, Matte Finish; Color: Nueva Beige		
41	Ceramic Tiles, 600m x 600m, Glossy Finish; Color: Gavin Ivory		
42	Ceramic Tiles, 600m x 600m, Rustic Finish; Color: Rocky Beige		
43	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Brown		
44	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Ivory		
45	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Maine White		
46	Ceramic Tiles, 600mm x 600mm, Matte Finish; Color: Hampton Beige		
47	Ceramic Tiles, 600mm x 600mm, Rustic Finish; Color: Rocky Grey		
48	C-Channel, C8 x 10.50 x 6.0m Long (Stringer)		
49	Channel Bars, 2.5mm thk x 50mm x 175mm x 6.0m L		
50	CHB, 4" thk		
51	CHB, 5" thk		
52	Check Valve, 20mm Ø		
53	Circuit Breaker 15AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
54	Circuit Breaker 20AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
55	Circuit Breaker 30AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
56	Circuit Breaker 40AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
57	Circular Downlight 6W LED, 230V, 630 Lumens, 6500K (DL), Recessed		
58	Clear Gloss Lacquer		

Go

Item	Specification	Brand/Model	Statement of Compliance
59	Clear Gloss Lacquer		
60	Coco Lumber, 2" x 2" x 10' S4S		
61	Common Wire Nails, 1"		
62	Common Wire Nails, 2"		
63	Common Wire Nails, 3"		
64	Concrete Epoxy, Set A and B		
65	Concrete Grinding Disk, 4" Ø		
66	Concrete Nails, 1 1/2"		
67	Concrete Nails, 1"		
68	Concrete Nails, 2"		
69	Concrete Nails, 3"		
70	Concrete Nails, 4"		
71	Concrete Neutralizer		
72	Conduit Body Type "LR" 20mmØ		
73	Conduit Body Type "T" 20mmØ		
74	Conduit Clamp, Stainless U-Bolt 32mm dia. w/ nuts and washer		
75	Conduit Clamp, Stainless U-Bolt 50mm dia. w/ nuts and washer		
76	Conduit Hanger, 32mm		
77	Conduit Hanger, 50mm		
78	Copper Split Bolt Connector for 125mm <sup>2</sup> wire		
79	Cornice, 1" x 2" x 10'		
80	C-Purlins, 1.2mm thk. (2" x 3"x 6m)		
81	Cross Tee, 0.70mm thk x 24mm x 28mm x 4' L		
82	Crushed Gravel, 3/4"		
83	Cut-off Wheel, 14"Ø		
84	Cutting Disk, 4"		
85	Desk Cable Hole Grommet, 50mm dia. (White)		
86	Double Furring Channel, 0.6mm thk x 17mm x 49mm x 17mm x 5m L		
87	Downlight 4" 7W LED (Daylight), Recessed Type w/ Frosted Cover		
88	Drawer Lock with Strike Plate, Chrome Plated		
89	Drill Bit, 12mm		
90	Drill Bit, 16mm		
91	Drill Bit, 20mm		
92	Drivepin Ramset, 1"		
93	Drop-in anchor, 8mm		
94	Drop-in Anchor, 3/8"		
95	Drop-in Anchor, 8mm		
96	Duplex Convenience Outlet, Weatherproof type		
97	Duplex Convenience Outlets/Receptacles (GT)		
98	Duplex Universal Convenience Outlets/Receptacles (GT)		
99	Elastomeric Sealant		
100	Electric Wire THHN/THWN-2, 125mm <sup>2</sup> Cu. Stranded		
101	Electric Wire THHN/THWN-2, 2.0mm <sup>2</sup> Cu. Stranded		
102	Electric Wire THHN/THWN-2, 22mm <sup>2</sup> Cu. Stranded		
103	Electric Wire THHN/THWN-2, 3.5mm <sup>2</sup> Cu. Stranded		

60

Item	Specification	Brand/Model	Statement of Compliance
104	Electric Wire THHN/THWN-2, 30mm <sup>2</sup> Cu. Stranded		
105	Electric Wire THHN/THWN-2, 5.5mm <sup>2</sup> Cu. Stranded		
106	Electric Wire THHN/THWN-2, 8.0mm <sup>2</sup> Cu. Stranded		
107	Electrical Metallic Tubing (EMT), 20mm dia. x 3m		
108	Electrical Tape, Big		
109	EMT Connector, 20mm dia.		
110	EMT Coupling, 20mm dia.		
111	EMT Elbow 20mm, Long Sweep 90°		
112	EMT Locknut and Bushing 50mm (2") dia.		
113	EMT Tubing, 50mm dia. x 3m		
114	Enamel Quick Dry, White Color (top coat) - 1 coat		
115	Enclosed Circuit Breaker (ECB) 250AT, 3P, 230V, 60Hz, NEMA 3R		
116	Enclosed Circuit Breaker (ECB) 60AT, 2P, 230V, 60Hz, NEMA 3R		
117	Expansion Bolt, 3/8" x 70mm		
118	Expansion Bolt, 1/4" x 1" Lag Screw		
119	Expansion Bolt, 12mmØ		
120	Expansion Shield w/ Lag Screw, 5/16" x 2"		
121	Fiber Cement Board, 4.5mm thk x 4' x 8'		
122	Fiber Cement Board, 6mm thk x 4' x 8'		
123	Fine Aggregates		
124	Finishing Nails, 1"		
125	Finishing Nails, 1/2"		
126	Finishing Nails, 2"		
127	Finishing Nails, 3"		
128	Finishing Nails, 3/4"		
129	Flat Bar, 40mm x 6m x 2mm thk.		
130	Flat Bar, 4.5mm thk x 38mm x 6.0m L		
131	Flat Bar, 4.5mm thk x 50mm x 6.0m L		
132	Flat Wall Enamel (Primer) - 1 coat		
133	Flat Wall Enamel (White)		
134	Flexible Conduit, 20mm dia.		
135	Flexible Hose Clip and Adapter		
136	Flexible Metal Conduit Connector, 20mm dia.		
137	Flexible Metal Conduit, 20mm dia.		
138	Full Extension Ball Bearing Drawer Guide-Soft Close, 300mm (Black)		
139	Full Extension Ball Bearing Drawer Slide, 12"		
140	Full Threaded Rod, 3/8" x 1m		
141	Full Threaded Rod, 8mm x 1m		
142	G.I. Corrugated Sheet, GA. 24 x 12' L		
143	G.I. Long Span Pre-painted Roofing Sheets, Forest Green (with total coated thickness of 0.50mm)		
144	G.I. Pipe, 100mmØ x 6.0m L, Sch. 40		
145	G.I. Pipe, 25mm x 6m, Sch.20		
146	G.I. Plain Sheet, GA. 24 x 4' x 8' (Pre-painted Ridge Roll)		

GD

Item	Specification	Brand/Model	Statement of Compliance
147	G.I. Square Tube, 2mm thk x 25mm x 25mm (Baluster)		
148	G.I. Square Tube, 2mm thk x 50mm x 50mm (Top Rail & Hor. Mid-support)		
149	G.I. Tee, 1" x 1/2"		
150	G.I. Tie Wire, #16		
151	Gate Valve, 20mm Ø (Heavy Duty-Brass)		
152	GI Pipe 1 1/2" Sch 40		
153	Glazing Putty		
154	Good Lumber, 2" x 2" x 10' S4S		
155	Good Lumber, 2" x 3" x 10' S4S		
156	Good Lumber, 2" x 4" x 10' S4S		
157	Grinding Disk, 4"		
158	Ground Clamp Connector		
159	Ground Rod, 3/4" x 10'		
160	Hacksaw Blade		
161	Hand Gloves		
162	Heavy Duty Padlock		
163	Heavy Duty Stainless Steel Drawer Lockset		
164	Heavy Duty Stainless Steel Hinges 4"		
165	Highbay 100W LED , 230V, 60Hz, 9500 Lumens, 6500K (Daylight) w/ 120° Aluminum Reflector, IP54		
166	Hydraulic Inset Concealed Hinges		
167	Jack Hammer (15.1 kg Net Weight)		
168	J-Bolt, 6mm dia.		
169	Job Screw, 1/2" L		
170	Junction Box, PVC Deep Type, Orange		
171	Lacquer Flo (Additive)		
172	Lacquer Products Varnish (Clear Gloss)		
173	Lacquer Sanding Sealer		
174	Lacquer Sanding Sealer		
175	Lacquer Thinner		
176	LED Exit Sign, Single Face, Green, 230VAC, w/ battery back up		
177	LED Strip 8w/m, 230VAC, 6500K, daylight c/w accessories		
178	Liquid Nails, 320g		
179	Main Tee, 0.70mm thk x 24mm x 38mm x 12' L		
180	Marine Plywood, 1/2" thk x 4' x 8'		
181	Marine Plywood, 1/4" thk x 4' x 8'		
182	Marine Plywood, 3/4" thk x 4' x 8'		
183	Marine Plywood, 4' x 8' x 3/4" thk.		
184	Masking Tape, 3/4"		
185	Masonry drill bit for rotary hammer 12", 3/8" dia. Chuck type		
186	Masonry Drill Bit, 1/8"		
187	Masonry Drill Bit, 10mm Ø		
188	Masonry Putty		
189	Mesh Tape, 2" x 30m		
190	Metal Carrying Channel, 0.8mm thk x 11mm x 37mm x 11mm x 5m L		
191	Metal Clip		
192	Metal Drill Bit, 1.5mm		

Go



Item	Specification	Brand/Model	Statement of Compliance
193	Metal Drill Bit, 5/32"		
194	Metal Grinding Disk, 4" Ø		
195	Metal Screw, 1 1/2" Long		
196	Metal Spandrel, 0.40mm thk x 150mm W with Vent; Color: Brown		
197	Metal Studs, 0.6mm thk. x 32mm x 76mm x 3.0m L		
198	Metal Tracks, 0.6mm thk. x 32mm x 76mm x 3.0m L		
199	Metal Wall Angle, 0.8mm thk x 25mm x 25mm x 5m L		
200	Mica Tube		
201	MS Plate, 10mm thk. x 150mm x 150mm (Seatplate)		
202	MS Plate, 10mm thk. x 200mm x 200mm (Baseplate/Endplate)		
203	MS Plate, 20mm thk x 4' x 8'		
204	MS Plate, 3mm thk x 4' x 8'		
205	MS Plate, 6mm thk x 4' x 8'		
206	Nuts and Washer, 8mm		
207	Nuts and Washer, 8mm		
208	Nuts, 3/8" dia.		
209	Octagonal Box, Metallic (101mm x 101mm x 53mm), Deep type		
210	Oil Tinting Color, Grey		
211	Oil Wood Stain, Color: Beechwood		
212	Oil Wood Stain, Color: Mahogany		
213	Oil Wood Stain, Color: Maple		
214	Oil Wood Stain, Color: Oak		
215	Oil Wood Stain; Color: Maple		
216	One-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel		
217	Ordinary Plywood, 1/4" thk.		
218	Oxygen Tank with Content		
219	Paint, Elastomeric (Primer)		
220	Paint, Elastomeric (Semi-Gloss)		
221	Paint, Elastomeric (White)		
222	Paint, Enamel Flat (White)		
223	Paint, Enamel, Semi-Gloss (White)		
224	Paint, Latex Flat (White)		
225	Paint, Latex Semi-Gloss (White)		
226	Paint, Latex, Semi Gloss		
227	Paint and Varnish Remover, 350ml		
228	Paint Brush, 1"		
229	Paint Brush, 2"		
230	Paint Brush, 3"		
231	Paint Brush, 4"		
232	Paint Reducer (B-1750)		
233	Paint Roller Tray, 9"		
234	Paint Roller, 9"		
235	Paint Thinner		
236	Paint Thinner, 350mL		
237	Panel Light 48W LED , 230V, Daylight, Recessed		

6/5

Item	Specification	Brand/Model	Statement of Compliance
238	Phenolic Board, 1/2" thk x 4' x 8'		
239	Phenolic Board, 3/4" thk. 4' x 8'		
240	Pipe Hanger Clamp, 20mm		
241	Plain Round Bar, 10mm dia. x 6m, Grade 40		
242	Plexibond		
243	Polytuff Polyester Bodyfiller with Hardener		
244	Polyvinyl Chloride Pipes (uPVC) 20mm dia. x 3m		
245	Polyvinyl Chloride Pipes (uPVC) 25mm dia. x 3m		
246	Polyvinyl Chloride Pipes (uPVC) 50mm dia. x 3m		
247	Portland Cement		
248	PPR Coupling Elbow, 20mm dia.		
249	PPR Coupling, 20 mm dia.		
250	PPR Elbow 90°, 20mm Ø		
251	PPR Equal Tee 90°, 20mm Ø		
252	PPR Female Elbow, 20 mm dia.		
253	PPR Gate Valve, 20mm Ø		
254	PPR Male Adapter, 20 mm dia.		
255	PPR Pipe, 20mm dia. x 4m		
256	PPR Pipe, 20mm Ø x 2.8mm thk x 4m		
257	PPR Socket, 20mm Ø		
258	PPR Straight Way Valve, 20mm Ø		
259	P-Trap (for Wash Basin), complete with accessories, Size: 1 1/2"Ø, Material: Stainless Steel		
260	Pull Box, 12" x 12" x 4", NEMA 3R		
261	Pull Box, 150mm x 150mm x 100mm, NEMA 3R GA #16		
262	Putty Knife		
263	PVC 1/8 Bend, 50mm dia.		
264	PVC Cement		
265	PVC Cleanout W/ Plug, 50mm dia.		
266	PVC Coupling, 32mm dia.		
267	PVC Coupling, 50mm dia.		
268	PVC Elbow, 50mm dia.		
269	PVC End bell, 32mm dia.		
270	PVC End Bell, 50mm dia.		
271	PVC Male Adapter with Locknut, 20mm		
272	PVC Pipe Cement		
273	PVC Pipe, 2" Ø x 10', PNS1650 S1000, Orange		
274	PVC P-Trap, 50mm dia.		
275	PVC Sanitary Wye, 50mm dia.		
276	PVC/uPVC Pipe, 20mm dia. x 10'		
277	PVC/uPVC Pipe, 32mm dia. x 10'		
278	PVC/uPVC Pipe, 50mm dia. x 10'		
279	Quick Dry Enamel, Black		
280	Quick Drying Enamel (1 coat)		
281	Quick Drying Enamel (2-top coats)		
282	Quick Drying Enamel, Green		
283	Quick Drying Enamel, Royal Blue		
284	Quick Drying Enamel, Tulle White		

Item	Specification	Brand/Model	Statement of Compliance
285	Rechargeable Emergency Light, Bug eye 3.2W, 230V, 60Hz, Automatic w/ Battery Backup		
286	Red Oxide Metal Primer		
287	Red Oxide Metal Primer		
288	Red Oxide Metal Primer (1 coat)		
289	Roller Brush, 7"		
290	Roller Brush Pan		
291	Roofing Sheet Insulation		
292	RSB, 10mm Ø x 6.0m, Grade 40		
293	RSB, 10mm Ø x 7.5m, Grade 40		
294	RSB, 12mm Ø x 6.0m, Grade 40		
295	RSB, 16mm Ø x 6.0m, Grade 40		
296	RSB, 20mm Ø X 6.0m, Grade 40		
297	RSC Clamp, 20mm dia. w/ Screw		
298	RSC Clamp, 25mm dia. w/ Screw		
299	RSC Clamp, 50mm dia. w/ Screw		
300	Rubber Tape		
301	Rust Converter		
302	Safety Breaker, 15AT, 2P, 230V, 60Hz		
303	Safety Breaker, 20AT, 2P, 230V, 60Hz		
304	Safety Breaker, 30AT, 2P, 230V, 60Hz		
305	Switch Set, 1-Gang, Wide, Flush type		
306	Switch Set, 2-Gang, Wide, Flush type		
307	Switch Set, 3-Gang, Wide, Flush type		
308	Sagrods, 12mm Ø x 7.50m		
309	Sand Paper, #60		
310	Sand Paper, #80		
311	Sand Paper, #100		
312	Sand Paper, #120		
313	Sand Paper, #600		
314	Scaffolding Set, Galvanized Sch 40 Consists of: 90 pc H-Frame 1.2mx 1.2m, 90 pc cross-brace, 180 pc Joints Pins		
315	Screw and Nut, 3/8" dia. x 3.5"		
316	Screw with Tox, #5		
317	Secondary Rack, 3W		
318	Self-Closing Stainless Steel Spring Door Hinges, 2"		
319	Semi-Gloss Enamel (White)		
320	Service Entrance Cap, 50mm dia.		
321	Single Convenience Outlet		
322	Skimcoat, 25kg-Bag		
323	Sliding Cabinet Door Lock with 135mm Ratchet Bar		
324	Smoke Detector, Single Station, battery operated		
325	Solvent Cement		
326	Solvent Cement		
327	Spatula, 4"		
328	Spool insulator		
329	Spot Putty, Cast 1711		
330	Square Box, PVC, Orange		
331	Square Downlight 18W LED , 230V, 1500 Lumens, 6500K (DL), Recessed		
332	Stainless Hydraulic Inset Concealed Hinges		

60

Item	Specification	Brand/Model	Statement of Compliance
333	Stainless Steel (304) Double Kitchen Sink, 33" x 22" x 8" with complete accessories		
334	Stainless Steel (304) Flexible Supply Hose, complete with accessories, Size: 1/2"Ø		
335	Stainless Steel (304) Gooseneck Faucet (Kitchen sink mounted)		
336	Stainless Steel (304) Single Kitchen Sink, 22" x 18" x 8" with complete accessories		
337	Stainless Steel Brush (Handtools)		
338	Stainless Steel Cabinet Flush Pull Handle, 150mm		
339	Stainless Steel Cylinder Door Knobset		
340	Stainless Steel Door Handle Set		
341	Stainless Steel Rectangular Tube, 3.5mm thk x 25mm x 50mm		
342	Stainless Steel Satin Finish (304) Floor Drain, Dimensions: 100 x 100mm		
343	Stainless Steel Satin Finish Cabinet Flush Pull Handle, 128mm		
344	Stainless Steel Tube, 1.5mm thk x 50mmØ x 6.0m L		
345	Stainless Steel Wall Faucet, Wall Mounted, Elongated Bib Tap		
346	Steel Barrel Lock, 4"		
347	Steel Brush		
348	Supply Hose, 12mm dia.		
349	Swivel Clamps 1 1/2"		
350	T8 Tube 18W LED, (Daylight) w/ lamp holder		
351	Teflon Tape		
352	Tek Screw (for Roofing)		
353	Tek Screw, 3" (for Wood)		
354	Thinner (Reducer 1750)		
355	Threaded Rod, 3/8" x 1m		
356	Three-way 2-Gang Switch Set, Wide, Flush type		
357	Three-way 3-Gang Switch Set, Wide, Flush type		
358	Tile Adhesive, 25kg-bag		
359	Tile Grout		
360	Tile Spacer, 1.5 mm		
361	Tile Spacer, 2 mm		
362	Tile Spacer, 3 mm		
363	Toilet Paper Holder, Dimensions: 115 × 111 mm, Material: Zinc Alloy in Chrome Finish		
364	Top Coat Permacoat Latex		
365	Top Inlet Urinal Wall-Mounted Water Sense Urinal; Material: Vitreous China; Grade A		
366	Tox with Metal Screw, #5		
367	Troffer Light, Grilled Aluminum Louver w/ 2 x 18W LED T8, Recessed		
368	Twisted Hanger, 1/4"		
369	Two-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel		
370	Union Patente, 1"		
371	uPVC Bend 45°, 2"Ø (1/8 Bend), Orange [for DWV]		

Go

Item	Specification	Brand/Model	Statement of Compliance
372	uPVC Bend 45°, 4"Ø (1/8 Bend), Orange [for DWV]		
373	uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow), Orange [for DWV]		
374	uPVC Bend 87.5°, 4"Ø (1/4 Bend/ elbow), Orange [for DWV]		
375	uPVC Clean-out w/ Plug & Seal Ring 4"Ø, Orange [for DWV]		
376	uPVC Clean-out w/ Plug & Seal Ring, 2"Ø, Orange [for DWV]		
377	uPVC Moulding, 14mm x 9mm x 8'		
378	uPVC Moulding, 25mm x 12mm x 8'		
379	uPVC Pipe, 4" Ø x 2.5mm thk, PNS1650 S1000, Orange [for DWV]		
380	uPVC P-trap, 2"Ø (U-trap + Bend 45°), Orange [for DWV]		
381	uPVC Single Branch Tee 87.5°, 2"Ø, Orange [for DWV]		
382	uPVC Single Branch Wye 45°, 2"Ø, Orange [for DWV]		
383	uPVC Single Branch Wye 45°, 4"Ø, Orange [for DWV]		
384	uPVC Socket/ Coupling 4"Ø, Orange [for DWV]		
385	uPVC Socket/ Coupling, 2"Ø, Orange [for DWV]		
386	Utility Box, PVC, Deep type, Orange		
387	Utility Box, PVC, Surface type, White		
388	Vinyl Tiles, 150mm x 900mm x 3mm thk. (Mariwasa, Sierra Brown)		
389	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Beige		
390	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Brown		
391	Vulcaseal, 1/2-lit		
392	Wash Basin Faucet, Dimensions: 140mm × 126mm × 36 mm, Elongated, Material: SUS304 Stainless Steel		
393	Wash Basin Lavatory, Square Vessel Type, Dimensions: 480mm x 480mm x 140mm, Color: White, Faucet Hole: 35mm, Material: Vitreous China; Grade A		
394	Washed Sand		
395	Washers, 3/8" Ø		
396	Water Closet, Dimensions: 700mm D x 365mm W x 805mm H, Color: American White, Flushing System: Siphon Jet, Bowl Shape: Elongated, Material: Vitreous China; Grade A		
397	Welding Rod, 1/8" Ø		
398	Wireway Elbow, 100mm x 100mm, G.I., gray finish		
399	Wireway, 100mm x 100mm x 3000mm, G.I., gray finish		
400	Wood Edging, 1/2" thk x 3/4" x 10'		
401	Wood Glue, 0.5L		
402	Wood Glue, 1L		

Go

Item	Specification	Brand/Model	Statement of Compliance
403	WPC Brackets		
404	WPC Fluted Indoor Wall Panel, 12mm thk x 200mm x 2900mm, Color: Golden Oak		
<b>LOT 2 – ELECTRICAL FABRICATION</b>			
1	Panelboard with Main and Branch Breakers (LP3) Main: 1-70AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-15AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish		
2	Panelboard with Main and Branch Breakers (PP) Main: 1-250AT/250AF, 3P, 230V, 60Hz, 25KAIC Bolt on MCCB Branches: 11-60AT/2P, 1-30AT/2P, all MCCB in 100AF, 230V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish		
3	Panelboard with Main and Branch Breakers (PP3) Main: 1-100AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-20AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish		
<b>LOT 3 – DOOR SUPPLIES</b>			
1	Hollow Core Flush Cubicle Door, 600mm W x 1400mm H (Note: Use Kiln Dried Lauan Wood or equivalent)		
2	Hollow Core Flush Door (700mm W x 2100mm H ) w/ Door Jamb or equivalent (Note: Use Kiln Dried Lauan Wood or equivalent)		
3	Hollow Core Flush Door (900mm W x 2100mm H) w/ Door Jamb or equivalent, w/ Clear Vision Glass (6mm thk x 150mm W x 1600mm H); complete w/ Stainless Steel Hinges & Stainless Steel Lockset; Color: Dark Oak (Note: Use Kiln Dried Lauan Wood or equivalent)		
4	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 200mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple		
5	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 400mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple		
6	Single Leaf Hollow Core Flush Cubicle Door (600mm W x 1800mm H) w/ Stainless Steel Hinges & Stainless Steel Barrel Lock 4"; Door Paint Color: Cream		
7	Single Leaf Hollow Core Flush Door (800mm W x 2100mm H) on Lauan Door Jamb; w/ Stainless Steel Hinges & Stainless Steel Door Knobset; Paint Color: Mahogany		

God

Item	Specification	Brand/Model	Statement of Compliance
8	Solid Panel Door (900mm W x 2100mm H) w/ Clear Vision Glass (6mm thk) + Fixed Transom (900mm W x 400mm H) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Knobset; Door Paint: Mahogany		
9	Solid Wood Panel Door (900mm W x 2100mm H) w/ Ordinary Clear Vision Glass (6mm thk) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Leverset; Paint Color: Maple		
10	Solid Wood Panel Door (900mm W x 2100mm H) with Door Jamb or equivalent with Ordinary Clear Vision Glass (6mm thk); (Note: Use Kiln Dried Lauan Wood or equivalent)		
11	Solid Wood Panel Door (900mm W x 2400mm H) with Door Jamb or equivalent with Transom (Note: Use Kiln Dried Lauan Wood or equivalent)		
<b>LOT 4 – GLASS SUPPLIES</b>			
1	Double Acting Double Panel Glass Door (1400mm W x 2100mm H) on Alum Frame (2.00mm thk., white) w/ Door Handle and complete hardware accessories		
2	Ordinary Clear Glass, 6mm thk x 440mm W x 1120mm H		
3	Ordinary Clear Glass, 6mm thk. x 300mm W x 700mm H		
<b>LOT 5 – OFFICE AND IT EQUIPMENT</b>			
1	Air Conditioning Unit, 0.6HP, Window Type Cooling Capacity: 5700 Btu/h Power Supply: 230V / 60Hz / 1-phase Rated Power: 550W Rated Current: 2.5A EER: 10.4 Btu/hW		
2	Air Curtain Specifications: • 60 inches • 18 meters/sec air velocity • 1500x230x212 mm dimensions • 600 watts power; 220V/60Hz <i>*including installation</i>		
3	Orbit Fan, 18" Metal blade w/ Switch and Thermal Fuse Protection		
4	Wireless Access Point • Up to 1200Mbps w/ 2 x 2 MIMO technology • 802.3af/802.3at and Passive PoE • Dual-Band Antennas • 2.4 GHz: 2 x 3 dBi, 5 GHz: 2 x 4 dBi • Ethernet Port: 1 Gigabit Lan port		
<b>LOT 6 – FURNITURE AND FIXTURE</b>			
1	Executive High Back Man-made Faux Leather Office Chair; Tilt Lock Function, 350mm Base and PU Casters, Pneumatic Height Adjustment, 360 degrees Swivel Function (Black)		

Item	Specification	Brand/Model	Statement of Compliance
2	Mid-Back Office Chair; Tilt Back Function, Chromed Frame Base and Casters, Pneumatic height adjustment, 360 degrees swivel function		
3	Gang Chair, 3-Seater Materials: Leg Frames are Steel with Chrome-plated Finish, Leatherette Seat & Back (Yellow)		
4	Freestanding Rectangular Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish Dimension: W 1200 x D 600 x H 750 mm		
5	Freestanding Rectangular Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish Dimension: W 1200 x D 600 x H 750mm		
6	Freestanding Square Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish Dimension: W 650 x D 650 x H 750 mm		
7	Freestanding Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish; Dimension: W 2400 x D 600 x H 750mm		
8	High Back Office Chair; Tilt Back Function, Chromed Frame Base and Casters, Pneumatic height adjustment, 360 degrees Swivel Function (Black)		
9	Training Chair with Armrest; Leatherette Backrest & Fabric Seatrest (Black), Chrome Legs		

**I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.**

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date



**Omnibus Sworn Statement (Revised)***[shall be submitted with the Bid]*

REPUBLIC OF THE PHILIPPINES )  
 CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

**AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for **[Name of the Project]** of the **Catanduanes State University**, as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for **[Name of the Project]** of the **Catanduanes State University**, as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable);];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**

***[Format shall be based on the latest Rules on Notarial Practice]***



Business Name: \_\_\_\_\_  
 Business Address: \_\_\_\_\_

**NET FINANCIAL CONTRACTING CAPACITY (NFCC)**

- A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year.

		Year 20
1.	Total Assets	
2.	Total Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

- B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(current asset – current liabilities) (K)] minus value of all outstanding works under ongoing contracts including awarded contracts yet to be started.

K = 15

	Amount
Current Assets	_____
Less: Current Liabilities	_____
Net Current Assets	_____
Multiply by K	_____ x 15
Less: Total value of all outstanding works under ongoing contracts	_____
<b>NFCC</b>	_____

Herewith attached are certified true copies of the Income Tax Return and Audited Financial Statement: stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding year.

Submitted by:

\_\_\_\_\_  
 Name of Supplier/Distributor/Manufacturer

\_\_\_\_\_  
 Signature of Authorized Representative  
 Date : \_\_\_\_\_

**Bid Form for the Procurement of Goods**  
*[shall be submitted with the Bid]*

**BID FORM**

Date: \_\_\_\_\_  
 Project Identification No.: \_\_\_\_\_

To: **BIDS AND AWARDS COMMITTEE**  
*Catanduanes State University*  
*Virac, Catanduanes*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers \_\_\_\_\_, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *supply/deliver* **Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs** in conformity with the said PBDs for the sum of \_\_\_\_\_ (Php \_\_\_\_\_)

or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [*specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (IV) other fiscal levies and duties*], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:*

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date:

A handwritten signature in blue ink, appearing to be 'Gor', is located in the bottom right corner of the page.

**Price Schedule for Goods Offered from Within the Philippines**  
**[ shall be submitted with the Bid if bidder is offering goods from within the Philippines ]**

**PROCUREMENT OF SUPPLIES AND MATERIALS FOR REPAIR AND REHAB OF VARIOUS BUILDINGS TO INCREASE  
THE CARRYING CAPACITY OF NURSING AND ALLIED HEALTH PROGRAMS**

Name of Bidder: \_\_\_\_\_

Project ID No.: **2023-015**

Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
<b>LOT 1 - HARDWARE MATERIALS</b>										
1	cylinder	Acetylene Tank with Content	2							
2	pc	Acoustic Boards, 5/8" thk x 2' x 4'	200							
3	pc	Acrycolor (water-based), 1/4 L	38							
4	pc	Acrycolor (water-based), 1/4 L, Color: Thalo Blue	4							
5	set	Adjustable Furniture Glides, 50mm Ø table desk leveling foot leg	11							
6	pc	Aluminum Double Rail Channel Glass Door Track, 1.0m Long)	17							
7	pc	Aluminum Flush Pull Handle	117							
8	pc	Aluminum Roof Gutter Strainer	15							
9	pc	Aluminum Stair Nosing, 1 3/4" x 1" x 9ft long	7							
10	pc	Aluminum Stair Nosing, 1 1/2" x 8'	16							
11	pc	Aluminum Tile Trim, Round-Edge, 8'	9							
12	pc	Anchor Bolts, 16mm dia. x 500m L A325 with Std Nuts and Washers	60							
13	pc	Anchor Bolts, 16mmØ x 200mm L	16							
14	pc	Angle Bar, L38 x 38 x 4.5mm thk. x 6.0m Long	24							
15	pc	Angle Bar, L50 x 50 x 4.5mm thk. x 6.0m Long	95							
16	pc	Angle Bar, 3mm thk x 25mm x 25mm x 6m L	1							
17	pc	Angle Bar, 4.5mm thk x 50mm x 50	49							
18	pc	Angle Bar, 4.5mm thk. x 25mm x 25mm x 6m L	48							
19	pc	Angle Bar, 6mm thk x 50mm x 50mm	81							
20	pc	Angle Bar, 6mm thk x 62.5mm x 62	32							
21	pc	Angle Bar, 6mm thk x 75mm x 75mm x 6.0m L	71							
22	set	Angle Valve, 12mm dia.	24							
23	set	Angle Valve, 20mm dia.	3							
24	pc	Arbor Stainless Steel Brush For Bench Grinder Abrasive Wire, 6mm Professional Accessories	150							
25	kg	Assorted Common Wire Nails	20							
26	set	Bidet Spray, Material: SUS304 Stainless Steel Satin Finish, Description: Brushed with Nickel-plated Holder and 1.20m Stainless Steel Double Locked Hose, with complete accessories	1							
27	pc	Black Screw, 1 1/2"	3,812							
28	pc	Black Screw, 1"	816							

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
29	pc	Black Screw, 3/4"	1,556							
30	pc	Blind Rivet, 1/8" x 5/16"	100							
31	pc	Blind Rivet, 3/16"	14,545							
32	box	Blind Rivet, 5/32" x 1/2"	3							
33	pc	Bolts, 12mm dia. with Std Nuts and Washer	32							
34	box	Cat6A 4-Pair 23AWG F/UTP indoor cable, 305m/box	3							
35	set	Ceiling Lamp, Round, 18W LED (D	1							
36	pc	Ceramic Tiles w/ Nosing, 300m x 600m, Matte Finish; Color: Beige	159							
37	pc	Ceramic Tiles, 300m x 600m, Matte Finish; Color: Beige	250							
38	pc	Ceramic Tiles, 300mm x 300mm, Matte Finish; Color: Beads White	36							
39	pc	Ceramic Tiles, 300mm x 600mm, Glossy Finish; Color: Lobby White	50							
40	pc	Ceramic Tiles, 300mm x 600mm, Matte Finish; Color: Nueva Beige	1,218							
41	pc	Ceramic Tiles, 600m x 600m, Glossy Finish; Color: Gavin Ivory	608							
42	pc	Ceramic Tiles, 600m x 600m, Rustic Finish; Color: Rocky Beige	913							
43	pc	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Brown	628							
44	pc	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Ivory	635							
45	pc	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Maine White	276							
46	pc	Ceramic Tiles, 600mm x 600mm, Matte Finish; Color: Hampton Beige	229							
47	pc	Ceramic Tiles, 600mm x 600mm, Rustic Finish; Color: Rocky Grey	236							
48	pc	C-Channel, C8 x 10.50 x 6.0m Long (Stringer)	2							
49	pc	Channel Bars, 2.5mm thk x 50mm	88							
50	pc	CHB, 4" thk	1,395							
51	pc	CHB, 5" thk	368							
52	set	Check Valve, 20mm Ø	3							
53	pc	Circuit Breaker 15AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	2							
54	pc	Circuit Breaker 20AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	3							
55	pc	Circuit Breaker 30AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	2							
56	pc	Circuit Breaker 40AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	1							
57	set	Circular Downlight 6W LED, 230V, 630 Lumens, 6500K (DL), Recessed	26							
58	gal	Clear Gloss Lacquer	18							
59	lit	Clear Gloss Lacquer	95							
60	pc	Coco Lumber, 2" x 2" x 10' S4S	218							
61	kg	Common Wire Nails, 1"	1							
62	kg	Common Wire Nails, 2"	7							
63	kg	Common Wire Nails, 3"	15							
64	lit	Concrete Epoxy, Set A and B	20							
65	pc	Concrete Grinding Disk, 4" Ø	2							

Go

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
66	kg	Concrete Nails, 1 1/2"	8							
67	kg	Concrete Nails, 1"	7							
68	kg	Concrete Nails, 2"	5							
69	kg	Concrete Nails, 3"	12							
70	kg	Concrete Nails, 4"	10							
71	gal	Concrete Neutralizer	6							
72	pc	Conduit Body Type "LR" 20mmØ	5							
73	pc	Conduit Body Type "T" 20mmØ	7							
74	pc	Conduit Clamp, Stainless U-Bolt 32mm dia. w/ nuts and washer	7							
75	pc	Conduit Clamp, Stainless U-Bolt 50mm dia. w/ nuts and washer	13							
76	pc	Conduit Hanger, 32mm	6							
77	pc	Conduit Hanger, 50mm	8							
78	set	Copper Split Bolt Connector for 125	6							
79	pc	Cornice, 1" x 2" x 10'	22							
80	pc	C-Purlins, 1.2mm thk. (2" x 3"x 6m)	6							
81	pc	Cross Tee, 0.70mm thk x 24mm x 28mm x 4' L	78							
82	cu.m.	Crushed Gravel, 3/4"	91							
83	pc	Cut-off Wheel, 14"Ø	17							
84	pc	Cutting Disk, 4"	35							
85	pc	Desk Cable Hole Grommet, 50mm dia. (White)	29							
86	pc	Double Furring Channel, 0.6mm thk x 17mm x 49mm x 17mm x 5m L	329							
87	set	Downlight 4" 7W LED (Daylight), Recessed Type w/ Frosted Cover	4							
88	set	Drawer Lock with Strike Plate, Chrome Plated	54							
89	pc	Drill Bit, 12mm	10							
90	pc	Drill Bit, 16mm	10							
91	pc	Drill Bit, 20mm	10							
92	pc	Drivepin Ramset, 1"	176							
93	pc	Drop-in anchor, 8mm	20							
94	pc	Drop-in Anchor, 3/8"	642							
95	pc	Drop-in Anchor, 8mm	52							
96	set	Duplex Convenience Outlet, Weatherproof type	2							
97	set	Duplex Convenience Outlets/Receptacles (GT)	56							
98	set	Duplex Universal Convenience Outlets/Receptacles (GT)	4							
99	lit	Elastomeric Sealant	13							
100	meter	Electric Wire THHN/THWN-2, 125mm <sup>2</sup> Cu. Stranded	200							
101	meter	Electric Wire THHN/THWN-2, 2.0mm <sup>2</sup> Cu. Stranded	1,410							
102	meter	Electric Wire THHN/THWN-2, 22mm <sup>2</sup> Cu. Stranded	310							
103	meter	Electric Wire THHN/THWN-2, 3.5mm <sup>2</sup> Cu. Stranded	2,600							
104	meter	Electric Wire THHN/THWN-2, 30mm <sup>2</sup> Cu. Stranded	35							
105	meter	Electric Wire THHN/THWN-2, 5.5mm <sup>2</sup> Cu. Stranded	2,500							
106	meter	Electric Wire THHN/THWN-2, 8.0mm <sup>2</sup> Cu. Stranded	15							

*Go*



1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
107	pc	Electrical Metallic Tubing (EMT), 20mm dia. x 3m	21							
108	roll	Electrical Tape, Big	46							
109	pc	EMT Connector, 20mm dia.	11							
110	pc	EMT Coupling, 20mm dia.	20							
111	pc	EMT Elbow 20mm, Long Sweep 90°	2							
112	pair	EMT Locknut and Bushing 50mm (2") dia.	4							
113	pc	EMT Tubing, 50mm dia. x 3m	1							
114	gal	Enamel Quick Dry, White Color (top	2							
115	set	Enclosed Circuit Breaker (ECB) 250AT, 3P, 230V, 60Hz, NEMA 3R	1							
116	set	Enclosed Circuit Breaker (ECB) 60AT, 2P, 230V, 60Hz, NEMA 3R	4							
117	pc	Expansion Bolt, 3/8" x 70mm	20							
118	pc	Expansion Bolt, 1/4" x 1" Lag Screw	27							
119	pc	Expansion Bolt, 12mmØ	10							
120	pair	Expansion Shield w/ Lag Screw, 5/16" x 2"	40							
121	pc	Fiber Cement Board, 4.5mm thk x 4' x 8'	167							
122	pc	Fiber Cement Board, 6mm thk x 4' x 8'	32							
123	cu.m.	Fine Aggregates	36							
124	kg	Finishing Nails, 1"	48.5							
125	kg	Finishing Nails, 1/2"	6							
126	kg	Finishing Nails, 2"	36.5							
127	kg	Finishing Nails, 3"	24							
128	kg	Finishing Nails, 3/4"	12							
129	pc	Flat Bar, 40mm x 6m x 2mm thk.	1							
130	pc	Flat Bar, 4.5mm thk x 38mm x 6.0m L	10							
131	pc	Flat Bar, 4.5mm thk x 50mm x 6.0m L	1							
132	gal	Flat Wall Enamel (Primer) - 1 coat	2							
133	gal	Flat Wall Enamel (White)	10							
134	meter	Flexible Conduit, 20mm dia.	100							
135	pc	Flexible Hose Clip and Adapter	250							
136	pc	Flexible Metal Conduit Connector, 20mm dia.	16							
137	meter	Flexible Metal Conduit, 20mm dia.	2							
138	pair	Full Extension Ball Bearing Drawer Guide-Soft Close, 300mm (Black)	114							
139	pair	Full Extension Ball Bearing Drawer Slide, 12"	29							
140	pc	Full Threaded Rod, 3/8" x 1m	8							
141	pc	Full Threaded Rod, 8mm x 1m	35							
142	sheet	G.I. Corrugated Sheet, GA. 24 x 12' L	104							
143	sq.m.	G.I. Long Span Pre-painted Roofing Sheets, Forest Green (with total coated thickness of 0.50mm)	250							
144	pc	G.I. Pipe, 100mmØ x 6.0m L, Sch. 40	1							
145	pc	G.I. Pipe, 25mm x 6m, Sch.20	1							

67

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
146	pc	G.I. Plain Sheet, GA. 24 x 4' x 8' (Pre-painted Ridge Roll)	35							
147	pc	G.I. Square Tube, 2mm thk x 25mm x 25mm (Baluster)	6							
148	pc	G.I. Square Tube, 2mm thk x 50mm x 50mm (Top Rail & Hor. Mid-support)	4							
149	set	G.I. Tee, 1" x 1/2"	3							
150	kg	G.I. Tie Wire, #16	43							
151	set	Gate Valve, 20mm Ø (Heavy Duty-Brass)	1							
152	pc	GI Pipe 1 1/2" Sch 40	10							
153	gal	Glazing Putty	34							
154	pc	Good Lumber, 2" x 2" x 10' S4S	259							
155	pc	Good Lumber, 2" x 3" x 10' S4S	17							
156	pc	Good Lumber, 2" x 4" x 10' S4S	11							
157	pc	Grinding Disk, 4"	21							
158	set	Ground Clamp Connector	2							
159	pc	Ground Rod, 3/4" x 10'	2							
160	pc	Hacksaw Blade	30							
161	pair	Hand Gloves	5							
162	set	Heavy Duty Padlock	3							
163	set	Heavy Duty Stainless Steel Drawer Lockset	58							
164	pair	Heavy Duty Stainless Steel Hinges 4"	16							
165	set	Highbay 100W LED , 230V, 60Hz, 9500 Lumens, 6500K (Daylight) w/ 120° Aluminum Reflector, IP54	8							
166	pair	Hydraulic Inset Concealed Hinges	58							
167	unit	Jack Hammer (15.1 kg Net Weight)	1							
168	pc	J-Bolt, 6mm dia.	4,500							
169	pc	Job Screw, 1/2" L	453							
170	pc	Junction Box, PVC Deep Type, Orange	279							
171	gal	Lacquer Flo (Additive)	3							
172	gal	Lacquer Products Varnish (Clear Gloss)	10							
173	gal	Lacquer Sanding Sealer	53							
174	lit	Lacquer Sanding Sealer	189							
175	gal	Lacquer Thinner	27							
176	set	LED Exit Sign, Single Face, Green, 230VAC, w/ battery back up	3							
177	meter	LED Strip 8w/m, 230VAC, 6500K, daylight c/w accessories	60							
178	pc	Liquid Nails, 320g	40							
179	pc	Main Tee, 0.70mm thk x 24mm x 38mm x 12' L	56							
180	pc	Marine Plywood, 1/2" thk x 4' x 8'	15							
181	pc	Marine Plywood, 1/4" thk x 4' x 8'	29							
182	pc	Marine Plywood, 3/4" thk x 4' x 8'	285							
183	pc	Marine Plywood, 4' x 8' x 3/4" thk.	40							
184	roll	Masking Tape, 3/4"	30							
185	pc	Masonry drill bit for rotary hammer 12", 3/8" dia. Chuck type	2							
186	pc	Masonry Drill Bit, 1/8"	5							
187	pc	Masonry Drill Bit, 10mm Ø	43							

60

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
188	gal	Masonry Putty	119							
189	pc	Mesh Tape, 2" x 30m	4							
190	pc	Metal Carrying Channel, 0.8mm thk x 11mm x 37mm x 11mm x 5m L	96							
191	pc	Metal Clip	376							
192	pc	Metal Drill Bit, 1.5mm	60							
193	pc	Metal Drill Bit, 5/32"	20							
194	pc	Metal Grinding Disk, 4" Ø	23							
195	pc	Metal Screw, 1 1/2" Long	281							
196	lin. mtr.	Metal Spandrel, 0.40mm thk x 150mm W with Vent; Color: Brown	870							
197	pc	Metal Studs, 0.6mm thk. x 32mm x	51							
198	pc	Metal Tracks, 0.6mm thk. x 32mm x	16							
199	pc	Metal Wall Angle, 0.8mm thk x 25m	155							
200	meter	Mica Tube	10							
201	pc	MS Plate, 10mm thk. x 150mm x 15	2							
202	pc	MS Plate, 10mm thk. x 200mm x 200mm (Baseplate/Endplate)	4							
203	pc	MS Plate, 20mm thk x 4' x 8'	1							
204	pc	MS Plate, 3mm thk x 4' x 8'	1							
205	pc	MS Plate, 6mm thk x 4' x 8'	5							
206	pair	Nuts and Washer, 8mm	52							
207	pair	Nuts and Washer, 8mm	40							
208	pc	Nuts, 3/8" dia.	523							
209	pc	Octagonal Box, Metallic (101mm x 101mm x 53mm), Deep type	8							
210	gal	Oil Tinting Color, Grey	1							
211	gal	Oil Wood Stain, Color: Beechwood	10							
212	lit	Oil Wood Stain, Color: Mahogany	18							
213	lit	Oil Wood Stain, Color: Maple	87							
214	lit	Oil Wood Stain, Color: Oak	2							
215	gal	Oil Wood Stain; Color: Maple	18							
216	set	One-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	1							
217	pc	Ordinary Plywood, 1/4" thk.	1							
218	cylinder	Oxygen Tank with Content	2							
219	gal	Paint, Elastomeric (Primer)	31							
220	gal	Paint, Elastomeric (Semi-Gloss)	24							
221	gal	Paint, Elastomeric (White)	98							
222	gal	Paint, Enamel Flat (White)	13							
223	gal	Paint, Enamel, Semi-Gloss (White)	20							
224	gal	Paint, Latex Flat (White)	185							
225	gal	Paint, Latex Semi-Gloss (White)	266							
226	gal	Paint, Latex, Semi Gloss	160							
227	pc	Paint and Varnish Remover, 350ml	1							
228	pc	Paint Brush, 1"	16							
229	pc	Paint Brush, 2"	44							
230	pc	Paint Brush, 3"	67							
231	pc	Paint Brush, 4"	226							
232	gal	Paint Reducer (B-1750)	12							
233	pc	Paint Roller Tray, 9"	5							
234	pc	Paint Roller, 9"	44							
235	gal	Paint Thinner	100							
236	pc	Paint Thinner, 350mL	169							

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
237	set	Panel Light 48W LED , 230V, Dayli	10							
238	pc	Phenolic Board, 1/2" thk x 4' x 8'	5							
239	pc	Phenolic Board, 3/4" thk. 4' x 8'	10							
240	pc	Pipe Hanger Clamp, 20mm	20							
241	pc	Plain Round Bar, 10mm dia. x 6m, Grade 40	9							
242	gal	Plexibond	12							
243	lit	Polytuff Polyester Bodyfiller with Hardener	2							
244	pc	Polyvinyl Chloride Pipes (uPVC) 20mm dia. x 3m	20							
245	pc	Polyvinyl Chloride Pipes (uPVC) 25mm dia. x 3m	10							
246	pc	Polyvinyl Chloride Pipes (uPVC) 50mm dia. x 3m	24							
247	bag	Portland Cement	1,123							
248	pc	PPR Coupling Elbow, 20mm dia.	12							
249	pc	PPR Coupling, 20 mm dia.	8							
250	pc	PPR Elbow 90°, 20mm Ø	10							
251	pc	PPR Equal Tee 90°, 20mm Ø	5							
252	pc	PPR Female Elbow, 20 mm dia.	3							
253	set	PPR Gate Valve, 20mm Ø	19							
254	pc	PPR Male Adapter, 20 mm dia.	3							
255	pc	PPR Pipe, 20mm dia. x 4m	8							
256	pc	PPR Pipe, 20mm Ø x 2.8mm thk x 4m	3							
257	pc	PPR Socket, 20mm Ø	5							
258	set	PPR Straight Way Valve, 20mm Ø	1							
259	set	P-Trap (for Wash Basin), complete with accessories, Size: 1 1/2"Ø, Material: Stainless Steel	2							
260	pc	Pull Box, 12" x 12" x 4", NEMA 3R	2							
261	pc	Pull Box, 150mm x 150mm x 100mm, NEMA 3R GA #16	8							
262	pc	Putty Knife	41							
263	pc	PVC 1/8 Bend, 50mm dia.	11							
264	can	PVC Cement	4							
265	pc	PVC Cleanout W/ Plug, 50mm dia.	3							
266	pc	PVC Coupling, 32mm dia.	14							
267	pc	PVC Coupling, 50mm dia.	34							
268	pc	PVC Elbow, 50mm dia.	31							
269	pc	PVC End bell, 32mm dia.	10							
270	pc	PVC End Bell, 50mm dia.	20							
271	pair	PVC Male Adapter with Locknut, 20mm	328							
272	lit	PVC Pipe Cement	1							
273	pc	PVC Pipe, 2" Ø x 10', PNS1650 S1000, Orange	70							
274	pc	PVC P-Trap, 50mm dia.	3							
275	pc	PVC Sanitary Wye, 50mm dia.	6							
276	pc	PVC/uPVC Pipe, 20mm dia. x 10'	239							
277	pc	PVC/uPVC Pipe, 32mm dia. x 10'	7							
278	pc	PVC/uPVC Pipe, 50mm dia. x 10'	14							
279	litre	Quick Dry Enamel, Black	2							
280	gal	Quick Drying Enamel (1 coat)	6							
281	gal	Quick Drying Enamel (2-top coats)	27							
282	gal	Quick Drying Enamel, Green	53							
283	gal	Quick Drying Enamel, Royal Blue	1							

Go

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
284	gal	Quick Drying Enamel, Tulle White	1							
285	set	Rechargeable Emergency Light, Bug eye 3.2W, 230V, 60Hz, Automatic w/ Battery Backup	11							
286	lit	Red Oxide Metal Primer	6							
287	gal	Red Oxide Metal Primer	89							
288	gal	Red Oxide Metal Primer (1 coat)	6							
289	pc	Roller Brush, 7"	166							
290	pc	Roller Brush Pan	153							
291	lin. mtr.	Roofing Sheet Insulation	250							
292	pc	RSB, 10mm Ø x 6.0m, Grade 40	427							
293	pc	RSB, 10mm Ø x 7.5m, Grade 40	119							
294	pc	RSB, 12mm Ø x 6.0m, Grade 40	59							
295	pc	RSB, 16mm Ø x 6.0m, Grade 40	41							
296	pc	RSB, 20mm Ø X 6.0m, Grade 40	35							
297	pc	RSC Clamp, 20mm dia. w/ Screw	684							
298	pc	RSC Clamp, 25mm dia. w/ Screw	50							
299	pc	RSC Clamp, 50mm dia. w/ Screw	5							
300	roll	Rubber Tape	3							
301	gal	Rust Converter	1							
302	set	Safety Breaker, 15AT, 2P, 230V, 60Hz	6							
303	set	Safety Breaker, 20AT, 2P, 230V, 60Hz	7							
304	set	Safety Breaker, 30AT, 2P, 230V, 60Hz	5							
305	set	Switch Set, 1-Gang, Wide, Flush type	3							
306	set	Switch Set, 2-Gang, Wide, Flush type	5							
307	set	Switch Set, 3-Gang, Wide, Flush type	6							
308	pc	Sagrods, 12mm Ø x 7.50m	400							
309	pc	Sand Paper, #60	141							
310	pc	Sand Paper, #80	1,401							
311	pc	Sand Paper, #100	1,776							
312	pc	Sand Paper, #120	648							
313	pc	Sand Paper, #600	422							
314	set	Scaffolding Set, Galvanized Sch 40 Consists of: 90 pc H-Frame 1.2mx 1.2m, 90 pc cross-brace, 180 pc Joints Pins	45							
315	pc	Screw and Nut, 3/8" dia. x 3.5"	514							
316	pc	Screw with Tox, #5	630							
317	set	Secondary Rack, 3W	2							
318	set	Self-Closing Stainless Steel Spring	4							
319	gal	Semi-Gloss Enamel (White)	15							
320	set	Service Entrance Cap, 50mm dia.	1							
321	set	Single Convenience Outlet	14							
322	bag	Skimcoat, 25kg-Bag	4							
323	pc	Sliding Cabinet Door Lock with 135	6							
324	set	Smoke Detector, Single Station, ba	3							
325	lit	Solvent Cement	1							
326	can	Solvent Cement	2							
327	pc	Spatula, 4"	602							
328	set	Spool insulator	6							
329	gal	Spot Putty, Cast 1711	327							
330	pc	Square Box, PVC, Orange	27							

Handwritten signature or initials in blue ink, located at the bottom right corner of the page.

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
331	set	Square Downlight 18W LED , 230V, 1500 Lumens, 6500K (DL), Recessed	22							
332	pair	Stainless Hydraulic Inset Concealed Hinges	160							
333	set	Stainless Steel (304) Double Kitchen Sink, 33" x 22" x 8" with complete accessories	25							
334	set	Stainless Steel (304) Flexible Supply Hose, complete with accessories, Size: 1/2"Ø	1							
335	pc	Stainless Steel (304) Gooseneck Faucet (Kitchen sink mounted)	29							
336	set	Stainless Steel (304) Single Kitchen Sink, 22" x 18" x 8" with complete accessories	4							
337	pc	Stainless Steel Brush (Handtools)	90							
338	pc	Stainless Steel Cabinet Flush Pull	151							
339	pc	Stainless Steel Cylinder Door Knobset	8							
340	set	Stainless Steel Door Handle Set	1							
341	pc	Stainless Steel Rectangular Tube, 3.5mm thk x 25mm x 50mm	39							
342	pc	Stainless Steel Satin Finish (304) Floor Drain, Dimensions: 100 x 100mm	16							
343	pc	Stainless Steel Satin Finish Cabinet Flush Pull Handle, 128mm	78							
344	pc	Stainless Steel Tube, 1.5mm thk x	4							
345	set	Stainless Steel Wall Faucet, Wall Mounted, Elongated Bib Tap	1							
346	pc	Steel Barrel Lock, 4"	8							
347	pc	Steel Brush	19							
348	pc	Supply Hose, 12mm dia.	27							
349	pc	Swivel Clamps 1 1/2"	45							
350	set	T8 Tube 18W LED, (Daylight) w/ lamp holder	10							
351	roll	Teflon Tape	8							
352	pc	Tek Screw (for Roofing)	490							
353	pc	Tek Screw, 3" (for Wood)	2,142							
354	gal	Thinner (Reducer 1750)	17							
355	pc	Threaded Rod, 3/8" x 1m	629							
356	set	Three-way 2-Gang Switch Set, Wide, Flush type	2							
357	set	Three-way 3-Gang Switch Set, Wide, Flush type	6							
358	bag	Tile Adhesive, 25kg-bag	325							
359	kg	Tile Grout	155							
360	pc	Tile Spacer, 1.5 mm	4,616							
361	pc	Tile Spacer, 2 mm	2,230							
362	pc	Tile Spacer, 3 mm	50							
363	pc	Toilet Paper Holder, Dimensions: 115 x 111 mm, Material: Zinc Alloy in Chrome Finish	11							
364	gal	Top Coat Permacoat Latex	224							
365	pc	Top Inlet Urinal Wall-Mounted Water Sense Urinal; Material: Vitreous China; Grade A	4							
366	set	Tox with Metal Screw, #5	60							

6/20

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
367	set	Troffer Light, Grilled Aluminum Louver w/ 2 x 18W LED T8, Recessed	44							
368	pc	Twisted Hanger, 1/4"	192							
369	set	Two-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	1							
370	set	Union Patente, 1"	3							
371	pc	uPVC Bend 45°, 2"Ø (1/8 Bend), O	5							
372	pc	uPVC Bend 45°, 4"Ø (1/8 Bend), O	2							
373	pc	uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow), Orange [for DWV]	5							
374	pc	uPVC Bend 87.5°, 4"Ø (1/4 Bend/ elbow), Orange [for DWV]	3							
375	pc	uPVC Clean-out w/ Plug & Seal Ring 4"Ø, Orange [for DWV]	1							
376	pc	uPVC Clean-out w/ Plug & Seal Ring, 2"Ø, Orange [for DWV]	1							
377	pc	uPVC Moulding, 14mm x 9mm x 8'	43							
378	pc	uPVC Moulding, 25mm x 12mm x 8'	22							
379	pc	uPVC Pipe, 4" Ø x 2.5mm thk, PNS1650 S1000, Orange [for DWV]	8							
380	pc	uPVC P-trap, 2"Ø (U-trap + Bend 45°), Orange [for DWV]	2							
381	pc	uPVC Single Branch Tee 87.5°, 2"Ø, Orange [for DWV]	2							
382	pc	uPVC Single Branch Wye 45°, 2"Ø, Orange [for DWV]	4							
383	pc	uPVC Single Branch Wye 45°, 4"Ø, Orange [for DWV]	2							
384	pc	uPVC Socket/ Coupling 4"Ø, Orange [for DWV]	5							
385	pc	uPVC Socket/ Coupling, 2"Ø, Orange [for DWV]	8							
386	pc	Utility Box, PVC, Deep type, Orange	94							
387	pc	Utility Box, PVC, Surface type, White	44							
388	pc	Vinyl Tiles, 150mm x 900mm x 3mm thk. (Mariwasa, Sierra Brown)	489							
389	pc	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Beige	407							
390	pc	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Brown	210							
391	pc	Vulcaseal, 1/2-lit	4							
392	set	Wash Basin Faucet, Dimensions: 140mm x 126mm x 36 mm, Elongated, Material: SUS304 Stainless Steel	1							
393	set	Wash Basin Lavatory, Square Vessel Type, Dimensions: 480mm x 480mm x 140mm, Color: White, Faucet Hole: 35mm, Material: Vitreous China; Grade A	1							
394	cu.m.	Washed Sand	39							
395	pc	Washers, 3/8" Ø	523							

90

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
396	set	Water Closet, Dimensions: 700mm D x 365mm W x 805mm H, Color: American White, Flushing System: Siphon Jet, Bowl Shape: Elongated, Material: Vitreous China; Grade A	4							
397	kg	Welding Rod, 1/8" Ø	132							
398	lot	Wireway Elbow, 100mm x 100mm, G.I., gray finish	1							
399	lot	Wireway, 100mm x 100mm x 3000mm, G.I., gray finish	1							
400	pc	Wood Edging, 1/2" thk x 3/4" x 10'	518							
401	pc	Wood Glue, 0.5L	34							
402	pc	Wood Glue, 1L	61							
403	pc	WPC Brackets	268							
404	pc	WPC Fluted Indoor Wall Panel, 12mm thk x 200mm x 2900mm, Color: Golden Oak	134							

**Sub-total (Lot 1)**

**LOT 2 - ELECTRICAL FABRICATION**

1	set	Panelboard with Main and Branch Breakers (LP3) Main: 1-70AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-15AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	1							
2	set	Panelboard with Main and Branch Breakers (PP) Main: 1-250AT/250AF, 3P, 230V, 60Hz, 25KAIC Bolt on MCCB Branches: 11-60AT/2P, 1-30AT/2P, all MCCB in 100AF, 230V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	1							
3	set	Panelboard with Main and Branch Breakers (PP3) Main: 1-100AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-20AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	1							

**Sub-total (Lot 2)**

**LOT 3 - DOOR SUPPLIES**

1	set	Hollow Core Flush Cubicle Door, 600mm W x 1400mm H (Note: Use Kiln Dried Luan Wood or equivalent)	8							
2	set	Hollow Core Flush Door (700mm W x 2100mm H) w/ Door Jamb or equivalent (Note: Use Kiln Dried Luan Wood or equivalent)	4							

*Go*



1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
3	set	Hollow Core Flush Door (900mm W x 2100mm H) w/ Door Jamb or equivalent, w/ Clear Vision Glass (6mm thk x 150mm W x 1600mm H); complete w/ Stainless Steel Hinges & Stainless Steel Lockset; Color: Dark Oak (Note: Use Kiln Dried Lauan Wood or equivalent)	1							
4	set	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 200mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple	4							
5	set	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 400mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple	4							
6	set	Single Leaf Hollow Core Flush Cubicle Door (600mm W x 1800mm H) w/ Stainless Steel Hinges & Stainless Steel Barrel Lock 4"; Door Paint Color: Cream	9							
7	set	Single Leaf Hollow Core Flush Door (800mm W x 2100mm H) on Lauan Door Jamb; w/ Stainless Steel Hinges & Stainless Steel Door Knobset; Paint Color: Mahogany	4							
8	set	Solid Panel Door (900mm W x 2100mm H) w/ Clear Vision Glass (6mm thk) + Fixed Transom (900mm W x 400mm H) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Knobset; Door Paint: Mahogany	22							
9	set	Solid Wood Panel Door (900mm W x 2100mm H) w/ Ordinary Clear Vision Glass (6mm thk) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Leverset; Paint Color: Maple	1							
10	set	Solid Wood Panel Door (900mm W x 2100mm H) with Door Jamb or equivalent with Ordinary Clear Vision Glass (6mm thk); (Note: Use Kiln Dried Lauan Wood or equivalent)	3							
11	set	Solid Wood Panel Door (900mm W x 2400mm H) with Door Jamb or equivalent with Transom (Note: Use Kiln Dried Lauan Wood or equivalent)	1							
<b>Sub-total (Lot 3)</b>										

*Handwritten signature*

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
<b>LOT 4 - GLASS SUPPLIES</b>										
1	set	Double Acting Double Panel Glass Door (1400mm W x 2100mm H) on Alum Frame (2.00mm thk., white) w/ Door Handle and complete hardware accessories	1							
2	pc	Ordinary Clear Glass, 6mm thk x 440mm W x 1120mm H	4							
3	pc	Ordinary Clear Glass, 6mm thk. x 300mm W x 700mm H	8							
									<b>Sub-total (Lot 4)</b>	
<b>LOT 5 - OFFICE AND IT EQUIPMENT</b>										
1	unit	Air Conditioning Unit, 0.6HP, Window Type Cooling Capacity: 5700 Btu/h Power Supply: 230V / 60Hz / 1-phase Rated Power: 550W Rated Current: 2.5A FFR: 10.4 Btu/hW	1							
2	Unit	Air Curtain Specifications: • 60 inches • 18 meters/sec air velocity • 1500x230x212 mm dim. • 600 watts power; 220V/60Hz <i>*including installation</i>	4							
3	unit	Orbit Fan, 18" Metal blade w/ Switch and Thermal Fuse Protection	4							
4	set	Wireless Access Point • Up to 1200Mbps w/ 2 x 2 MIMO technology • 802.3af/802.3at and Passive PoE • Dual-Band Antennas • 2.4 GHz: 2 x 3 dBi, 5 GHz: 2 x 4 dBi • Ethernet Port: 1 Gigabit Lan port	4							
									<b>Sub-total (Lot 5)</b>	
<b>LOT 6 - FURNITURE AND FIXTURES</b>										
1	set	Executive High Back Man-made Faux Leather Office Chair; Tilt Lock Function, 350mm Base and PU Casters, Pneumatic Height Adjustment, 360 degrees Swivel Function (Black)	1							
2	set	Mid-Back Office Chair; Tilt Back Function, Chromed Frame Base and Casters, Pneumatic height adjustment, 360 degrees swivel function	6							
3	set	Gang Chair, 3-Seater Materials: Leg Frames are Steel with Chrome-plated Finish, Leatherette Seat & Back (Yellow)	6							

G

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
4	set	Freestanding Rectangular Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish Dimension: W 1200 x D 600 x H 750 mm	1							
5	set	Freestanding Rectangular Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish Dimension: W 1200 x D 600 x H 750mm	2							
6	set	Freestanding Square Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish Dimension: W 650 x D 650 x H 750 mm	1							
7	set	Freestanding Table; MFC Board (Color: Maple Finish); 1" x 2" Tubular Metal Legs, Powder-coated Black Finish; Dimension: W 2400 x D 600 x H 750mm	8							
8	set	High Back Office Chair; Tilt Back Function, Chromed Frame Base and Casters, Pneumatic height adjustment, 360 degrees Swivel Function (Black)	1							
9	set	Training Chair with Armrest; Leathearette Backrest & Fabric Seatrest (Black), Chrome Legs	16							
<b>Sub-total (Lot 6)</b>										
<b>TOTAL</b>										

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Price Schedule for Goods Offered from Abroad

*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

## For Goods Offered from Abroad

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place  (specify border point or place of destination)	Total CIF or CIP price per item  (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_


Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_



**REQUIREMENTS AND INSTRUCTIONS OF THE CATANDUANES STATE UNIVERSITY**

**FOR MARKINGS AND SEALING OF BID ENVELOPPES – GOODS**



**REQUIREMENTS AND INSTRUCTIONS OF THE CATANDUANES STATE UNIVERSITY**  
**FOR MARKINGS AND SEALING OF BID ENVELOPES - GOODS**

**All bid envelopes shall:**

1. Typed or written in indelible ink and the seal shall be signed by the bidder or his duly qualified and authorized representative.
2. Contain the name of the contract to be bid in capital letters (\* refer to BDS Clause 1.0 for the name of the Project).
3. Bear the name and address of the bidder in capital letters.
4. All envelopes shall be sealed and marked as illustrated below:

**For Envelope 1 and 2**

<b>BIDDER'S NAME AND ADDRESS</b>  THE BIDS AND AWARDS COMMITTEE Catanduanes State University Virac, Catanduanes
BID DOCUMENTS FOR: _____ (Name of the Contract) *
CONTENTS: ORIGINAL BID <b>OR</b> COPY 1 1) Technical Component 2) Financial Component
DO NOT OPEN BEFORE _____ (Date of Bid Opening)

**Mother Envelope**

<b>BIDDER'S NAME AND ADDRESS</b>  THE BIDS AND AWARDS COMMITTEE Catanduanes State University Virac, Catanduanes
BID DOCUMENTS FOR: _____ (Name of the Contract) *
CONTENTS: 1) ORIGINAL BID 2) COPY 1
DO NOT OPEN BEFORE _____ (Date of Bid Opening)

- If the bids are not sealed and marked as required, the Procuring Entity will assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening. Moreover, **FAILURE TO COMPLY WITH THE REQUIRED SEALING AND MARKING OF BIDS SHALL BE A GROUND FOR DISQUALIFICATION.**



Republic of the Philippines



Government Procurement Policy Board