

REPUBLIC OF THE PHILIPPINES CATANDUANES STATE UNIVERSITY VIRAC, CATANDUANES

NEGOTIATED PROCUREMENT DOCUMENTS

Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs

With Approved Budget for the Contract (ABC) of PhP10,092,318.05

(Project ID No.: 2023-022)

Sixth Edition July 2020

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	3
Section	I. Invitation to Bid	5
	II. Instructions to Bidders	
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices.	
5.	Eligible Bidders	
6.	Origin of Goods	
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	
10.	Documents comprising the Bid: Eligibility and Technical Components	
11.	Documents comprising the Bid: Financial Component	
12.	Bid Prices	
13.	Bid and Payment Currencies	11
14.	Bid Security	11
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	12
17.	Opening and Preliminary Examination of Bids	12
18.	Domestic Preference	12
19.	Detailed Evaluation and Comparison of Bids	12
20.	Post-Qualification	13
21.	Signing of the Contract	13
Section	III. Bid Data Sheet	13
Section	IV. General Conditions of Contract	18
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	
3.	Performance Security	
4.	Inspection and Tests	
5.	Warranty	
6.	Liability of the Supplier	
Section	V. Special Conditions of Contract	
	VI. Schedule of Requirements	
	VII. Technical Specifications	
	VIII. Checklist of Technical and Financial Documents	
Section	IX. Bidding Forms	ンソ

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC - Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP - Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI - Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI - Department of Trade and Industry.

EXW - Ex works.

FCA - "Free Carrier" shipping point.

FOB - "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity

and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA - National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN - United Nations.

Section I. Invitation to Negotiations



INVITATION FOR NEGOTIATED PROCUREMENT FOR TWO FAILED BIDDING

PROCUREMENT OF SUPPLIES AND MATERIALS FOR REPAIR AND REHAB OF VARIOUS BUILDINGS TO INCREASE THE CARRYING CAPACITY OF NURSING AND ALLIED HEALTH PROGRAMS

1. The CATANDUANES STATE UNIVERSITY, through the GAA FY 2022 intends to apply the total sum of Ten Million Ninety Two Thousand Three Hundred Eighteen Pesos & 05/100 (PhP10,092,318.05) being the ABC to payments under the contract for "Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs" (Project ID No. 2023-022), consisting of the following lots and its corresponding ABC:

Lot No.	Description	ABC (₱)
Lot 1	Hardware Materials	9,295,149.55
Lot 2	Electrical Equipment	118,140.00
Lot 3	Door Supplies	544,769.00
Lot 4	Glass Supplies	27,145.00
Lot 5	Office and IT Equipment	107,114.50
	Total ABC	10,092,318.05

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The Catanduanes State University through its Bids & Awards Committee (BAC), now invites technically, legally, and financially capable suppliers for the above-mentioned project. Delivery of the Goods is required within forty-five (45) calendar days upon receipt of Notice to Proceed. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. The procurement procedure for this project is Negotiated Procurement due to Two Failed Biddings pursuant to Section 53.1 of the Revised Implementing Rules and Regulations (IRR) of Republic Act (R.A.) No. 9184, otherwise known as the "Government Procurement Reform Act", including Annex "H" thereof.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country

- the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Interested bidders may obtain further information from Catanduanes State University Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below from 9:00a.m. to 4:00p.m. (Mondays-Fridays).
- 5. A complete set of Negotiated Procurement Documents may be acquired by interested Bidders (with Letter of Intent) on **August 15 to 23, 2023** from the given address and website below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amounts:

Total Amount of ABC to be Bid (In Philippine Peso)	Maximum Cost of Bidding Documents (In Philippine Peso)
500,000.00 and below	500.00
More than 500,000.00 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million	25,000.00

Payment shall be made directly to the CatSU Cashiering Services or thru deposit to CatSU LBP Account. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means. Transmittal of scanned deposit slip is required for the issuance of Official Receipt. Bank Account details are as follows:

Account Name:	Catanduanes State University Trust Liability Account
Account Number:	0892-103330

- 6. The Catanduanes State University will hold a **Negotiation Conference** on **August 22**, **2023**, **2:00pm** at the BAC Conference Room, 1st Floor, Administration Building, Catanduanes State University, Virac, Catanduanes, which shall be open to interested bidders.
- 7. All Proposals shall contain the Eligibility and Technical Documents, as well as the Financial Documents prescribed in the Bidding Documents, particularly, in Section VIII. Checklist of Technical and Financial Documents.
- 8. Interested bidders shall submit the eligibility and financial documents in sealed envelopes, labeled as "Negotiated Documents", with the title of the procurement project, name of the Bidder, address of the Bidder and contact details of the bidder, addressed to the undersigned.
- 9. Proposals must be duly received by the BAC Secretariat at the office address indicated below on or before **August 23, 2023 at 1:30pm**. All Proposals must be accompanied by a bid security in any of the acceptable forms in the amount stated in **ITB** Clause 14. Late bids shall not be accepted.
- 10. Opening of Proposals shall be on **August 23, 2023 at 1:30pm** at the BAC Conference Room, 1st Floor, Administration Building, Catanduanes State University, Virac,

Catanduanes. Proposals will be opened in the presence of the bidders' representatives who choose to attend the activity.

Only representative/s of the bidder with the prescribed **Authorization Letter/Special Power of Attorney** shall be allowed to participate in the procurement activities of the stated project.

- 11. The Catanduanes State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

The BAC Secretariat

1st Floor, Administration Building,
Catanduanes State University, Virac, Catanduanes
Cellphone No.: 0949-136-9639

E-mail Address: bac@catsu.edu.ph

catsc bacsec@yahoo.com

13. You may visit the following websites:

For downloading of Bidding Documents: www.philgeps.gov.ph

www.catanduanesstateu.edu.ph

For online bid submission: bac@catsu.edu.ph

catsc bacsec@yahoo.com

15 August 2023

ENGR. BENJAMIN HANNYCEL T. NUYDA

BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Catanduanes State University wishes to receive Bids for the "Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs", with identification number 2023-022.

The Procurement Project (referred to herein as "Project") is composed of five (5) lots, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for FY 2022 in the amount of Ten Million Ninety Two Thousand Three Hundred Eighteen Pesos & 05/100 (PhP10,092,318.05).
- 2.2. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations or which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that **SUBCONTRACTING IS NOT ALLOWED**.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **three (3) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS**.

b. For Goods offered from abroad.

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in **Philippine Pesos**.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for <u>One Hundred Twenty (120)</u> calendar days from the date of bid opening. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which

must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

 IN CASE MORE THAN ONE (1) LOT ARE AWARDED TO THE SAME BIDDER, ONE (1) CONTRACT MAY BE ENTERED INTO CONTAINING ALL THE LOTS AWARDED.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB				
Clause				
5.3	 a. Supply and delivery of hardware materials, electrical equipment, glass and door supplies, office and IT equipment; b. completed within three (3) years prior to the deadline for the submission and receipt of bids. 			
7.1	Subcontracting is not allowed.			
10.1	Bidders shall submit the following:			
	ELIGIBILITY AND TECHNICAL COMPONENTS:			
	 Valid PhilGEPS Certificate of Registration under PLATINUM CATEGORY with the current and updated copy of the documents as follows: a. Photocopy of Registration Certificate from SEC, DTI, or CDA, whichever is applicable; b. Photocopy of valid Mayor's/Business Permit or its equivalent document; c. Photocopy of Tax Clearance Certificate per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR). 			
	2. Statement of <u>ALL</u> its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid and supported by a Notice of Award, Purchase Order/Contract and Notice to Proceed. Submit accomplished FORM 1: STATEMENT OF ALL ONGOING GOVERNMENT & PRIVATE CONSTRUCTION CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED;			
	3. Statement of its Single Largest Completed Contract (SLCC), similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA 9184, within the relevant period as provided in the Bidding Documents supported by Purchase Order/Contract, Certificate of Completion and Acceptance and/or Official Receipt or Sales Invoice. Submit accomplished FORM 2: STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID.			
	 Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration. Submit accomplished FORM 3: BID SECURING DECLARATION. 			
	 Conformity with the Technical Specifications. Submit accomplished FORM 4: TECHNICAL SPECIFICATIONS, which may include Production/Delivery Schedule, Manpower Requirements, and/or After-Sales/Parts, if applicable. 			

	6. Duly notarized Omnibus Sworn Statement <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Submit accomplished FORM 5: OMNIBUS SWORN STATEMENT.			
	Under Item 2 of the Omnibus Sworn Statement: The representative authorized and named in the Special Power of Attorney (SPA) should be: a. An employee of the company/business entity (certified as bonafide employee by the owner/bidder (if sole proprietorship) and by the Corporate Secretary or Chairman of the BOD, if a corporation, partnership or joint venture) (Certification attached in the (SPA).			
	7. Photocopy of audited Financial Statement (Independent Auditor's Report, Balance Sheet & Income Statement) stamped "received" by the BIR or its duly accredited and authorized institutions for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.			
	8. Duly signed Net Financial Contracting Capacity (NFCC) computation of at least equal to the ABC of the project. Submit accomplished FORM 6: NFCC.			
	9. Duly signed Joint Venture Agreement (JVA), in case the joint venture is already in existence. In the absence of a JVA, duly notarized statements from all the potential joint venture partners should be included in the bid, stating that they will enter into and abide by the provisions of the JVA in the event that the bid is successful.			
11.1	Bidders shall submit the following:			
	FINANCIAL COMPONENTS:			
	Original of duly signed and accomplished Financial Bid Form (please refer to FORM 7: BID FORM.			
	 Original of duly signed and accomplished Price Schedule (please refer to FORM 8: PRICE SCHEDULE FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES or FORM 8-A: PRICE SCHEDULE FOR GOODS OFFERED FROM ABROAD. 			
12	The price of the Goods shall be quoted DDP CatSU, Virac, Catanduanes or the applicable International Commercial Terms (INCOTERMS) for this Project.			
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:			
	a. The amount of not less than 2% of the ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or			
	b. The amount of not less 5% of the ABC if bid security is in Surety Bond.			
	15			

Lot No.	2%	5%
Lot 1	185,902.99	464,757.48
Lot 2	2,362.80	5,907.00
Lot 3	10,895.38	27,238.45
Lot 4	542.90	1,357.25
Lot 5	2,142.29	5,355.72

Each Bidder shall submit *ONE (1) SET* **original** and *ONE (1) SET* **copy** of the first and second components of its bid, enclose in one mother envelope. Each set shall be properly fastened with tabbing for each requirement.

Requirements and instructions for markings and sealing of bid envelopes is on the last page.

For online submission of bids:

The Bidder shall submit an electronic copy of its Bid (Eligibility, Technical and Financial Documents including all required Bidding Forms), which must be digitally signed.

The Bidder shall submit **two (2) password-protected bidding documents in compressed archive folders.** The first shall contain the technical component of the bid, including the eligibility requirements and the second shall contain the financial component of the bid. All files must be in a PDF format.

An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus automatically disqualified.

Partial bids are allowed. All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation will be undertaken on a PER LOT BASIS. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.

In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.

Lot No.	Description	ABC (₱)
Lot 1	Hardware Materials	9,295,149.55
Lot 2	Electrical Equipment	118,140.00
Lot 3	Door Supplies	544,769.00
Lot 4	Glass Supplies	27,145.00
Lot 5	Office and IT Equipment	107,114.50

Bids received in excess of each of the above amounts shall be automatically rejected at bid opening, or during bid evaluation.

19.3 The description of the items are indicated in Section VII (Technical Specifications) with the following ABC per lot:

	Lot No.	Description	ABC (₱)
	Lot 1	Hardware Materials	9,295,149.55
	Lot 2	Electrical Equipment	118,140.00
	Lot 3	Door Supplies	544,769.00
	Lot 4	Glass Supplies	27,145.00
	Lot 5	Office and IT Equipment	107,114.50
20.2	No further instruct	ions.	
21.1	List of additional c	contract document: Company Pr	ofile
			ofile

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	"The delivery terms applicable to this Contract are delivered to Catanduanes State University Main Campus . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is
	Ms. Erlyn P. Tuno AO V, Supply Services
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of <u>three (3)</u> <u>months</u>. If not used, <u>nine (9) months</u> (three times the warranty period).

Spare parts or components shall be supplied as promptly as possible, but in any case, within **one month** of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity:

Name of the Supplier:

Contract Description:

Final Destination:

Gross weight:

Any special lifting instructions:

Any special handling instructions:

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 No further instructions.

4

The inspections and tests that will be conducted are: On Site

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	No. of Items	Delivery Period
Lot 1	Hardware Materials	404	
Lot 2	Electrical Equipment	3	Within forty-five (45)
Lot 3	Door Supplies	11	calendar days upon receipt
Lot 4	Glass Supplies	3	of Notice to Proceed
Lot 5	Office and IT Equipment	4	

I hereby certify to comply and deliver all the above requirements in accordance with t	he
above stated schedule.	

 Name of Company	Signature over Printed Name of Authorized Representative	Date
rame of Company	Authorized Representative	Date

Section VII. Technical Specifications

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] Please state
LOT 1	 - HARDWARE MATERIALS	the brand and model being offered
1	Acetylene Tank with Content	
2	Acoustic Boards, 5/8" thk x 2' x 4'	
3	Acrycolor (water-based), 1/4 L	
4	Acrycolor (water-based), 1/4 L, Color: Thalo Blue	
5	Adjustable Furniture Glides, 50mm Ø table desk leveling foot leg	
6	Aluminum Double Rail Channel Glass Door Track, 1.0m Long)	
7	Aluminum Flush Pull Handle	
8	Aluminum Roof Gutter Strainer	
9	Aluminum Stair Nosing, 1 3/4" x 1" x 9ft long	
10	Aluminum Stair Nosing, 1 1/2" x 8'	
11	Aluminum Tile Trim, Round-Edge, 8'	
12	Anchor Bolts, 16mm dia. x 500m L A325 with Std Nuts and Washers	
13	Anchor Bolts, 16mmØ x 200mm L	
14	Angle Bar, L38 x 38 x 4.5mm thk. x 6.0m Long	
15	Angle Bar, L50 x 50 x 4.5mm thk. x 6.0m Long	
16	Angle Bar, 3mm thk x 25mm x 25mm x 6m L	

Item	Specification	Statement of Compliance
17	Angle Bar, 4.5mm thk x 50mm x 50mm x 6.0m L	
18	Angle Bar, 4.5mm thk. x 25mm x 25mm x 6m L	
19	Angle Bar, 6mm thk x 50mm x 50mm	
20	Angle Bar, 6mm thk x 62.5mm x 62.5mm x 6.0m L	
21	Angle Bar, 6mm thk x 75mm x 75mm x 6.0m L	
22	Angle Valve, 12mm dia.	
23	Angle Valve, 20mm dia.	
24	Arbor Stainless Steel Brush For Bench Grinder Abrasive Wire, 6mm Professional Accessories	
25	Assorted Common Wire Nails	
26	Bidet Spray, Material: SUS304 Stainless Steel Satin Finish, Description: Brushed with Nickel-plated Holder and 1.20m Stainless Steel Double Locked Hose, with complete accessories	
27	Black Screw, 1 1/2"	
28	Black Screw, 1"	
29	Black Screw, 3/4"	
30	Blind Rivet, 1/8" x 5/16"	
31	Blind Rivet, 3/16"	
32	Blind Rivet, 5/32" x 1/2"	
33	Bolts, 12mm dia. with Std Nuts and Washer	
34	Cat6A 4-Pair 23AWG F/UTP indoor cable, 305m/box	
35	Ceiling Lamp, Round, 18W LED (Daylight) Surface type	
36	Ceramic Tiles w/ Nosing, 300m x 600m, Matte Finish; Color: Beige	
37	Ceramic Tiles, 300m x 600m, Matte Finish; Color: Beige	
38	Ceramic Tiles, 300mm x 300mm, Matte Finish; Color:Beads White	
39	Ceramic Tiles, 300mm x 600mm, Glossy Finish; Color: Lobby White	
40	Ceramic Tiles, 300mm x 600mm, Matte Finish; Color: Nueva Beige	
41	Ceramic Tiles, 600m x 600m, Glossy Finish; Color: Gavin Ivory	
42	Ceramic Tiles, 600m x 600m, Rustic Finish; Color: Rocky Beige	
43	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Brown	
44	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Ivory	
45	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Maine White	
46	Ceramic Tiles, 600mm x 600mm, Matte Finish; Color: Hampton Beige	

Item	Specification	Statement of Compliance
47	Ceramic Tiles, 600mm x 600mm, Rustic	
	Finish; Color: Rocky Grey	
48	C-Channel, C8 x 10.50 x 6.0m Long	
	(Stringer)	
49	Channel Bars, 2.5mm thk x 50mm x 175mm x	
50	6.0m L	
50	CHB, 4" thk	
51	CHB, 5" thk	
52	Check Valve, 20mm Ø	
53	Circuit Breaker 15AT, 2P, 240V 60Hz	
	10KAIC, Bolt on Type Circuit Breaker 20AT, 2P, 240V 60Hz	
54		
****	10KAIC, Bolt on Type Circuit Breaker 30AT, 2P, 240V 60Hz	
55		
	10KAIC, Bolt on Type Circuit Breaker 40AT, 2P, 240V 60Hz	
56	10KAIC, Bolt on Type	
	Circular Downlight 6W LED, 230V, 630	
57	Lumens, 6500K (DL), Recessed	
58	Clear Gloss Lacquer	
59	Clear Gloss Lacquer	
60	Coco Lumber, 2" x 2" x 10' S4S	
61	Common Wire Nails, 1"	
62	Common Wire Nails, 1	
63	Common Wire Nails, 3"	
64	Concrete Epoxy, Set A and B	
65	Concrete Grinding Disk, 4" Ø	
66	Concrete Nails, 1 1/2"	
67	Concrete Nails, 1"	
68	Concrete Nails, 1	
69	Concrete Nails, 3"	
70	Concrete Nails, 4"	
71	Concrete Neutralizer	
72	Conduit Body Type "LR" 20mmØ	
73	Conduit Body Type "T" 20mmØ	
	Conduit Clamp, Stainless U-Bolt 32mm dia.	
74	w/ nuts and washer	
	Conduit Clamp, Stainless U-Bolt 50mm dia.	
75	w/ nuts and washer	
76	Conduit Hanger, 32mm	
77	Conduit Hanger, 50mm	
78	Copper Split Bolt Connector for 125mm² wire	
79	Cornice, 1" x 2" x 10'	
80	C-Purlins, 1.2mm thk. (2" x 3"x 6m)	
81	Cross Tee, 0.70mm thk x 24mm x 28mm x 4'	
82	Crushed Gravel, 3/4"	
83	Cut-off Wheel, 14"Ø	
84	Cutting Disk, 4"	
85	Desk Cable Hole Grommet, 50mm dia. (White)	
86	Double Furring Channel, 0.6mm thk x 17mm x 49mm x 17mm x 5m L	

Item	Specification	Statement of Compliance
87	Downlight 4" 7W LED (Daylight), Recessed	
	Type w/ Frosted Cover	
88	Drawer Lock with Strike Plate, Chrome Plated	
89	Drill Bit, 12mm	
90	Drill Bit, 16mm	
91	Drill Bit, 20mm	
92	Drivepin Ramset, 1"	
93	Drop-in anchor, 8mm	
94	Drop-in Anchor, 3/8"	
95	Drop-in Anchor, 8mm	
96	Duplex Convenience Outlet, Weatherproof type	
97	Duplex Convenience Outlets/Receptacles (GT)	
98	Duplex Universal Convenience Outlets/Receptacles (GT)	
99	Elastomeric Sealant	
	Electric Wire THHN/THWN-2, 125mm ² Cu.	
100	Stranded	
101	Electric Wire THHN/THWN-2, 2.0mm ² Cu. Stranded	
102	Electric Wire THHN/THWN-2, 22mm ² Cu. Stranded	
103	Electric Wire THHN/THWN-2, 3.5mm ² Cu. Stranded	
104	Electric Wire THHN/THWN-2, 30mm ² Cu. Stranded	
105	Electric Wire THHN/THWN-2, 5.5mm ² Cu. Stranded	
106	Electric Wire THHN/THWN-2, 8.0mm ² Cu. Stranded	
107	Electrical Metallic Tubing (EMT), 20mm dia. x 3m	
108	Electrical Tape, Big	
109	EMT Connector, 20mm dia.	
110	EMT Coupling, 20mm dia.	
111	EMT Elbow 20mm, Long Sweep 90°	
112	EMT Locknut and Bushing 50mm (2") dia.	
113	EMT Tubing, 50mm dia. x 3m	
114	Enamel Quick Dry, White Color (top coat) - 1 coat	
115	Enclosed Circuit Breaker (ECB) 250AT, 3P, 230V, 60Hz, NEMA 3R	
116	Enclosed Circuit Breaker (ECB) 60AT, 2P, 230V, 60Hz, NEMA 3R	
117	Expansion Bolt, 3/8" x 70mm	
118	Expansion Bolt, 1/4" x 1" Lag Screw	
119	Expansion Bolt, 12mmØ	
120	Expansion Shield w/ Lag Screw, 5/16" x 2"	
121	Fiber Cement Board, 4.5mm thk x 4' x 8'	
122	Fiber Cement Board, 6mm thk x 4' x 8'	
123	Fine Aggregates	
124	Finishing Nails, 1"	
125	Finishing Nails, 1/2"	

Finishing Nails, 2" Finishing Nails, 3"	
Finishing Naile 3"	
i mishing ivans, 3	
Finishing Nails, 3/4"	
Flat Bar, 40mm x 6m x 2mm thk.	
Flat Bar, 4.5mm thk x 38mm x 6.0m L	
Flat Bar, 4.5mm thk x 50mm x 6.0m L	
Flat Wall Enamel (Primer) - 1 coat	
Flat Wall Enamel (White)	
Flexible Conduit, 20mm dia.	
Flexible Hose Clip and Adapter	
Flexible Metal Conduit Connector, 20mm dia.	
Flexible Metal Conduit, 20mm dia.	
Full Extension Ball Bearing Drawer Guide-	
Soft Close, 300mm (Black)	
Full Threaded Rod, 8mm x 1m	
G.I. Plain Sheet, GA. 24 x 4' x 8' (Pre-painted Ridge Roll)	
G.I. Square Tube, 2mm thk x 25mm x 25mm (Baluster)	
G.I. Square Tube, 2mm thk x 50mm x 50mm (Top Rail & Hor. Mid-support)	
G.I. Tee, 1" x 1/2"	
G.I. Tie Wire, #16	
Gate Valve, 20mm Ø (Heavy Duty-Brass)	
GI Pipe 1 1/2" Sch 40	
Glazing Putty	
, , , ,	
	Flat Bar, 4.5mm thk x 50mm x 6.0m L Flat Wall Enamel (Primer) - 1 coat Flat Wall Enamel (White) Flexible Conduit, 20mm dia. Flexible Hose Clip and Adapter Flexible Metal Conduit Connector, 20mm dia. Flexible Metal Conduit, 20mm dia. Full Extension Ball Bearing Drawer Guide- Soft Close, 300mm (Black) Full Extension Ball Bearing Drawer Slide, 12" Full Threaded Rod, 3/8" x 1m Full Threaded Rod, 8mm x 1m G.I. Corrugated Sheet, GA. 24 x 12' L G.I. Long Span Pre-painted Roofing Sheets, Forest Green (with total coated thickness of 0.50mm) G.I. Pipe, 100mmØ x 6.0m L, Sch. 40 G.I. Pipe, 25mm x 6m, Sch.20 G.I. Plain Sheet, GA. 24 x 4' x 8' (Pre-painted Ridge Roll) G.I. Square Tube, 2mm thk x 25mm x 25mm (Baluster) G.I. Square Tube, 2mm thk x 50mm x 50mm (Top Rail & Hor. Mid-support) G.I. Tee, 1" x 1/2" G.I. Tie Wire, #16 Gate Valve, 20mm Ø (Heavy Duty-Brass) GI Pipe 1 1/2" Sch 40

Item	Specification	Statement of Compliance
171	Lacquer Flo (Additive)	
172	Lacquer Products Varnish (Clear Gloss)	
173	Lacquer Sanding Sealer	
174	Lacquer Sanding Sealer	
175	Lacquer Thinner	
176	LED Exit Sign, Single Face, Green, 230VAC,	
177	w/ battery back up LED Strip 8w/m, 230VAC, 6500K, daylight	
170	c/w accessories	
178	Liquid Nails, 320g	
179	Main Tee, 0.70mm thk x 24mm x 38mm x 12' L	
180	Marine Plywood, 1/2" thk x 4' x 8'	
181	Marine Plywood, 1/4" thk x 4' x 8'	
182	Marine Plywood, 3/4" thk x 4' x 8'	
183	Marine Plywood, 4' x 8' x 3/4" thk.	
184	Masking Tape, 3/4"	
185	Masonry drill bit for rotary hammer 12", 3/8" dia. Chuck type	
186	Masonry Drill Bit, 1/8"	
187	Masonry Drill Bit, 10mm Ø	
188	Masonry Putty	
189	Mesh Tape, 2" x 30m	
190	Metal Carrying Channel, 0.8mm thk x 11mm x 37mm x 11mm x 5m L	
191	Metal Clip	
192	Metal Drill Bit, 1.5mm	
193	Metal Drill Bit, 5/32"	
194	Metal Grinding Disk, 4" Ø	
195	Metal Screw, 1 1/2" Long	
196	Metal Spandrel, 0.40mm thk x 150mm W with Vent; Color: Brown	
197	Metal Studs, 0.6mm thk. x 32mm x 76mm x 3.0m L	
198	Metal Tracks, 0.6mm thk. x 32mm x 76mm x 3.0m L	
199	Metal Wall Angle, 0.8mm thk x 25mm x 25mm x 5m L	
200	Mica Tube	
201	MS Plate, 10mm thk. x 150mm x 150mm (Seatplate)	
202	MS Plate, 10mm thk. x 200mm x 200mm (Baseplate/Endplate)	
203	MS Plate, 20mm thk x 4' x 8'	
204	MS Plate, 3mm thk x 4' x 8'	
205	MS Plate, 6mm thk x 4' x 8'	
206	Nuts and Washer, 8mm	
207	Nuts and Washer, 8mm	
208	Nuts, 3/8" dia.	
209	Octagonal Box, Metallic (101mm x 101mm x 53mm), Deep type	
210	Oil Tinting Color, Grey	
211	Oil Wood Stain, Color: Beechwood	

Item	Specification	Statement of Compliance
212	Oil Wood Stain, Color: Mahogany	
213	Oil Wood Stain, Color: Maple	
214	Oil Wood Stain, Color: Oak	
215	Oil Wood Stain; Color: Maple	
216	One-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	
217	Ordinary Plywood, 1/4" thk.	
218	Oxygen Tank with Content	
219	Paint, Elastomeric (Primer)	
220	Paint, Elastomeric (Semi-Gloss)	
221	Paint, Elastomeric (White)	
222	Paint, Enamel Flat (White)	
223	Paint, Enamel, Semi-Gloss (White)	
224	Paint, Latex Flat (White)	
225	Paint, Latex Semi-Gloss (White)	
226	Paint, Latex, Semi Gloss	
227	Paint and Varnish Remover, 350ml	
228	Paint Brush, 1"	
229	Paint Brush, 2"	
230	Paint Brush, 3"	
231	Paint Brush, 4"	
232	Paint Reducer (B-1750)	
233	Paint Roller Tray, 9"	
234	Paint Roller, 9"	
235	Paint Thinner	
236	Paint Thinner, 350mL	
237	Panel Light 48W LED , 230V, Daylight, Recessed	
238	Phenolic Board, 1/2" thk x 4' x 8'	
239	Phenolic Board, 3/4" thk. 4' x 8'	
240	Pipe Hanger Clamp, 20mm	
241	Plain Round Bar, 10mm dia. x 6m, Grade 40	
242	Plexibond	
243	Polytuff Polyester Bodyfiller with Hardener	
	Polyvinyl Chloride Pipes (uPVC) 20mm dia. x	
244	3m	
245	Polyvinyl Chloride Pipes (uPVC) 25mm dia. x 3m	
246	Polyvinyl Chloride Pipes (uPVC) 50mm dia. x	
247	3m Portland Compart	
247	Portland Cement	
248	PPR Coupling Elbow, 20mm dia.	
250	PPR Coupling, 20 mm dia.	
251	PPR Elbow 90°, 20mm Ø	
252	PPR Equal Tee 90°, 20mm Ø PPR Female Elbow, 20 mm dia.	
253	PPR Gate Valve, 20mm Ø	
254	PPR Male Adapter, 20 mm dia.	
255	PPR Pipe, 20mm dia. x 4m	
256	PPR Pipe, 20mm Ø x 2.8mm thk x 4m	
257	PPR Socket, 20mm Ø	
258	PPR Straight Way Valve, 20mm Ø	
	221 Straight Way Valve, 2011111 ()	

Item	Specification	Statement of Compliance
	P-Trap (for Wash Basin), complete with	
259	accessories, Size: 1 1/2"Ø, Material: Stainless	
	Steel	
260	Pull Box, 12" x 12" x 4", NEMA 3R	
261	Pull Box, 150mm x 150mm x 100mm, NEMA	
	3R GA #16	
262	Putty Knife	
263	PVC 1/8 Bend, 50mm dia.	
264	PVC Clement	
265 266	PVC Cleanout W/ Plug, 50mm dia.	
267	PVC Coupling, 32mm dia.	
268	PVC Coupling, 50mm dia.	
269	PVC Elbow, 50mm dia. PVC End bell, 32mm dia.	
270		
271	PVC End Bell, 50mm dia.	
272	PVC Male Adapter with Locknut, 20mm PVC Pipe Cement	
212	PVC Pipe Cement PVC Pipe, 2" Ø x 10', PNS1650 S1000,	
273	Orange Ox 10, PNS1630 S1000,	
274	PVC P-Trap, 50mm dia.	
275	PVC Sanitary Wye, 50mm dia.	
276	PVC/uPVC Pipe, 20mm dia. x 10'	
277	PVC/uPVC Pipe, 32mm dia. x 10'	
278	PVC/uPVC Pipe, 50mm dia. x 10'	
279	Quick Dry Enamel, Black	
280	Quick Drying Enamel (1 coat)	
281	Quick Drying Enamel (2-top coats)	
282	Quick Drying Enamel, Green	
283	Quick Drying Enamel, Royal Blue	
284	Quick Drying Enamel, Tulle White	
	Rechargeable Emergency Light, Bug eye	
285	3.2W, 230V, 60Hz, Automatic w/ Battery	
	Backup	
286	Red Oxide Metal Primer	
287	Red Oxide Metal Primer	
288	Red Oxide Metal Primer (1 coat)	
289	Roller Brush, 7"	
290	Roller Brush Pan	
291	Roofing Sheet Insulation	
292	RSB, 10mm Ø x 6.0m, Grade 40	
293	RSB, 10mm Ø x 7.5m, Grade 40	
294	RSB, 12mm Ø x 6.0m, Grade 40	
295	RSB, 16mm Ø x 6.0m, Grade 40	
296	RSB, 20mm Ø X 6.0m, Grade 40	
297	RSC Clamp, 20mm dia. w/ Screw	
298	RSC Clamp, 25mm dia. w/ Screw	
299	RSC Clamp, 50mm dia. w/ Screw	
300	Rubber Tape	
301	Rust Converter	
302	Safety Breaker, 15AT, 2P, 230V, 60Hz	
303	Safety Breaker, 20AT, 2P, 230V, 60Hz	
304	Safety Breaker, 30AT, 2P, 230V, 60Hz	
305	Switch Set, 1-Gang, Wide, Flush type	

Item	Specification	Statement of Compliance
306	Switch Set, 2-Gang, Wide, Flush type	
307	Switch Set, 3-Gang, Wide, Flush type	
308	Sagrods, 12mm Ø x 7.50m	*
309	Sand Paper, #60	
310	Sand Paper, #80	
311	Sand Paper, #100	
312	Sand Paper, #120	
313	Sand Paper, #600	
	Scaffolding Set, Galvanized Sch 40 Consists	
314	of: 90 pc H-Frame 1.2mx 1.2m, 90 pc cross-	
	brace, 180 pc Joints Pins	
315	Screw and Nut, 3/8" dia. x 3.5"	
316	Screw with Tox, #5	
317	Secondary Rack, 3W	
318	Self-Closing Stainless Steel Spring Door	
316	Hinges, 2"	
319	Semi-Gloss Enamel (White)	
320	Service Entrance Cap, 50mm dia.	
321	Single Convenience Outlet	6
322	Skimcoat, 25kg-Bag	
323	Sliding Cabinet Door Lock with 135mm	
323	Ratchet Bar	
324	Smoke Detector, Single Station, battery	
324	operated	
325	Solvent Cement	
326	Solvent Cement	
327	Spatula, 4"	
328	Spool insulator	
329	Spot Putty, Cast 1711	
330	Square Box, PVC, Orange	
331	Square Downlight 18W LED, 230V, 1500	
	Lumens, 6500K (DL), Recessed	
332	Stainless Hydraulic Inset Concealed Hinges	
333	Stainless Steel (304) Double Kitchen Sink,	
	33" x 22" x 8" with complete accessories	
334	Stainless Steel (304) Flexible Supply Hose,	
	complete with accessories, Size: 1/2"Ø	
335	Stainless Steel (304) Gooseneck Faucet	
	(Kitchen sink mounted)	
336	Stainless Steel (304) Single Kitchen Sink, 22"	
	x 18" x 8" with complete accessories	
337	Stainless Steel Brush (Handtools)	
338	Stainless Steel Cabinet Flush Pull Handle,	
	150mm	
339	Stainless Steel Cylinder Door Knobset	
340	Stainless Steel Door Handle Set	
341	Stainless Steel Rectangular Tube, 3.5mm thk x 25mm x 50mm	
342	Stainless Steel Satin Finish (304) Floor Drain, Dimensions: 100 x 100mm	
343	Stainless Steel Satin Finish Cabinet Flush Pull Handle, 128mm	
344	Stainless Steel Tube, 1.5mm thk x 50mmØ x 6.0m L	

Stainless Steel Wall Faucet, Wall Mounted,	
Elongated Bib Tap	
holder	
Teflon Tape	
Tile Grout	
Tile Spacer, 1.5 mm	
Troffer Light, Grilled Aluminum Louver w/ 2	
DWV]	
uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow),	
, , , , , , , , , , , , , , , , , , , ,	
uPVC P-trap, 2"Ø (U-trap + Bend 45°),	
uPVC Single Branch Tee 87.5°, 2"Ø, Orange	
	Teflon Tape Tek Screw (for Roofing) Tek Screw, 3" (for Wood) Thinner (Reducer 1750) Threaded Rod, 3/8" x Im Three-way 2-Gang Switch Set, Wide, Flush type Three-way 3-Gang Switch Set, Wide, Flush type Tile Adhesive, 25kg-bag Tile Grout Tile Spacer, 1.5 mm Tile Spacer, 2 mm Tile Spacer, 3 mm Toilet Paper Holder, Dimensions: 115 × 111 mm, Material: Zinc Alloy in Chrome Finish Top Coat Permacoat Latex Top Inlet Urinal Wall-Mounted Water Sense Urinal; Material: Vitreous China; Grade A Tox with Metal Screw, #5 Troffer Light, Grilled Aluminum Louver w/ 2 x 18W LED T8, Recessed Twisted Hanger, 1/4" Two-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel Union Patente, 1" uPVC Bend 45°, 2"Ø (1/8 Bend), Orange [for DWV] uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow), Orange [for DWV] uPVC Bend 87.5°, 4"Ø (1/4 Bend Elbow), Orange [for DWV] uPVC Clean-out w/ Plug & Seal Ring 4"Ø, Orange [for DWV] uPVC Clean-out w/ Plug & Seal Ring, 2"Ø, Orange [for DWV] uPVC Moulding, 14mm x 9mm x 8' uPVC Moulding, 25mm x 12mm x 8' uPVC Moulding, 25mm x 12mm x 8' uPVC Pipe, 4" Ø x 2.5mm thk, PNS1650 S1000, Orange [for DWV]

Item	Specification	Statement of Compliance
382	uPVC Single Branch Wye 45°, 2"Ø, Orange [for DWV]	
383	uPVC Single Branch Wye 45°, 4"Ø, Orange [for DWV]	
384	uPVC Socket/ Coupling 4"Ø, Orange [for DWV]	
385	uPVC Socket/ Coupling, 2"Ø, Orange [for DWV]	
386	Utility Box, PVC, Deep type, Orange	
387	Utility Box, PVC, Surface type, White	
388	Vinyl Tiles, 150mm x 900mm x 3mm thk. (Mariwasa, Sierra Brown)	
389	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Beige	
390	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Brown	
391	Vulcaseal, 1/2-lit	
	Wash Basin Faucet, Dimensions: 140mm ×	
392	126mm × 36 mm, Elongated, Material:	
	SUS304 Stainless Steel	
	Wash Basin Lavatory, Square Vessel Type,	
393	Dimensions: 480mm x 480mm x 140mm,	
393	Color: White, Faucet Hole: 35mm, Material:	
	Vitreous China; Grade A	
394	Washed Sand	
395	Washers, 3/8" Ø	
396	Water Closet, Dimensions: 700mm D x 365mm W x 805mm H, Color: American White, Flushing System: Siphon Jet, Bowl Shape: Elongated, Material: Vitreous China; Grade A	
397	Welding Rod, 1/8" Ø	
398	Wireway Elbow, 100mm x 100m, G.I., gray finish	
399	Wireway, 100mm x 100m x 3000mm, G.I., gray finish	
400	Wood Edging, 1/2" thk x 3/4" x 10'	
401	Wood Glue, 0.5L	
402	Wood Glue, 1L	
403	WPC Brackets	
404	WPC Fluted Indoor Wall Panel, 12mm thk x 200mm x 2900mm, Color: Golden Oak	
LOT 2 -	- ELECTRICAL EQUIPMENT	
	Panelboard with Main and Branch Breakers	
1	(LP3) Main: 1-70AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-15AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface	
2	Type, Grey Finish Panelboard with Main and Branch Breakers (PP) Main: 1-250AT/250AF, 3P, 230V, 60Hz,	

Item	Specification	Statement of Compliance
	25KAIC Bolt on MCCB	
	Branches: 11-60AT/2P, 1-30AT/2P, all	
	MCCB in 100AF, 230V, @60 Hz, Bolt-on in	
	NEMA 3R Enclosure with Grounding Busbar,	
	Surface Type, Grey Finish	
	Panelboard with Main and Branch Breakers	
	(PP3)	
	Main: 1-100AT/100AF, 3P, 240V, 60Hz,	
3	25KAIC Bolt on MCCB	
	Branches: 24-20AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R	
	Enclosure with Grounding Busbar, Surface	
	Type, Grey Finish	
LOT 3 -	- DOOR SUPPLIES	
1	Hollow Core Flush Cubicle Door, 600mm W	
	x 1400mm H (Note: Use Kiln Dried Lauan	
	Wood or equivalent)	
2	Hollow Core Flush Door (700mm W x	
	2100mm H) w/ Door Jamb or equivalent	
	(Note: Use Kiln Dried Lauan Wood or	
	equivalent)	
3	Hollow Core Flush Door (900mm W x	
	2100mm H) w/ Door Jamb or equivalent, w/	
	Clear Vision Glass (6mm thk x 150mm W x 1600mm H); complete w/ Stainless Steel	
	Hinges & Stainless Steel Lockset; Color: Dark	
	Oak (Note: Use Kiln Dried Lauan Wood or	
	equivalent)	
4	Single Leaf Solid Core Flush Door (1000mm	
	W x 2100mm H) w/ Clear Vision Tempered	
	Glass (6mm thk x 200mm W x 1200mm H);	
	w/ Stainless Steel Hinges & Leverset; Paint	
	Color: Maple	
5	Single Leaf Solid Core Flush Door (1000mm	
	W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 400mm W x 1200mm H);	
	w/ Stainless Steel Hinges & Leverset; Paint	
	Color: Maple	
	Single Leaf Hollow Core Flush Cubicle Door	
6	(600mm W x 1800mm H) w/ Stainless Steel	
	Hinges & Stainless Steel Barrel Lock 4"; Door	
	Paint Color: Cream	
7	Single Leaf Hollow Core Flush Door (800mm	
	W x 2100mm H) on Lauan Door Jamb; w/	
	Stainless Steel Hinges & Stainless Steel Door	
	Knobset; Paint Color: Mahogany	
	Solid Panel Door (900mm W x 2100mm H) w/ Clear Vision Glass (6mm thk) + Fixed	
_	Transom (900mm W x 400mm H) in Wooden	
8	Door Jamb (2" x 4"); w/ Stainless Steel	
	Hinges & Stainless Steel Knobset; Door Paint:	
	Mahogany	
	Solid Wood Panel Door (900mm W x	
9	2100mm H) w/ Ordinary Clear Vision Glass	
	(6mm thk) in Wooden Door Jamb (2" x 4");	

Item	Specification	Statement of Compliance
	w/ Stainless Steel Hinges & Stainless Steel Leverset; Paint Color: Maple	
10	Solid Wood Panel Door (900mm W x 2100mm H) with Door Jamb or equivalent with Ordinary Clear Vision Glass (6mm thk); (Note: Use Kiln Dried Lauan Wood or equivalent)	
11	Solid Wood Panel Door (900mm W x 2400mm H) with Door Jamb or equivalent with Transom (Note: Use Kiln Dried Lauan Wood or equivalent)	
LOT 4 –	GLASS SUPPLIES	
1	Double Acting Double Panel Glass Door (1400mm W x 2100mm H) on Alum Frame (2.00mm thk., white) w/ Door Handle and complete hardware accessories	
2	Ordinary Clear Glass, 6mm thk x 440mm W x 1120mm H	
3	Ordinary Clear Glass, 6mm thk. x 300mm W x 700mm H	
LOT 5 -	OFFICE AND IT EQUIPMENT	
1	Air Conditioning Unit, 0.6HP, Window Type Cooling Capacity: 5700 Btu/h Power Supply: 230V / 60Hz / 1-phase Rated Power: 550W Rated Current: 2.5A EER: 10.4 Btu/hW	
2	Air Curtain Specifications: • 60 inches • 18 meters/sec air velocity • 1500x230x212 mm dimensions • 600 watts power; 220V/60Hz *including installation	
3	Orbit Fan, 18" Metal blade w/ Switch and Thermal Fuse Protection	
4	Wireless Access Point • Up to 1200Mbps w/ 2 x 2 MIMO technology • 802.3af/802.3at and Passive PoE • Dual-Band Antennas • 2.4 GHz: 2 x 3 dBi, 5 GHz: 2 x 4 dBi • Ethernet Port: 1 Gigabit Lan port	
	Euromot Fort. 1 Organit Dan port	

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company	Signature over Printed Name of	Date
	Authorized Representative	

Section VIII. Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

		Class "A" Documents
Leg	al Do	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
	(c)	and Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	(d)	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<u>Tec</u>	chnica	d Documents
	(e)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
	(f)	and Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;
	(g)	and Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
		Original copy of Notarized Bid Securing Declaration;
	(h) (i) (j)	and Conformity with the Technical Specifications, Conformity with the Schedule of Requirements; Statement of availability of technical service personnel – Manpower Requirements;
	(k)	Statement of After-sales/Parts and Services;
	(1)	 and Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

		(m)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
		(n)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
			or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
			Class "B" Documents
		(o)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
			or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II.	FIN	ANC	IAL COMPONENT ENVELOPE
		(p)	Original of duly signed and accomplished Financial Bid Form;
		(q)	and Original of duly signed and accomplished Price Schedule(s).
	<u>Oth</u>	er do	cumentary requirements under RA No. 9184 (as applicable)
		(r)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in
		(s)	government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Financial Documents

Section IX. Bidding Forms

Form 1	Statement of All Ongoing Government & Private Construction Contracts Awarded But Not Yet Started
Form 2	Statement of Single Largest Completed Contract Similar to the Contract to be Bid
Form 3	Bid Securing Declaration
Form 4	Technical Specifications
Form 5	Omnibus Sworn Statement
Form 6	Net Financial Contracting Capacity (NFCC)
Form 7	Financial Bid Form
Form 8	Price Schedule for Goods Offered from Within the Philippines
Form 8-A	Price Schedule for Goods Offered from Abroad

STATEMENT OF ALL ONGOING GOVERNMENT & PRIVATE CONTRACTS

(including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid)

"Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs"

							Private
enante constante de constante de la constante							Government
	Contracts						
Delivery	Outstanding	of Contract	Goods/Services	Contracting Party Goods/Services	Duration		of the Project
Date of	Value of	Total Amount	Kinds of	Name of Client/	Contract	Contract Date	Title of the Contract/Name Contract Date
							Business Address:
							Business Name:

Instructions:

- State all ongoing contracts including those awarded but not yet started (government & private contracts which may be similar or not similar to the project called for bidding).
- . If there is no ongoing contract, state none or equivalent term.
- This statement shall be supported with:

w

- a. Notice of Award
- Purchase Order/Contract
- c. Notice to Proceed
- In case of contracts with the private sector, an equivalent documents shall be submitted.

	(Printed Name & Signature)
Designation:	
Oate:	

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT (SLCC) SIMILAR TO THE CONTRACT TO BE BID (except under conditions provided in Sections 23.4.1.3 and 23.4.2.4 of the 2016 Revised IRR of RA 9184, within the relevant period as provided in the Bidding Documents)

"Procurement of Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs"

Business Name:Business Address:						
Title of the Contract/Name	Contract	Contract	Name of Client/ Contracting Party	Kinds of Goods/Services	Amount of Contract	Date of Delivery/ Acceptance

Instructions:

- The SLCC should have been completed within three (3) years from the date of submission and receipt of bids.
- The statement shall be supported with:

2

- a. Purchase Order/Contract
- b. End-User's Acceptance or Official Receipt(s) or Sales Invoice
- 3. In case of contracts with the private sector, an equivalent document shall be submitted

Date:	Designation:		Submitted by:
		(Printed Name & Signature)	

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Technical Specifications Statement of Compliance

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances. Please state the brand and model being offered.

Item	Specification	Brand/Model	Statement of Compliance
LOT 1	- HARDWARE MATERIALS		Озиришес
1	Acetylene Tank with Content		
2	Acoustic Boards, 5/8" thk x 2' x 4'		
3	Acrycolor (water-based), 1/4 L		
4	Acrycolor (water-based), 1/4 L, Color: Thalo Blue		
5	Adjustable Furniture Glides, 50mm Ø table desk leveling foot leg		
6	Aluminum Double Rail Channel Glass Door Track, 1.0m Long)		
7	Aluminum Flush Pull Handle		
8	Aluminum Roof Gutter Strainer		
9	Aluminum Stair Nosing, 1 3/4" x 1" x 9ft long		
10	Aluminum Stair Nosing, 1 1/2" x 8'		
11	Aluminum Tile Trim, Round-Edge, 8'		
12	Anchor Bolts, 16mm dia. x 500m L A325 with Std Nuts and Washers		
13	Anchor Bolts, 16mmØ x 200mm L		
14	Angle Bar, L38 x 38 x 4.5mm thk. x 6.0m Long		
15	Angle Bar, L50 x 50 x 4.5mm thk. x 6.0m Long		
16	Angle Bar, 3mm thk x 25mm x 25mm x 6m L		
17	Angle Bar, 4.5mm thk x 50mm x 50mm x 6.0m L		
18	Angle Bar, 4.5mm thk. x 25mm x 25mm x 6m L		
19	Angle Bar, 6mm thk x 50mm x 50mm		
20	Angle Bar, 6mm thk x 62.5mm x 62.5mm x 6.0m L		
21	Angle Bar, 6mm thk x 75mm x 75mm x 6.0m L		
22	Angle Valve, 12mm dia.		
23	Angle Valve, 20mm dia.		
24	Arbor Stainless Steel Brush For Bench Grinder Abrasive Wire, 6mm Professional Accessories		
25	Assorted Common Wire Nails		
26	Bidet Spray, Material: SUS304 Stainless Steel Satin Finish, Description: Brushed with Nickel-		

Item	Specification	Brand/Model	Statement of Compliance
	plated Holder and 1.20m Stainless Steel Double		
	Locked Hose, with complete accessories		
27	Black Screw, 1 1/2"		
28	Black Screw, 1"		
29	Black Screw, 3/4"		
30	Blind Rivet, 1/8" x 5/16"		
31	Blind Rivet, 3/16"		
32	Blind Rivet, 5/32" x 1/2"		
33	Bolts, 12mm dia. with Std Nuts and Washer		
34	Cat6A 4-Pair 23AWG F/UTP indoor cable, 305m/box		
35	Ceiling Lamp, Round, 18W LED (Daylight) Surface type		
36	Ceramic Tiles w/ Nosing, 300m x 600m, Matte Finish; Color: Beige	Marie Marie Paris de Mila de Carro de Region de Carro de	
37	Ceramic Tiles, 300m x 600m, Matte Finish; Color: Beige		
38	Ceramic Tiles, 300mm x 300mm, Matte Finish; Color:Beads White		
39	Ceramic Tiles, 300mm x 600mm, Glossy Finish; Color: Lobby White		
40	Ceramic Tiles, 300mm x 600mm, Matte Finish; Color: Nueva Beige		
41	Ceramic Tiles, 600m x 600m, Glossy Finish; Color: Gavin Ivory		
42	Ceramic Tiles, 600m x 600m, Rustic Finish; Color: Rocky Beige		
43	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Brown		
44	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Ivory		
45	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Maine White		
46	Ceramic Tiles, 600mm x 600mm, Matte Finish; Color: Hampton Beige		
47	Ceramic Tiles, 600mm x 600mm, Rustic Finish; Color: Rocky Grey		
48	C-Channel, C8 x 10.50 x 6.0m Long (Stringer)		
49	Channel Bars, 2.5mm thk x 50mm x 175mm x 6.0m L		
50	CHB, 4" thk		
51	CHB, 5" thk		
52	Check Valve, 20mm Ø		
53	Circuit Breaker 15AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
54	Circuit Breaker 20AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
55	Circuit Breaker 30AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
56	Circuit Breaker 40AT, 2P, 240V 60Hz 10KAIC, Bolt on Type		
57	Circular Downlight 6W LED, 230V, 630 Lumens, 6500K (DL), Recessed		
58	Clear Gloss Lacquer		

Item	Specification	Brand/Model	Statement of Compliance
59	Clear Gloss Lacquer		Compliance
60	Coco Lumber, 2" x 2" x 10' S4S		
61	Common Wire Nails, 1"		
62	Common Wire Nails, 2"		
63	Common Wire Nails, 3"		
64	Concrete Epoxy, Set A and B		
65	Concrete Grinding Disk, 4" Ø		
66	Concrete Nails, 1 1/2"		
67	Concrete Nails, 1"		
68	Concrete Nails, 2"		
69	Concrete Nails, 3"		-
70	Concrete Nails, 4"		
71			
72	Control Polity Transport		
	Conduit Body Type "LR" 20mmØ		
73	Conduit Body Type "T" 20mmØ		
74	Conduit Clamp, Stainless U-Bolt 32mm dia. w/		
	nuts and washer		
75	Conduit Clamp, Stainless U-Bolt 50mm dia. w/ nuts and washer		
76	Conduit Hanger, 32mm		
77	Conduit Hanger, 50mm		
78	Copper Split Bolt Connector for 125mm² wire		
79	Cornice, 1" x 2" x 10'		
80			
	C-Purlins, 1.2mm thk. (2" x 3"x 6m)		
81	Cross Tee, 0.70mm thk x 24mm x 28mm x 4' L		
82	Crushed Gravel, 3/4"		
83	Cut-off Wheel, 14"Ø		
84	Cutting Disk, 4"		
85	Desk Cable Hole Grommet, 50mm dia. (White)		
86	Double Furring Channel, 0.6mm thk x 17mm x 49mm x 17mm x 5m L		
87	Downlight 4" 7W LED (Daylight), Recessed		
	Type w/ Frosted Cover		
88	Drawer Lock with Strike Plate, Chrome Plated		
89	Drill Bit, 12mm		
90	Drill Bit, 16mm		
91	Drill Bit, 20mm		
92	Drivepin Ramset, 1"		
93	Drop-in anchor, 8mm		
94	Drop-in Anchor, 3/8"		
95	Drop-in Anchor, 8mm		
96	Duplex Convenience Outlet, Weatherproof type		
97	Duplex Convenience Outlets/Receptacles (GT)		
	Duplex Universal Convenience		
98	Outlets/Receptacles (GT)		
99	Elastomeric Sealant		
100	Electric Wire THHN/THWN-2, 125mm ² Cu. Stranded		
101	Electric Wire THHN/THWN-2, 2.0mm ² Cu.		
	Stranded Electric Wire THHN/THWN-2, 22mm ² Cu.		
102	Stranded		
103	Electric Wire THHN/THWN-2, 3.5mm ² Cu. Stranded		

Item	Specification	Brand/Model	Statement of Compliance
104	Electric Wire THHN/THWN-2, 30mm ² Cu. Stranded		
105	Electric Wire THHN/THWN-2, 5.5mm ² Cu. Stranded		
106	Electric Wire THHN/THWN-2, 8.0mm ² Cu. Stranded		
107	Electrical Metallic Tubing (EMT), 20mm dia. x 3m		
108	Electrical Tape, Big		
109	EMT Connector, 20mm dia.		
110	EMT Coupling, 20mm dia.		
111	EMT Elbow 20mm, Long Sweep 90°		
112	EMT Locknut and Bushing 50mm (2") dia.		
113	EMT Tubing, 50mm dia. x 3m	V	
114	Enamel Quick Dry, White Color (top coat) - 1 coat		
115	Enclosed Circuit Breaker (ECB) 250AT, 3P, 230V, 60Hz, NEMA 3R		
116	Enclosed Circuit Breaker (ECB) 60AT, 2P, 230V, 60Hz, NEMA 3R		
117	Expansion Bolt, 3/8" x 70mm		
118	Expansion Bolt, 1/4" x 1" Lag Screw		
119	Expansion Bolt, 12mmØ		
120	Expansion Shield w/ Lag Screw, 5/16" x 2"		
121	Fiber Cement Board, 4.5mm thk x 4' x 8'		
122	Fiber Cement Board, 6mm thk x 4' x 8'		
123	Fine Aggregates		
124	Finishing Nails, 1"		
125	Finishing Nails, 1/2"		
126	Finishing Nails, 2"		
127	Finishing Nails, 3"		
128	Finishing Nails, 3/4"		
129	Flat Bar, 40mm x 6m x 2mm thk.		
130	Flat Bar, 4.5mm thk x 38mm x 6.0m L		
131	Flat Bar, 4.5mm thk x 50mm x 6.0m L		
132	Flat Wall Enamel (Primer) - 1 coat		
133	Flat Wall Enamel (White)		-
134	Flexible Conduit, 20mm dia.		
135	Flexible Hose Clip and Adapter		
136	Flexible Metal Conduit Connector, 20mm dia.		
137	Flexible Metal Conduit, 20mm dia.		
138	Full Extension Ball Bearing Drawer Guide-Soft Close, 300mm (Black)		
139	Full Extension Ball Bearing Drawer Slide, 12"		
140	Full Threaded Rod, 3/8" x 1m		-
141	Full Threaded Rod, 8mm x 1m		1
142	G.I. Corrugated Sheet, GA. 24 x 12' L		
142	G.I. Corrugated Sneet, GA. 24 x 12 L G.I. Long Span Pre-painted Roofing Sheets,		
143	Forest Green (with total coated thickness of 0.50mm)		
144	G.I. Pipe, 100mmØ x 6.0m L, Sch. 40		
145	G.I. Pipe, 25mm x 6m, Sch.20		
146	G.I. Plain Sheet, GA. 24 x 4' x 8' (Pre-painted Ridge Roll)		

Item	Specification	Brand/Model	Statement of Compliance
147	G.I. Square Tube, 2mm thk x 25mm x 25mm (Baluster)		
148	G.I. Square Tube, 2mm thk x 50mm x 50mm (Top Rail & Hor. Mid-support)		
149	G.I. Tee, 1" x 1/2"		
150	G.I. Tie Wire, #16		
151	Gate Valve, 20mm Ø (Heavy Duty-Brass)		
152	GI Pipe 1 1/2" Sch 40		
153	Glazing Putty		
154	Good Lumber, 2" x 2" x 10' S4S		
155	Good Lumber, 2" x 3" x 10' S4S		
156	Good Lumber, 2" x 4" x 10' S4S		
157	Grinding Disk, 4"		
158	Ground Clamp Connector		
159	Ground Rod, 3/4" x 10'		
160	Hacksaw Blade		
161	Hand Gloves		
162	Heavy Duty Padlock		
163	Heavy Duty Stainless Steel Drawer Lockset		
164	Heavy Duty Stainless Steel Hinges 4"		
	Highbay 100W LED , 230V, 60Hz, 9500		
165	Lumens, 6500K (Daylight) w/ 120° Aluminum		
	Reflector, IP54		
166	Hydraulic Inset Concealed Hinges		
167	Jack Hammer (15.1 kg Net Weight)		
168	J-Bolt, 6mm dia.		
169	Job Screw, 1/2" L		
170	Junction Box, PVC Deep Type, Orange		
171	Lacquer Flo (Additive)		
172	Lacquer Products Varnish (Clear Gloss)		
173	Lacquer Sanding Sealer		
174	Lacquer Sanding Sealer		
175	Lacquer Thinner		
176	LED Exit Sign, Single Face, Green, 230VAC, w/ battery back up		
177	LED Strip 8w/m, 230VAC, 6500K, daylight c/w accessories		
178	Liquid Nails, 320g		
179	Main Tee, 0.70mm thk x 24mm x 38mm x 12' L		
180	Marine Plywood, 1/2" thk x 4' x 8'		
181	Marine Plywood, 1/4" thk x 4' x 8'		
182	Marine Plywood, 3/4" thk x 4' x 8'		
183	Marine Plywood, 4' x 8' x 3/4" thk.		
184	Masking Tape, 3/4"		
	Masonry drill bit for rotary hammer 12", 3/8" dia.		
185	Chuck type		
186	Masonry Drill Bit, 1/8"		
187	Masonry Drill Bit, 10mm Ø		
188	Masonry Putty		
189	Mesh Tape, 2" x 30m		
190	Metal Carrying Channel, 0.8mm thk x 11mm x 37mm x 11mm x 5m L		
191	Metal Clip		
192	Metal Drill Bit, 1.5mm		

Item	Specification	Brand/Model	Statement of Compliance
193	Metal Drill Bit, 5/32"		
194	Metal Grinding Disk, 4" Ø		
195	Metal Screw, 1 1/2" Long		
196	Metal Spandrel, 0.40mm thk x 150mm W with		
170	Vent; Color: Brown		
197	Metal Studs, 0.6mm thk. x 32mm x 76mm x 3.0m L		
198	Metal Tracks, 0.6mm thk. x 32mm x 76mm x 3.0m L		
199	Metal Wall Angle, 0.8mm thk x 25mm x 25mm x 5m L		
200	Mica Tube		
201	MS Plate, 10mm thk. x 150mm x 150mm		
201	(Seatplate)		
202	MS Plate, 10mm thk. x 200mm x 200mm		
	(Baseplate/Endplate)		
203	MS Plate, 20mm thk x 4' x 8'		
204	MS Plate, 3mm thk x 4' x 8'		
205	MS Plate, 6mm thk x 4' x 8'		
206	Nuts and Washer, 8mm		
207	Nuts and Washer, 8mm		
208	Nuts, 3/8" dia.		
209	Octagonal Box, Metallic (101mm x 101mm x		
210	53mm), Deep type		
210	Oil Tinting Color, Grey		
211	Oil Wood Stain, Color: Beechwood		
212	Oil Wood Stain, Color: Mahogany		
213	Oil Wood Stain, Color: Maple		
214	Oil Wood Stain, Color: Oak		
213	Oil Wood Stain; Color: Maple		
216	One-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel		
217	Ordinary Plywood, 1/4" thk.		
218	Oxygen Tank with Content		
219	Paint, Elastomeric (Primer)		
220	Paint, Elastomeric (Semi-Gloss)		
221	Paint, Elastomeric (White)		
222	Paint, Enamel Flat (White)		
223	Paint, Enamel, Semi-Gloss (White)		
224	Paint, Latex Flat (White)		
225	Paint, Latex Semi-Gloss (White)		
226	Paint, Latex, Semi Gloss		
227	Paint and Varnish Remover, 350ml		
228	Paint Brush, 1"		
229	Paint Brush, 2"		
230	Paint Brush, 3"		
231	Paint Brush, 4"		
232	Paint Reducer (B-1750)		
233	Paint Roller Tray, 9"		
234	Paint Roller, 9"		
235	Paint Thinner		
236	Paint Thinner, 350mL		
237	Panel Light 48W LED , 230V, Daylight, Recessed		

Item	Specification	Brand/Model	Statement of Compliance
238	Phenolic Board, 1/2" thk x 4' x 8'		
239	Phenolic Board, 3/4" thk. 4' x 8'		
240	Pipe Hanger Clamp, 20mm		
241	Plain Round Bar, 10mm dia. x 6m, Grade 40		
242	Plexibond		
243	Polytuff Polyester Bodyfiller with Hardener		
244	Polyvinyl Chloride Pipes (uPVC) 20mm dia. x 3m		
245	Polyvinyl Chloride Pipes (uPVC) 25mm dia. x 3m		
246	Polyvinyl Chloride Pipes (uPVC) 50mm dia. x 3m		
247	Portland Cement		
248	PPR Coupling Elbow, 20mm dia.		
249	PPR Coupling, 20 mm dia.		
250	PPR Elbow 90°, 20mm Ø		
251	PPR Equal Tee 90°, 20mm Ø		
252	PPR Female Elbow, 20 mm dia.		
253	PPR Gate Valve, 20mm Ø		
254	PPR Male Adapter, 20 mm dia.		
255	PPR Pipe, 20mm dia. x 4m		
256	PPR Pipe, 20mm Ø x 2.8mm thk x 4m		
257	PPR Socket, 20mm Ø		
258	PPR Straight Way Valve, 20mm Ø		
238	P-Trap (for Wash Basin), complete with		
259	accessories, Size: 1 1/2"Ø, Material: Stainless Steel		
260	Pull Box, 12" x 12" x 4", NEMA 3R		
261	Pull Box, 150mm x 150mm x 100mm, NEMA 3R GA #16		
262	Putty Knife		
	PVC 1/8 Bend, 50mm dia.		
263 264	PVC Cement		
265	PVC Cleanout W/ Plug, 50mm dia.		
266	PVC Coupling, 32mm dia.		
267	PVC Coupling, 50mm dia.		
268	PVC Elbow, 50mm dia.		
269	PVC End bell, 32mm dia.		
270	PVC End Bell, 50mm dia.		
270	PVC Male Adapter with Locknut, 20mm		
272	PVC Pipe Cement		
273	PVC Pipe, 2" Ø x 10', PNS1650 S1000, Orange		
274	PVC P-Trap, 50mm dia.		
275	PVC Sanitary Wye, 50mm dia.		
276	PVC/uPVC Pipe, 20mm dia. x 10'		
277	PVC/uPVC Pipe, 32mm dia. x 10'		
278	PVC/uPVC Pipe, 50mm dia. x 10'		
279	Quick Dry Enamel, Black		
280	Quick Drying Enamel (1 coat)		
281	Quick Drying Enamel (2-top coats)		
282	Quick Drying Enamel, Green		
283	Quick Drying Enamel, Royal Blue		
284	Quick Drying Enamel, Tulle White		

Item	Specification	Brand/Model	Statement of Compliance
285	Rechargeable Emergency Light, Bug eye 3.2W, 230V, 60Hz, Automatic w/ Battery Backup		
286	Red Oxide Metal Primer		
287	Red Oxide Metal Primer		
288	Red Oxide Metal Primer (1 coat)		
289	Roller Brush, 7"		
290	Roller Brush Pan		
291	Roofing Sheet Insulation		
292	RSB, 10mm Ø x 6.0m, Grade 40		
293	RSB, 10mm Ø x 7.5m, Grade 40		
294	RSB, 12mm Ø x 6.0m, Grade 40		
295	RSB, 16mm Ø x 6.0m, Grade 40		
296	RSB, 20mm Ø X 6.0m, Grade 40		
297	RSC Clamp, 20mm dia. w/ Screw		
298	RSC Clamp, 25mm dia. w/ Screw		
299	RSC Clamp, 50mm dia. w/ Screw		
300	Rubber Tape		
301	Rust Converter		
302	Safety Breaker, 15AT, 2P, 230V, 60Hz		
303	Safety Breaker, 20AT, 2P, 230V, 60Hz		-
304	Safety Breaker, 30AT, 2P, 230V, 60Hz		
305	Switch Set, 1-Gang, Wide, Flush type		+
306	Switch Set, 2-Gang, Wide, Flush type		
307	Switch Set, 2-Gang, Wide, Flush type		
308	Sagrods, 12mm Ø x 7.50m		
309	Sand Paper, #60		
310	Sand Paper, #80		1
311	Sand Paper, #100		
312	Sand Paper, #100		-
313	Sand Paper, #600		
313	Scaffolding Set, Galvanized Sch 40 Consists of:		
314	90 pc H-Frame 1.2mx 1.2m, 90 pc cross-brace,		
511	180 pc Joints Pins		
315	Screw and Nut, 3/8" dia. x 3.5"		
316	Screw with Tox, #5		
317	Secondary Rack, 3W		
	Self-Closing Stainless Steel Spring Door Hinges,		
318	2"		
319	Semi-Gloss Enamel (White)		
320	Service Entrance Cap, 50mm dia.		
321	Single Convenience Outlet		
322	Skimcoat, 25kg-Bag		
323	Sliding Cabinet Door Lock with 135mm Ratchet Bar		
324	Smoke Detector, Single Station, battery operated		
325	Solvent Cement		
326	Solvent Cement		
327	Spatula, 4"		
328	Spool insulator		
329	Spot Putty, Cast 1711		
330	Square Box, PVC, Orange		
331	Square Downlight 18W LED, 230V, 1500 Lumens, 6500K (DL), Recessed		
332	Stainless Hydraulic Inset Concealed Hinges		

Item	Specification	Brand/Model	Statement of Compliance
333	Stainless Steel (304) Double Kitchen Sink, 33" x 22" x 8" with complete accessories		
334	Stainless Steel (304) Flexible Supply Hose, complete with accessories, Size: 1/2"Ø		
335	Stainless Steel (304) Gooseneck Faucet (Kitchen sink mounted)		
336	Stainless Steel (304) Single Kitchen Sink, 22" x 18" x 8" with complete accessories		
337	Stainless Steel Brush (Handtools)		
338	Stainless Steel Cabinet Flush Pull Handle, 150mm		
339	Stainless Steel Cylinder Door Knobset		
340	Stainless Steel Door Handle Set		
341	Stainless Steel Rectangular Tube, 3.5mm thk x 25mm x 50mm		
342	Stainless Steel Satin Finish (304) Floor Drain, Dimensions: 100 x 100mm		
343	Stainless Steel Satin Finish Cabinet Flush Pull Handle, 128mm		
344	Stainless Steel Tube, 1.5mm thk x 50mmØ x 6.0m L		
345	Stainless Steel Wall Faucet, Wall Mounted, Elongated Bib Tap		
346	Steel Barrel Lock, 4"		
347	Steel Brush		
348	Supply Hose, 12mm dia.		
349	Swivel Clamps 1 1/2"		
350	T8 Tube 18W LED, (Daylight) w/ lamp holder		
351	Teflon Tape		
352	Tek Screw (for Roofing)		
353	Tek Screw, 3" (for Wood)		
354	Thinner (Reducer 1750)		
355	Threaded Rod, 3/8" x 1m		
356	Three-way 2-Gang Switch Set, Wide, Flush type		
357	Three-way 3-Gang Switch Set, Wide, Flush type		
358	Tile Adhesive, 25kg-bag		
359	Tile Grout		
360	Tile Spacer, 1.5 mm		
361	Tile Spacer, 2 mm		
362 363	Tile Spacer, 3 mm Toilet Paper Holder, Dimensions: 115 × 111 mm,		
364	Material: Zinc Alloy in Chrome Finish Top Coat Permacoat Latex		-
365	Top Inlet Urinal Wall-Mounted Water Sense Urinal; Material: Vitreous China; Grade A		
366	Tox with Metal Screw, #5		
367	Troffer Light, Grilled Aluminum Louver w/ 2 x 18W LED T8, Recessed		
368	Twisted Hanger, 1/4"		
369	Two-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel		
370	Union Patente, 1"		
371	uPVC Bend 45°, 2"Ø (1/8 Bend), Orange [for DWV]		

Item	Specification	Brand/Model	Statement of Compliance
372	uPVC Bend 45°, 4"Ø (1/8 Bend), Orange [for DWV]		
373	uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow), Orange [for DWV]		
374	uPVC Bend 87.5°, 4"Ø (1/4 Bend/ elbow), Orange [for DWV]		
375	uPVC Clean-out w/ Plug & Seal Ring 4"Ø, Orange [for DWV]		
376	uPVC Clean-out w/ Plug & Seal Ring, 2"Ø, Orange [for DWV]		
377	uPVC Moulding, 14mm x 9mm x 8'		
378	uPVC Moulding, 25mm x 12mm x 8'		
379	uPVC Pipe, 4" Ø x 2.5mm thk, PNS1650 S1000, Orange [for DWV]		
380	uPVC P-trap, 2"Ø (U-trap + Bend 45°), Orange [for DWV]		
381	uPVC Single Branch Tee 87.5°, 2"Ø, Orange [for DWV]		
382	uPVC Single Branch Wye 45°, 2"Ø, Orange [for DWV]		
383	uPVC Single Branch Wye 45°, 4"Ø, Orange [for DWV]		
384	uPVC Socket/ Coupling 4"Ø, Orange [for DWV]		
385	uPVC Socket/ Coupling, 2"Ø, Orange [for DWV]		
386	Utility Box, PVC, Deep type, Orange		
387	Utility Box, PVC, Surface type, White		
388	Vinyl Tiles, 150mm x 900mm x 3mm thk. (Mariwasa, Sierra Brown)		
389	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Beige		
390	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Brown		
391	Vulcaseal, 1/2-lit		
392	Wash Basin Faucet, Dimensions: 140mm × 126mm × 36 mm, Elongated, Material: SUS304 Stainless Steel		
393	Wash Basin Lavatory, Square Vessel Type, Dimensions: 480mm x 480mm x 140mm, Color: White, Faucet Hole: 35mm, Material: Vitreous		
	China; Grade A		
394	Washed Sand		
395	Washers, 3/8" Ø		
396	Water Closet, Dimensions: 700mm D x 365mm W x 805mm H, Color: American White, Flushing System: Siphon Jet, Bowl Shape: Elongated,		
	Material: Vitreous China; Grade A		
397	Welding Rod, 1/8" Ø		
398	Wireway Elbow, 100mm x 100m, G.I., gray finish		
399	Wireway, 100mm x 100m x 3000mm, G.I., gray finish		
400	Wood Edging, 1/2" thk x 3/4" x 10'		
401	Wood Glue, 0.5L		
402	Wood Glue, 1L		

Item	Specification	Brand/Model	Statement of Compliance
403	WPC Brackets		Joniphanee
404	WPC Fluted Indoor Wall Panel, 12mm thk x		
	200mm x 2900mm, Color: Golden Oak		
LOT 2 -	- ELECTRICAL EQUIPMENT		
	Panelboard with Main and Branch Breakers (LP3)		
	Main: 1-70AT/100AF, 3P, 240V, 60Hz, 25KAIC		
1	Bolt on MCCB		
•	Branches: 24-15AT/2P, all MCB in 63AF, 240V,		
	@60 Hz, Bolt-on in NEMA 3R Enclosure with		
	Grounding Busbar, Surface Type, Grey Finish		
	Panelboard with Main and Branch Breakers (PP)		
	Main: 1-250AT/250AF, 3P, 230V, 60Hz,		
2	25KAIC Bolt on MCCB		
2	Branches: 11-60AT/2P, 1-30AT/2P, all MCCB in		
	100AF, 230V, @60 Hz, Bolt-on in NEMA 3R		
	Enclosure with Grounding Busbar, Surface Type,		
	Grey Finish		
	Panelboard with Main and Branch Breakers (PP3)		
	Main: 1-100AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB		
3	Branches: 24-20AT/2P, all MCB in 63AF, 240V,		
	@60 Hz, Bolt-on in NEMA 3R Enclosure with		
	Grounding Busbar, Surface Type, Grey Finish		
LOT 3	DOOR SUPPLIES		
LOIJ	Hollow Core Flush Cubicle Door, 600mm W x		
1	1400mm H (Note: Use Kiln Dried Lauan Wood		
•	or equivalent)		
	Hollow Core Flush Door (700mm W x 2100mm		
2	H) w/ Door Jamb or equivalent (Note: Use Kiln		
_	Dried Lauan Wood or equivalent)		
	Hollow Core Flush Door (900mm W x 2100mm		
	H) w/ Door Jamb or equivalent, w/ Clear Vision		
3	Glass (6mm thk x 150mm W x 1600mm H);		
3	complete w/ Stainless Steel Hinges & Stainless		
	Steel Lockset; Color: Dark Oak (Note: Use Kiln		
	Dried Lauan Wood or equivalent)		
	Single Leaf Solid Core Flush Door (1000mm W x		
	2100mm H) w/ Clear Vision Tempered Glass		
4	(6mm thk x 200mm W x 1200mm H); w/		
	Stainless Steel Hinges & Leverset; Paint Color:		
	Maple		
	Single Leaf Solid Core Flush Door (1000mm W x		
-	2100mm H) w/ Clear Vision Tempered Glass		
5	(6mm thk x 400mm W x 1200mm H); w/		
	Stainless Steel Hinges & Leverset; Paint Color:		
	Maple		
	Single Leaf Hollow Core Flush Cubicle Door		
6	(600mm W x 1800mm H) w/ Stainless Steel Hinges & Stainless Steel Barrel Lock 4": Door		
	Hinges & Stainless Steel Barrel Lock 4"; Door Paint Color: Cream		
	Single Leaf Hollow Core Flush Door (800mm W		
	x 2100mm H) on Lauan Door Jamb; w/ Stainless		
7	Steel Hinges & Stainless Steel Door Knobset;		
	Paint Color: Mahogany		

Item	Specification	Brand/Model	Statement of Compliance
	Solid Panel Door (900mm W x 2100mm H) w/		
	Clear Vision Glass (6mm thk) + Fixed Transom		
8	(900mm W x 400mm H) in Wooden Door Jamb		
	(2" x 4"); w/ Stainless Steel Hinges & Stainless		
	Steel Knobset; Door Paint: Mahogany		
	Solid Wood Panel Door (900mm W x 2100mm		
	H) w/ Ordinary Clear Vision Glass (6mm thk) in		
9	Wooden Door Jamb (2" x 4"); w/ Stainless Steel		
	Hinges & Stainless Steel Leverset; Paint Color:	8	
	Maple		
	Solid Wood Panel Door (900mm W x 2100mm		
10	H) with Door Jamb or equivalent with Ordinary		
10	Clear Vision Glass (6mm thk); (Note: Use Kiln		
	Dried Lauan Wood or equivalent)		
	Solid Wood Panel Door (900mm W x 2400mm		
1.1	H) with Door Jamb or equivalent with Transom		
11	(Note: Use Kiln Dried Lauan Wood or		
	equivalent)		
LOT 4-	GLASS SUPPLIES		
	Double Acting Double Panel Glass Door		
1	(1400mm W x 2100mm H) on Alum Frame		
1	(2.00mm thk., white) w/ Door Handle and		
	complete hardware accessories		
2	Ordinary Clear Glass, 6mm thk x 440mm W x		
2	1120mm H		
2	Ordinary Clear Glass, 6mm thk. x 300mm W x		
3	700mm H		
LOT 5 -	OFFICE AND IT EQUIPMENT		
	Air Conditioning Unit, 0.6HP, Window Type		
	Cooling Capacity: 5700 Btu/h		
1	Power Supply: 230V / 60Hz / 1-phase		
1	Rated Power: 550W		
	Rated Current: 2.5A		
	EER: 10.4 Btu/hW		
	Air Curtain		
	Specifications:		
	• 60 inches		
2	• 18 meters/sec air velocity		
	• 1500x230x212 mm dimensions		
	• 600 watts power; 220V/60Hz		
	*including installation		
3	Orbit Fan, 18" Metal blade w/ Switch and		
3	Thermal Fuse Protection		
***************************************	Wireless Access Point		
	• Up to 1200Mbps w/ 2 x 2 MIMO technology		
1	• 802.3af/802.3at and Passive PoE		
4	Dual-Band Antennas		
	• 2.4 GHz: 2 x 3 dBi, 5 GHz: 2 x 4 dBi		
	Ethernet Port: 1 Gigabit Lan port		

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.			
Name of Company	Signature over Printed Name of Authorized Representative	Date	

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the Catanduanes State University, as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the Catanduanes State University, as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *Name of the Projectl*.
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

WITNESS	WHEREOF, I	have	hereunto	set my	hand	this	day	of,	20	at
,	Philippines.									
	**		[Insert	<i>NAME</i>	OF BIL	DDER C	$OR\ ITS$	SAUTH	ORIZI	ED
					REPRI	ESENTA	ATIVE	EJ		
				[Insert	signate	ory's leg	gal ca	pacity]		
						Affiant				
		WITNESS WHEREOF, I		, Philippines.	, Philippines. [Insert NAME]	, Philippines. [Insert NAME OF BII REPRI	, Philippines. [Insert NAME OF BIDDER OF REPRESENTATION PROPERTY PR	, Philippines. [Insert NAME OF BIDDER OR ITS REPRESENTATIVE [Insert signatory's legal ca	, Philippines. [Insert NAME OF BIDDER OR ITS AUTH REPRESENTATIVE] [Insert signatory's legal capacity]	[Insert NAME OF BIDDER OR ITS AUTHORIZ REPRESENTATIVE] [Insert signatory's legal capacity]

A. Su lia sta au B. Th as NI un K	NET FINANCIAL CONTRACTING Immary of the Applicant Supplier's/Distributor's sibilities on the basis of the attached income tax in the attement stamped "RECEIVED" by the Bureau of thorized collecting agent, for the immediately publicated agent, for the immediat	CAPACITY (NFCC) 's/Manufacturer's assets and return and audited financial of Internal Revenue or BIR preceding year. Year 20 based on the above data is computational working with the standing working working with the standing working working working working with the standing working worki							
lia sta au B. Th as NI un K	Immary of the Applicant Supplier's/Distributor's bilities on the basis of the attached income tax in tement stamped "RECEIVED" by the Bureau of thorized collecting agent, for the immediately performed in the immediately	return and audited financial of Internal Revenue or BIR preceding year. Year 20 based on the above data is computational working to be started.							
lia sta au B. Th as NI un K	abilities on the basis of the attached income tax in tement stamped "RECEIVED" by the Bureau of thorized collecting agent, for the immediately public thorized agent, for the immediately public thorized collecting agent, for the immediately public thorized collecti	return and audited financial of Internal Revenue or BIR preceding year. Year 20 based on the above data is computational standing work acts yet to be started.							
B. Thas	thorized collecting agent, for the immediately p 1. Total Assets 2. Total Current Assets 3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) The Net Financial Contracting Capacity (NFCC) Infollows: FCC = [(current asset – current liabilities) (K)] Information of the contraction of the contrac	based on the above data is computational working to be started.							
B. Thas	1. Total Assets 2. Total Current Assets 3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) The Net Financial Contracting Capacity (NFCC) In follows: FCC = [(current asset – current liabilities) (K)] in the der ongoing contracts including awarded contracts as a second contract of the contrac	based on the above data is computantial working wearth and the started.							
B. Th as NI un K	1. Total Assets 2. Total Current Assets 3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) The Net Financial Contracting Capacity (NFCC) In follows: FCC = [(current asset – current liabilities) (K)] Index ongoing contracts including awarded contracts and the second s	based on the above data is computational work acts yet to be started.							
as NI un K	2. Total Current Assets 3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) The Net Financial Contracting Capacity (NFCC) In follows: FCC = [(current asset – current liabilities) (K)] In the original contracts including awarded contracts and contracts including awarded contracts.	based on the above data is computational minus value of all outstanding works yet to be started.							
as NI un K	2. Total Current Assets 3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) The Net Financial Contracting Capacity (NFCC) In follows: FCC = [(current asset – current liabilities) (K)] In the original contracts including awarded contracts and contracts including awarded contracts.	based on the above data is computational minus value of all outstanding works yet to be started.							
as NI un K	2. Total Current Assets 3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) The Net Financial Contracting Capacity (NFCC) In follows: FCC = [(current asset – current liabilities) (K)] In the original contracts including awarded contracts and contracts including awarded contracts.	minus value of all outstanding wo							
as NI un K	3. Total Liabilities 4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) ne Net Financial Contracting Capacity (NFCC) I follows: FCC = [(current asset – current liabilities) (K)] inder ongoing contracts including awarded contracts	minus value of all outstanding wo							
as NI un K	4. Current Liabilities 5. Net Worth (1-3) 6. Net Working Capital (2-4) ne Net Financial Contracting Capacity (NFCC) I follows: FCC = [(current asset – current liabilities) (K)] I der ongoing contracts including awarded contracts	minus value of all outstanding wo							
as NI un K	5. Net Worth (1-3) 6. Net Working Capital (2-4) ne Net Financial Contracting Capacity (NFCC) I follows: FCC = [(current asset – current liabilities) (K)] inder ongoing contracts including awarded contracts are set to be set	minus value of all outstanding wo							
as NI un K	6. Net Working Capital (2-4) ne Net Financial Contracting Capacity (NFCC) I follows: FCC = [(current asset – current liabilities) (K)] inder ongoing contracts including awarded contracts = 15	minus value of all outstanding wo							
as NI un K	ne Net Financial Contracting Capacity (NFCC) I follows: FCC = [(current asset – current liabilities) (K)] I der ongoing contracts including awarded contracts = 15	minus value of all outstanding wo							
as NI un K	follows: FCC = [(current asset – current liabilities) (K)] rader ongoing contracts including awarded contracts = 15	minus value of all outstanding wo							
	Current Assets	Amount							
	Current Assets	-							
	I agg. Cumant I jabilitias								
	Less: Current Liabilities Net Current Assets								
	Multiply by K	x 15							
	Less: Total value of all outstanding	<u> </u>							
	works under ongoing contracts								
	NFCC								
	,								
Fi	Herewith attached are certified true copies of the Income Tax Return and Au Financial Statement: stamped "RECEIVED" by the BIR or BIR authorized colle agent for the immediately preceding year.								
Su	abmitted by:								
Na	ame of Supplier/Distributor/Manufacturer								
Si									

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM Date: Project Identification No.:
To: BIDS AND AWARDS COMMITTEE Catanduanes State University Virac, Catanduanes
Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply/deliver Supplies and Materials for Repair and Rehab of Various Buildings to Increase the Carrying Capacity of Nursing and Allied Health Programs in
conformity with the said PBDs for the sum of
or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (IV) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
 To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b. To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
c. To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:
Name and address Amount and Purpose of Currency Commission or gratuity
(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

PROCUREMENT OF SUPPLIES AND MATERIALS FOR REPAIR AND REHAB OF VARIOUS BUILDINGS TO INCREASE THE CARRYING CAPACITY OF NURSING AND ALLIED HEALTH PROGRAMS

Nar	ne of Bi	dder:				Project ID	No.: <u>202</u>	23-022	Page	_ of
1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
LOT	1 - HAF	RDWARE MATERIALS (ABC - PhPS	,295,14	9.55)						
1	cylinder	Acetylene Tank with Content	2	7,500.00						
2	рс	Acoustic Boards, 5/8" thk x 2' x 4'	200	300.00						
3	рс	Acrycolor (water-based), 1/4 L	38	170.00						
4	рс	Acrycolor (water-based), 1/4 L, Color: Thalo Blue	4	170.00						
5	set	Adjustable Furniture Glides, 50mm Ø table desk leveling foot leg	11	400.00						
6	рс	Aluminum Double Rail Channel Glass Door Track, 1.0m Long)	17	500.00						
7	рс	Aluminum Flush Pull Handle	117	150.00						
8	рс	Aluminum Roof Gutter Strainer	15	220.00						
9	рс	Aluminum Stair Nosing, 1 3/4" x 1" x 9ft long	7	1,200.00						
10	рс	Aluminum Stair Nosing, 1 1/2" x 8'	16	400.00						
11	рс	Aluminum Tile Trim, Round-Edge, 8'	9	200.00						
12	рс	Anchor Bolts, 16mm dia. x 500m L A325 with Std Nuts and Washers	60	200.00						
13	рс	Anchor Bolts, 16mmØ x 200mm L	16	150.00						
14	рс	Angle Bar, L38 x 38 x 4.5mm thk. x 6.0m Long	24	1,300.00						
15	рс	Angle Bar, L50 x 50 x 4.5mm thk. x 6.0m Long	95	1,700.00						
16	рс	Angle Bar, 3mm thk x 25mm x 25mm x 6m L	1	715.00						
17	рс	Angle Bar, 4.5mm thk x 50mm x 50mm x 6.0m L	49	1,320.00						
18	рс	Angle Bar, 4.5mm thk. x 25mm x 25mm x	48	635.00						
19	рс	Angle Bar, 6mm thk x 50mm x 50mm	81	2,000.00						
20	рс	Angle Bar, 6mm thk x 62.5mm x 62.5mm x 6.0m L	32	3,036.00						
21	рс	Angle Bar, 6mm thk x 75mm x 75mm x 6.0m L	71	3,300.00						
22		Angle Valve, 12mm dia.	24	250.00						
23	set	Angle Valve, 20mm dia.	3	165.00						
24	рс	Arbor Stainless Steel Brush For Bench Grinder Abrasive Wire, 6mm Professional Accessories	150	270.60						
25	kg	Assorted Common Wire Nails	20	85.00						
		- TOTAL TIME								

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item		Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
26	set	Bidet Spray, Material: SUS304 Stainless Steel Satin Finish, Description: Brushed with Nickel- plated Holder and 1.20m Stainless Steel Double Locked Hose, with complete accessories	1	2,037.00						
27	рс	Black Screw, 1 1/2"	3,812	3.00						
28	рс	Black Screw, 1"	816	2.50						
29	рс	Black Screw, 3/4"	1,556	1.00						
30	рс	Blind Rivet, 1/8" x 5/16"	100	1.00						
31	рс	Blind Rivet, 3/16"	14,545	0.75						
32	box	Blind Rivet, 5/32" x 1/2"	3	390.00						
33	рс	Bolts, 12mm dia. with Std Nuts and Washer	32	20.00						
34	box	Cat6A 4-Pair 23AWG F/UTP indoor cable, 305m/box	3	16,500.00						
35	set	Ceiling Lamp, Round, 18W LED (Daylight) Surface type	1	1,500.00						
36	рс	Ceramic Tiles w/ Nosing, 300m x 600m, Matte Finish; Color: Beige	159	130.00						
37	рс	Ceramic Tiles, 300m x 600m, Matte Finish; Color: Beige	250	130.00						
38	рс	Ceramic Tiles, 300mm x 300mm, Matte Finish; Color:Beads White	36	60.00						
39	рс	Ceramic Tiles, 300mm x 600mm, Glossy Finish; Color: Lobby White	50	185.00						
40	рс	Ceramic Tiles, 300mm x 600mm, Matte Finish; Color: Nueva Beige	1,218	130.00						
41	рс	Ceramic Tiles, 600m x 600m, Glossy Finish; Color: Gavin Ivory	608	275.00						
42	рс	Ceramic Tiles, 600m x 600m, Rustic Finish; Color: Rocky Beige	913	275.00						
43	рс	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Brown	628	275.00						
44	рс	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Arizona Ivory	635	275.00						
45	рс	Ceramic Tiles, 600mm x 600mm, Glossy Finish; Color: Maine White	276	275.00						
46		Ceramic Tiles, 600mm x 600mm, Matte Finish; Color: Hampton Beige	229	275.00						
47	рс	Ceramic Tiles, 600mm x 600mm, Rustic Finish; Color: Rocky Grey	236	275.00						
48	рс	C-Channel, C8 x 10.50 x 6.0m Long (Stringer)	2	7,000.00						
49		Channel Bars, 2.5mm thk x 50mm x 175mm x 6.0m L	88	2,500.00						
50		CHB, 4" thk	1,395	21.00						
51		CHB, 5" thk	368	22.00						
52	set	Check Valve, 20mm Ø	3	1,045.00						
53	PC	Circuit Breaker 15AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	2	472.00						
54	рс	Circuit Breaker 20AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	3	472.00						
55	рс	Circuit Breaker 30AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	2	472.00						
56		Circuit Breaker 40AT, 2P, 240V 60Hz 10KAIC, Bolt on Type	1	472.00						

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (co 9) x (col 4)
57	set	Circular Downlight 6W LED, 230V, 630 Lumens, 6500K (DL), Recessed	26	330.00						
58	gal	Clear Gloss Lacquer	18	880.00						
59	lit	Clear Gloss Lacquer	95	243.00						
60	рс	Coco Lumber, 2" x 2" x 10' S4S	218	120.00						
61	kg	Common Wire Nails, 1"	1	100.00						
62	kg	Common Wire Nails, 2"	7	100.00						
63	kg	Common Wire Nails, 3"	15	100.00			ļ			
64	lit	Concrete Epoxy, Set A and B	20	1,265.00						
65	рс	Concrete Grinding Disk, 4" Ø	2	200.00						
66 67	kg	Concrete Nails, 1 1/2"	8	120.00				ļ		
	kg	Concrete Nails, 1"	7	120.00			<u> </u>	<u> </u>		ļ
68 69	kg	Concrete Nails, 2"	5 12	120.00						
70	kg	Concrete Nails, 3" Concrete Nails, 4"	10	120.00 120.00						
71	kg gal	Concrete Neutralizer	6	450.00		_				
72	pc	Conduit Body Type "LR" 20mmØ	5	100.00						
73	рс	Conduit Body Type "T" 20mmØ	7	100.00				-		
	pc	Conduit Clamp, Stainless U-Bolt		100.00	-	 			 	
74	рс	32mm dia. w/ nuts and washer Conduit Clamp, Stainless U-Bolt	7	27.00						
75	рс	50mm dia. w/ nuts and washer	13	55.00						
76	рс	Conduit Hanger, 32mm	6	26.00						
77 78	pc set	Conduit Hanger, 50mm Copper Split Bolt Connector for	8	33.00 774.00						
	Set	125mm² wire								
79	рс	Cornice, 1" x 2" x 10'	22	350.00						
80	рс	C-Purlins, 1.2mm thk. (2" x 3"x 6m)	6	534.00						
81	рс	Cross Tee, 0.70mm thk x 24mm x 28mm x 4' L	78	75.00						
82	cu.m.	Crushed Gravel, 3/4"	91	1,000.00						
83	рс	Cut-off Wheel, 14"Ø	17	300.00						
84	рс	Cutting Disk, 4"	35	50.00						
85	рс	Desk Cable Hole Grommet, 50mm dia. (White)	29	70.00						
86	рс	Double Furring Channel, 0.6mm thk x 17mm x 49mm x 17mm x 5m L	329	185.00						
87	set	Downlight 4" 7W LED (Daylight), Recessed Type w/ Frosted Cover	4	450.00						
88	set	Drawer Lock with Strike Plate, Chrome Plated	54	65.00						
89	рс	Drill Bit, 12mm	10	700.00						
90	рс	Drill Bit, 16mm	10	1,000.00						
91	рс	Drill Bit, 20mm	10	1,200.00						
92	рс	Drivepin Ramset, 1"	176	8.50						
93	рс	Drop-in anchor, 8mm	20	6.00						
94	рс	Drop-in Anchor, 3/8"	642	15.00						
95	рс	Drop-in Anchor, 8mm	52	15.00						
96	set	Duplex Convenience Outlet, Weatherproof type	2	558.00						
97	set	Duplex Convenience Outlets/Receptacles (GT)	56	120.00						
98	set	Duplex Universal Convenience Outlets/Receptacles (GT)	4	341.00						
99	lit	Elastomeric Sealant	13	700.00						

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
100	meter	Electric Wire THHN/THWN-2, 125mm² Cu. Stranded	200	1,125.00						
101	meter	Electric Wire THHN/THWN-2, 2.0mm² Cu. Stranded	1,410	26.00						
102	meter	Electric Wire THHN/THWN-2, 22mm² Cu. Stranded	310	240.00						
103	meter	Electric Wire THHN/THWN-2, 3.5mm² Cu. Stranded	2,600	39.00						
104	meter	Electric Wire THHN/THWN-2, 30mm² Cu. Stranded	35	385.00						
105	meter	Electric Wire THHN/THWN-2, 5.5mm² Cu. Stranded	2,500	58.00						
106	meter	Electric Wire THHN/THWN-2, 8.0mm² Cu. Stranded	15	91.00						
107	рс	Electrical Metallic Tubing (EMT), 20mm dia. x 3m	21	257.00						
108	roll	Electrical Tape, Big	46	42.00						
109	рс	EMT Connector, 20mm dia.	11	25.00						
110	рс	EMT Coupling, 20mm dia.	20	25.00						
111	рс	EMT Elbow 20mm, Long Sweep 90°	2	54.00						
112	pair	EMT Locknut and Bushing 50mm (2") dia.	4	81.00						
113	рс	EMT Tubing, 50mm dia. x 3m	1	811.00						
114	gal	Enamel Quick Dry, White Color (top coat) - 1 coat	2	760.00						
115	set	Enclosed Circuit Breaker (ECB) 250AT, 3P, 230V, 60Hz, NEMA 3R	1	22,220.00						
116	set	Enclosed Circuit Breaker (ECB) 60AT, 2P, 230V, 60Hz, NEMA 3R	4	3,199.00						
117	рс	Expansion Bolt, 3/8" x 70mm	20	30.00						
118	рс	Expansion Bolt, 1/4" x 1" Lag Screw	27	25.00						
119	рс	Expansion Bolt, 12mmØ	10	60.00						
120	pair	Expansion Shield w/ Lag Screw, 5/16" x 2"	40	20.00						
121	рс	Fiber Cement Board, 4.5mm thk x 4' x 8'	167	690.00						
122	рс	Fiber Cement Board, 6mm thk x 4' x 8'	32	900.00						
123	cu.m.	Fine Aggregates	36	1,000.00				-		
124	kg	Finishing Nails, 1"	48.5	100.00						
125		Finishing Nails, 1/2"	6	100.00						
126	kg	Finishing Nails, 2"	36.5	100.00						
127	kg	Finishing Nails, 3"	24	100.00						
128 129	kg pc	Finishing Nails, 3/4" Flat Bar, 40mm x 6m x 2mm thk.	12	100.00 311.00						
130	nc	Flat Bar, 4.5mm thk x 38mm x	10	485.00						
131	nc	6.0m L Flat Bar, 4.5mm thk x 50mm x	10	700.00						
132		6.0m L Flat Wall Enamel (Primer) - 1 coat	2	700.00						
133										
134		Flat Wall Enamel (White) Flexible Conduit, 20mm dia.	10 100	700.00						
135		Flexible Conduit, 20mm dia. Flexible Hose Clip and Adapter	250	15.00 10.00					10	
136	рс	Flexible Metal Conduit Connector,	16	30.00						
		20mm dia.		30.00						

137 me 138 pa 139 pa 140 p 141 p 142 she 143 sq. 144 pc 145 pc	pair Spair S	Flexible Metal Conduit, 20mm dia. Full Extension Ball Bearing Drawer Guide-Soft Close, 300mm (Black) Full Extension Ball Bearing Drawer Blide, 12" Full Threaded Rod, 3/8" x 1m Full Threaded Rod, 8mm x 1m G.I. Corrugated Sheet, GA. 24 x 2' L G.I. Long Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of 1.50mm) G.I. Pipe, 100mmØ x 6.0m L, Sch. 0 G.I. Pipe, 25mm x 6m, Sch.20 G.I. Plain Sheet, GA. 24 x 4' x 8'	114	46.00 310.00 310.00 88.00 88.00 1,010.00	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (co 9) x (col 4)
138 pa 139 pa 140 p 141 p 142 she 143 sq. 144 pc 145 pc	pair Spair S	Full Extension Ball Bearing Drawer Guide-Soft Close, 300mm (Black) Full Extension Ball Bearing Drawer Blide, 12" Full Threaded Rod, 3/8" x 1m Full Threaded Rod, 8mm x 1m G.I. Corrugated Sheet, GA. 24 x 2' L G.I. Long Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of 1.50mm) G.I. Pipe, 100mmØ x 6.0m L, Sch. 0 G.I. Pipe, 25mm x 6m, Sch.20	114 29 8 35 104 250	310.00 310.00 88.00 88.00 1,010.00						
139 pa 140 p 141 p 142 she 143 sq. 144 pc 145 pc	pair February Februar	Guide-Soft Close, 300mm (Black) Full Extension Ball Bearing Drawer Blide, 12" Full Threaded Rod, 3/8" x 1m Full Threaded Rod, 8mm x 1m G.I. Corrugated Sheet, GA. 24 x 2' L G.I. Long Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of 1.50mm G.I. Pipe, 100mmØ x 6.0m L, Sch. 0 G.I. Pipe, 25mm x 6m, Sch.20	29 8 35 104 250	310.00 88.00 88.00 1,010.00						
140 p 141 p 142 she 143 sq. 144 pc 145 pc	poair F S S S S S S S S S S S S S S S S S S	Full Extension Ball Bearing Drawer Blide, 12" Full Threaded Rod, 3/8" x 1m Full Threaded Rod, 8mm x 1m Full Thread	8 35 104 250	88.00 88.00 1,010.00						
141 p 142 she 143 sq. 144 pc 145 pc	pc F pc F pc F pc F pc G 1 pc G 1 pc G C C C C C C C C C C C C C C C C C C C	Full Threaded Rod, 3/8" x 1m Full Threaded Rod, 8mm x 1m Full Threaded Rod, 8mm x 1m Full Corrugated Sheet, GA. 24 x 2' L Full Confine Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of 1.50mm Full Commo St. Pipe, 100mm x 6.0m L, Sch. 0 Full Fipe, 25mm x 6m, Sch.20	35 104 250	88.00 1,010.00						
142 she 143 sq. 144 po 145 po	pc	Full Threaded Rod, 8mm x 1m G.I. Corrugated Sheet, GA. 24 x 2' L G.I. Long Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of 0.50mm G.I. Pipe, 100mmØ x 6.0m L, Sch. 0 G.I. Pipe, 25mm x 6m, Sch.20	35 104 250	88.00 1,010.00						
143 sq. 144 pc 145 pc	neet G 1 G G G G G G G G	G.I. Corrugated Sheet, GA. 24 x 2' L G.I. Long Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of 0.50mm G.I. Pipe, 100mmØ x 6.0m L, Sch. 0 G.I. Pipe, 25mm x 6m, Sch.20	104 250	1,010.00						
144 po	GR (V O O O O O O O O O O O O O O O O O O	S.I. Long Span Pre-painted Roofing Sheets, Forest Green with total coated thickness of .50mm) S.I. Pipe, 100mmØ x 6.0m L, Sch. 0 S.I. Pipe, 25mm x 6m, Sch.20		575.00						
144 po	J.m. (v 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Roofing Sheets, Forest Green with total coated thickness of .50mm) 6.I. Pipe, 100mmØ x 6.0m L, Sch. 0 6.I. Pipe, 25mm x 6m, Sch.20		575.00			- 1			
145 pc	oc G oc (F	0 G.I. Pipe, 25mm x 6m, Sch.20	1							
_	oc (F	G.I. Pipe, 25mm x 6m, Sch.20		6,500.00						
146 pc	G (F	S.I. Plain Sheet GA 24 x 4' x 8'	1	750.00			+			
	G G	Pre-painted Ridge Roll)	35	1,100.00						
147 pc		6.I. Square Tube, 2mm thk x 5mm x 25mm (Baluster)	6	700.00						
148 pc	G 50	i.l. Square Tube, 2mm thk x 0mm x 50mm (Top Rail & Hor.	4	1,500.00						
149 se		i.l. Tee, 1" x 1/2"	3	260.00						
150 kg		.I. Tie Wire, #16	43	99.00						
151 se		ate Valve, 20mm Ø (Heavy Duty- rass)	1	592.00						
152 pc		I Pipe 1 1/2" Sch 40	10	1,515.00						
153 ga		lazing Putty	34	650.00			-+			
154 pc	c G	ood Lumber, 2" x 2" x 10' S4S	259	355.00						
155 pc		ood Lumber, 2" x 3" x 10' S4S	17	530.00						
156 pc		ood Lumber, 2" x 4" x 10' S4S rinding Disk, 4"	11	710.00						
158 set		round Clamp Connector	21	110.00						
159 pc	c Gr	round Rod, 3/4" x 10'	2	350.00						
160 pc		acksaw Blade	30	1,800.00 80.00						
161 pair	ir Ha	and Gloves	5	40.00						
162 set		eavy Duty Padlock	3	500.00						
163 set	n Dr	eavy Duty Stainless Steel rawer Lockset	58	125.00						
164 pair	" 4"	eavy Duty Stainless Steel Hinges	16	575.00						
165 set	t 95	ghbay 100W LED , 230V, 60Hz, 00 Lumens, 6500K (Daylight) 120° Aluminum Reflector, IP54	8	3,111.00						
166 pair		draulic Inset Concealed Hinges	58	200.00				_		
167 unit	" We	ck Hammer (15.1 kg Net eight)	1	45,000.00			\dashv			
168 pc			4,500	7.00						
169 pc		b Screw, 1/2" L	453	0.50				-		
170 pc	Ora	nction Box, PVC Deep Type, ange	279	35.00						
171 gal		cquer Flo (Additive)	3	393.00					-	
172 gal	Glo	equer Products Varnish (Clear pss)	10	811.00						
173 gal 174 lit		equer Sanding Sealer	53	900.00						
174 III 175 gal	_	equer Sanding Sealer equer Thinner	189	226.00 625.00						

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
176	set	LED Exit Sign, Single Face, Green, 230VAC, w/ battery back up	3	990.00						
177	meter	LED Strip 8w/m, 230VAC, 6500K, daylight c/w accessories	60	440.00						
178	рс	Liquid Nails, 320g	40	250.00						
179	рс	Main Tee, 0.70mm thk x 24mm x 38mm x 12' L	56	186.00						
180	рс	Marine Plywood, 1/2" thk x 4' x 8'	15	1,200.00						
181	рс	Marine Plywood, 1/4" thk x 4' x 8'	29	600.00						
182	рс	Marine Plywood, 3/4" thk x 4' x 8'	285	1,800.00						
183		Marine Plywood, 4' x 8' x 3/4" thk.	40	1,800.00						
184	roll	Masking Tape, 3/4"	30	55.00						
185	рс	Masonry drill bit for rotary hammer 12", 3/8" dia. Chuck type	2	119.00						
186	рс	Masonry Drill Bit, 1/8"	5	35.00						
187	рс	Masonry Drill Bit, 10mm Ø	43	120.00						
188	gal	Masonry Putty	119	460.00						
189	рс	Mesh Tape, 2" x 30m	4	75.00						
190	рс	Metal Carrying Channel, 0.8mm thk x 11mm x 37mm x 11mm x 5m L	96	135.00						
191	рс	Metal Clip	376	5.00						
192		Metal Drill Bit, 1.5mm	60	40.00						
193		Metal Drill Bit, 5/32"	20	40.00						
194		Metal Grinding Disk, 4" Ø	23	45.00						
195	рс	Metal Screw, 1 1/2" Long	281	5.00						
196	lin. mtr.	Metal Spandrel, 0.40mm thk x 150mm W with Vent; Color: Brown	870	125.00						
197	рс	Metal Studs, 0.6mm thk. x 32mm x 76mm x 3.0m L	51	210.00						
198	рс	Metal Tracks, 0.6mm thk. x 32mm x 76mm x 3.0m L	16	195.00						
199	рс	Metal Wall Angle, 0.8mm thk x 25mm x 25mm x 5m L	155	165.00						
200	meter	Mica Tube	10	25.00						
201	рс	MS Plate, 10mm thk. x 150mm x 150mm (Seatplate)	2	200.00						
202	рс	MS Plate, 10mm thk. x 200mm x 200mm (Baseplate/Endplate)	4	300.00						
203	рс	MS Plate, 20mm thk x 4' x 8'	1	28,500.00						
204		MS Plate, 3mm thk x 4' x 8'	1	4,210.00						
205		MS Plate, 6mm thk x 4' x 8'	5	8,550.00						
206	1 .	Nuts and Washer, 8mm	52	6.00						
207	-	Nuts and Washer, 8mm	40	6.00						
208	рс	Nuts, 3/8" dia.	523	1.50						
209	рс	Octagonal Box, Metallic (101mm x	8	72.00						
210	gal	101mm x 53mm), Deep type Oil Tinting Color, Grey	1	680.00	+	+	+		+	
211	1	Oil Wood Stain, Color: Beechwood		480.00	 				1	<u> </u>
212	lit	Oil Wood Stain, Color: Mahogany	18	255.00						
213		Oil Wood Stain, Color: Maple	87	255.00	†	1	 	1	1	†
214		Oil Wood Stain, Color: Oak	2	255.00						
	gal	Oil Wood Stain; Color: Maple	18	525.00	T		1			

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
216	set	One-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	1	220.00						
217	рс	Ordinary Plywood, 1/4" thk.	1	500.00						
218	cylinder	Oxygen Tank with Content	2	6,500.00						
219	gal	Paint, Elastomeric (Primer)	31	728.00						
220	gal	Paint, Elastomeric (Semi-Gloss)	24	936.00						
221	gal	Paint, Elastomeric (White)	98	624.00						
222	gal	Paint, Enamel Flat (White)	13	750.00						
223	gal	Paint, Enamel, Semi-Gloss (White)	20	750.00						
224	gal	Paint, Latex Flat (White)	185	750.00						
225	gal	Paint, Latex Semi-Gloss (White)	266	750.00						
226	gal	Paint, Latex, Semi Gloss	160	882.00						
227	рс	Paint and Varnish Remover, 350ml	1	100.00						
228	рс	Paint Brush, 1"	16	60.00						
229	рс	Paint Brush, 2"	44	65.00						
230	рс	Paint Brush, 3"	67	130.00						
231	рс	Paint Brush, 4"	226	135.00						
232	gal	Paint Reducer (B-1750)	12	599.64						
233	рс	Paint Roller Tray, 9"	5	160.00						
234	рс	Paint Roller, 9"	44	120.00						
235	gal	Paint Thinner	100	600.00						
236	рс	Paint Thinner, 350mL	169	50.00						
237	set	Panel Light 48W LED , 230V, Daylight, Recessed	10	1,381.00						
238	рс	Phenolic Board, 1/2" thk x 4' x 8'	5	1,400.00						
239		Phenolic Board, 3/4" thk. 4' x 8'	10	1,600.00						
240	рс	Pipe Hanger Clamp, 20mm	20	30.00						
241	рс	Plain Round Bar, 10mm dia. x 6m, Grade 40	9	300.00						
242	gal	Plexibond	12	900.00						
243	lit	Polytuff Polyester Bodyfiller with Hardener	2	500.00						
244	рс	Polyvinyl Chloride Pipes (uPVC) 20mm dia. x 3m	20	106.00						
245	рс	Polyvinyl Chloride Pipes (uPVC) 25mm dia. x 3m	10	172.00						
246		Polyvinyl Chloride Pipes (uPVC) 50mm dia. x 3m	24	374.00						
247	bag	Portland Cement	1,123	306.00						
248		PPR Coupling Elbow, 20mm dia.	12	15.00						
249		PPR Coupling, 20 mm dia.	8	9.00						
250		PPR Elbow 90°, 20mm Ø	10	34.00						
251	рс	PPR Equal Tee 90°, 20mm Ø	5	34.00						
252	pc	PPR Female Elbow, 20 mm dia.	3	118.00						
253 254		PPR Gate Valve, 20mm Ø	19	255.00	ļ	-				
255	-	PPR Male Adapter, 20 mm dia.	8	215.00	<u> </u>		-			
		PPR Pipe, 20mm dia. x 4m PPR Pipe, 20mm Ø x 2.8mm thk x	0	206.00		-				
256		4m	3	509.00						
257	рс	PPR Socket, 20mm Ø	5	28.00						
258	set	PPR Straight Way Valve, 20mm Ø	1	591.00						

1	2	3	4	,	5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per	Sales and other taxes payable if Contract is	Cost of Incidental Services, if applicable,	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
						item	awarded, per item	per item		3) x (0014)
259	set	P-Trap (for Wash Basin), complete with accessories, Size: 1 1/2"Ø, Material: Stainless Steel	2	540.00						
260	рс	Pull Box, 12" x 12" x 4", NEMA 3R	2	836.00						
261	рс	Pull Box, 150mm x 150mm x 100mm, NEMA 3R GA #16	8	325.00						
262	рс	Putty Knife	41	80.00						
263	рс	PVC 1/8 Bend, 50mm dia.	11	39.00						
264	can	PVC Cement	4	165.00						
265	рс	PVC Cleanout W/ Plug, 50mm dia.	3	44.00						
266	рс	PVC Coupling, 32mm dia.	14	16.00						
267	рс	PVC Coupling, 50mm dia.	34	22.00						
268	рс	PVC Elbow, 50mm dia.	31	60.00						
269	pc	PVC End bell, 32mm dia.	10	15.00						
270271	pc pair	PVC End Bell, 50mm dia. PVC Male Adapter with Locknut,	20 328	27.00 15.00						
272	lit	20mm PVC Pipe Cement	1	456.00						
273	рс	PVC Pipe, 2" Ø x 10', PNS1650 S1000, Orange	70	350.00						
274	рс	PVC P-Trap, 50mm dia.	3	132.00						
275	рс	PVC Sanitary Wye, 50mm dia.	6	51.00						
276	рс	PVC/uPVC Pipe, 20mm dia. x 10'	239	106.00						
277	рс	PVC/uPVC Pipe, 32mm dia. x 10'	7	220.00						
278		PVC/uPVC Pipe, 50mm dia. x 10'	14	349.00						
279	litre	Quick Dry Enamel, Black	2	320.00						
280		Quick Drying Enamel (1 coat)	6	760.00						
281	gal	Quick Drying Enamel (2-top coats)	27	790.00						
282	gal	Quick Drying Enamel, Green	53	790.00						
283		Quick Drying Enamel, Royal Blue	1	790.00						
284	gal	Quick Drying Enamel, Tulle White Rechargeable Emergency Light,	1	790.00						
285		Bug eye 3.2W, 230V, 60Hz, Automatic w/ Battery Backup	11	1,100.00						
286		Red Oxide Metal Primer	6	165.00						
287		Red Oxide Metal Primer	89	620.00						
288		Red Oxide Metal Primer (1 coat)	6	500.00						
289 290		Roller Brush, 7"	166	120.00						
		Roller Brush Pan Roofing Sheet Insulation	153 250	50.00 121.00						
292		RSB, 10mm Ø x 6.0m, Grade 40	427	225.00						
293		RSB, 10mm Ø x 7.5m, Grade 40	119	285.00						
294		RSB, 12mm Ø x 6.0m, Grade 40	59	316.80						
295		RSB, 16mm Ø x 6.0m, Grade 40	41	580.00						
296		RSB, 20mm Ø X 6.0m, Grade 40	35	975.70						
297		RSC Clamp, 20mm dia. w/ Screw	684							
231	ρc	NOO Clamp, Zomini dia. W/ Screw	004	9.00						

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
298	рс	RSC Clamp, 25mm dia. w/ Screw	50	10.00						
299	рс	RSC Clamp, 50mm dia. w/ Screw	5	27.00						
300	roll	Rubber Tape	3	151.00						
301	gal	Rust Converter	1	650.00						
302	set	Safety Breaker, 15AT, 2P, 230V, 60Hz	6	750.00						
303	set	Safety Breaker, 20AT, 2P, 230V, 60Hz	7	750.00						
304	set	Safety Breaker, 30AT, 2P, 230V, 60Hz	5	750.00						
305	set	Switch Set, 1-Gang, Wide, Flush type	3	74.00						
306	set	Switch Set, 2-Gang, Wide, Flush type	5	120.00						
307	set	Switch Set, 3-Gang, Wide, Flush type	6	167.00						
308	рс	Sagrods, 12mm Ø x 7.50m	400	51.00						
309	рс	Sand Paper, #60	141	20.00						
310	рс	Sand Paper, #80	1,401	20.00						
311	рс	Sand Paper, #100	1,776	20.00						
312	рс	Sand Paper, #120	648	20.00						
313	рс	Sand Paper, #600	422	20.00						
314	set	Scaffolding Set, Galvanized Sch 40 Consists of: 90 pc H-Frame 1.2mx 1.2m, 90 pc cross-brace, 180 pc Joints Pins	45	2,500.00						
315	рс	Screw and Nut, 3/8" dia. x 3.5"	514	4.00						
316	рс	Screw with Tox, #5	630	5.00						
317	set	Secondary Rack, 3W	2	780.00						
318		Self-Closing Stainless Steel Spring Door Hinges, 2"	4	125.00						
319	gal	Semi-Gloss Enamel (White)	15	760.00						
320	set	Service Entrance Cap, 50mm dia.	1	138.00						
321	set	Single Convenience Outlet	14	72.00						
322	bag	Skimcoat, 25kg-Bag	4	680.00						
323	рс	Sliding Cabinet Door Lock with 135mm Ratchet Bar	6	210.00						
324		Smoke Detector, Single Station, battery operated	3	1,650.00						
325		Solvent Cement	1	420.00						
326	can	Solvent Cement	2	105.00						
327	рс	Spatula, 4"	602	75.00						
328		Spool insulator	6	76.00						
329		Spot Putty, Cast 1711	327	800.00						
330	рс	Square Box, PVC, Orange	27	83.00						
331	set	Square Downlight 18W LED , 230V, 1500 Lumens, 6500K (DL), Recessed	22	605.00						
332	pair	Stainless Hydraulic Inset Concealed Hinges	160	200.00						
333	set	Stainless Steel (304) Double Kitchen Sink, 33" x 22" x 8" with complete accessories	25	5,000.00						
334	set	Stainless Steel (304) Flexible Supply Hose, complete with accessories, Size: 1/2"Ø	1	165.00						

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
335	рс	Stainless Steel (304) Gooseneck Faucet (Kitchen sink mounted)	29	2,000.00			,			
336	set	Stainless Steel (304) Single Kitchen Sink, 22" x 18" x 8" with complete accessories	4	2,500.00						9
337	рс	Stainless Steel Brush (Handtools)	90	75.00						AND THE RESIDENCE OF THE PARTY
338	рс	Stainless Steel Cabinet Flush Pull Handle, 150mm	151	200.00						
339	рс	Stainless Steel Cylinder Door Knobset	8	1,150.00						
340	set	Stainless Steel Door Handle Set	1	2,310.00						
341	рс	Stainless Steel Rectangular Tube, 3.5mm thk x 25mm x 50mm	39	455.00						
342	рс	Stainless Steel Satin Finish (304) Floor Drain, Dimensions: 100 x 100mm	16	310.00						
343	рс	Stainless Steel Satin Finish Cabinet Flush Pull Handle, 128mm	78	415.00						
344	рс	Stainless Steel Tube, 1.5mm thk x 50mmØ x 6.0m L	4	2,150.00						
345	set	Stainless Steel Wall Faucet, Wall Mounted, Elongated Bib Tap	1	2,163.00						
346	рс	Steel Barrel Lock, 4"	8	1,150.00						
347	рс	Steel Brush	19	75.00						
348	рс	Supply Hose, 12mm dia.	27	200.00						
349 350	pc set	Swivel Clamps 1 1/2" T8 Tube 18W LED, (Daylight) w/	45 10	49.50 350.00						
		lamp holder								
351	roll	Teflon Tape	8	15.00						
352 353		Tek Screw (for Roofing)	490	3.00						
354		Tek Screw, 3" (for Wood) Thinner (Reducer 1750)	2,142	3.00 599.64		<u> </u>				
355		Threaded Rod, 3/8" x 1m	17 629	125.00		 				
		Three-way 2-Gang Switch Set,				-				
356	set	Wide, Flush type	2	302.00						
357		Three-way 3-Gang Switch Set, Wide, Flush type	6	425.00						
358		Tile Adhesive, 25kg-bag	325	420.00						
359		Tile Grout	155	60.00						
360		Tile Spacer, 1.5 mm	4,616	0.80						
361	рс	Tile Spacer, 2 mm	2,230	0.80						
362 363	·	Tile Spacer, 3 mm Toilet Paper Holder, Dimensions: 115 × 111 mm, Material: Zinc Alloy	50 11	770.00						
364	gal	in Chrome Finish Top Coat Permacoat Latex	224	882.36						
365		Top Inlet Urinal Wall-Mounted Water Sense Urinal; Material: Vitreous China; Grade A	4	5,000.00						
366	set	Tox with Metal Screw, #5	60	5.00						
367	set	Troffer Light, Grilled Aluminum Louver w/ 2 x 18W LED T8, Recessed	44	1,848.00						
368	рс	Twisted Hanger, 1/4"	192	25.00						
369	set	Two-Way Angle Valve, Size: 1/2"x1/2, Material: SUS304 Stainless Steel	1	350.00			2			
370	set	Union Patente, 1"	3	253.00						
					L	L			L	

1	2	3	4	ann i seanna an tagainn an dheach an canagair an aire	5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
371	рс	uPVC Bend 45°, 2"Ø (1/8 Bend), Orange [for DWV]	5	36.00						
372	рс	uPVC Bend 45°, 4"Ø (1/8 Bend), Orange [for DWV]	2	103.00						
373	рс	uPVC Bend 87.5°, 2"Ø (1/4 Bend Elbow), Orange [for DWV]	5	45.00						
374	рс	uPVC Bend 87.5°, 4"Ø (1/4 Bend/ elbow), Orange [for DWV]	3	134.00						
375	рс	uPVC Clean-out w/ Plug & Seal Ring 4"Ø, Orange [for DWV]	1	106.00						
376	рс	uPVC Clean-out w/ Plug & Seal Ring, 2"Ø, Orange [for DWV]	1	36.00						
377	рс	uPVC Moulding, 14mm x 9mm x 8'	43	53.00						
378	рс	uPVC Moulding, 25mm x 12mm x 8'	22	110.00						
379	рс	uPVC Pipe, 4" Ø x 2.5mm thk, PNS1650 S1000, Orange [for DWV]	8	1,096.00						
380	рс	uPVC P-trap, 2"Ø (U-trap + Bend 45°), Orange [for DWV]	2	139.00						
381	рс	uPVC Single Branch Tee 87.5°, 2"Ø, Orange [for DWV]	2	64.00						
382	рс	uPVC Single Branch Wye 45°, 2"Ø, Orange [for DWV]	4	59.00						
383	рс	uPVC Single Branch Wye 45°, 4"Ø, Orange [for DWV]	2	214.00						
384	рс	uPVC Socket/ Coupling 4"Ø, Orange [for DWV]	5	89.00						
385	рс	uPVC Socket/ Coupling, 2"Ø, Orange [for DWV]	8	23.00						
386	рс	Utility Box, PVC, Deep type, Orange	94	26.00						
387	рс	Utility Box, PVC, Surface type, White	44	46.00	i s					
388	рс	Vinyl Tiles, 150mm x 900mm x 3mm thk. (Mariwasa, Sierra Brown)	489	140.00						
389	рс	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Beige	407	130.00						
390	рс	Vinyl Tiles, 3mm thk. x 150mm x 900mm, Mariwasa, Sierra Brown	210	130.00						
391	рс	Vulcaseal, 1/2-lit Wash Basin Faucet, Dimensions:	4	320.00						
392	set	140mm × 126mm × 36 mm, Elongated, Material: SUS304 Stainless Steel	1	4,284.00						
393		Wash Basin Lavatory, Square Vessel Type, Dimensions: 480mm x 480mm x 140mm, Color: White, Faucet Hole: 35mm, Material: Vitreous China; Grade A	1	7,665.00						
394		Washed Sand	39	1,000.00						
395 396	pc set	Washers, 3/8" Ø Water Closet, Dimensions: 700mm D x 365mm W x 805mm H, Color: American White, Flushing System: Siphon Jet, Bowl Shape: Elongated, Material:	523	1.50						
397	kg	Vitreous China; Grade A Welding Rod, 1/8" Ø	132	100.00						
	9	110.dilig 110d, 170 x	102	100.00	L					

4	2	2			-		_			
1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
398	lot	Wireway Elbow, 100mm x 100m, G.l., gray finish	1	6,720.00						
399	lot	Wireway, 100mm x 100m x 3000mm, G.I., gray finish	1	14,280.00						
400	рс	Wood Edging, 1/2" thk x 3/4" x 10'	518	180.00						
401	рс	Wood Glue, 0.5L	34	165.00						
402	рс	Wood Glue, 1L	61	300.00						
403	рс	WPC Brackets	268	25.00						
404	рс	WPC Fluted Indoor Wall Panel, 12mm thk x 200mm x 2900mm, Color: Golden Oak	134	1,120.00				Sub	total (Lat 4)	
LOT	2 - ELE	CTRICAL FABRICATION (PhP118,	140.00)					Sub-	total (Lot 1)	
1	set	Panelboard with Main and Branch Breakers (LP3) Main: 1-70AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-15AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	1	39,380.00						
2	set	Panelboard with Main and Branch Breakers (PP) Main: 1-250AT/250AF, 3P, 230V, 60Hz, 25KAIC Bolt on MCCB Branches: 11-60AT/2P, 1- 30AT/2P, all MCCB in 100AF, 230V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	1	39,380.00						
3		Panelboard with Main and Branch Breakers (PP3) Main: 1-100AT/100AF, 3P, 240V, 60Hz, 25KAIC Bolt on MCCB Branches: 24-20AT/2P, all MCB in 63AF, 240V, @60 Hz, Bolt-on in NEMA 3R Enclosure with Grounding Busbar, Surface Type, Grey Finish	1	39,380.00				Sub	total (Lot 2)	
LOT	3 - DOC	OR SUPPLIES (ABC - PhP544,769.	00)		l			Sub-	LOTAL (LOT 2)	
1	set	Hollow Core Flush Cubicle Door, 600mm W x 1400mm H (Note: Use Kiln Dried Lauan Wood or equivalent)	8	4,600.00						
2	set	Hollow Core Flush Door (700mm W x 2100mm H) w/ Door Jamb or equivalent (Note: Use Kiln Dried Lauan Wood or equivalent)	4	10,350.00						

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
3	set	Hollow Core Flush Door (900mm W x 2100mm H) w/ Door Jamb or equivalent, w/ Clear Vision Glass (6mm thk x 150mm W x 1600mm H); complete w/ Stainless Steel Hinges & Stainless Steel Lockset; Color: Dark Oak (Note: Use Kiln Dried Lauan Wood or equivalent)	1	8,550.00						
4	set	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 200mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple	4	7,350.00						
5	set	Single Leaf Solid Core Flush Door (1000mm W x 2100mm H) w/ Clear Vision Tempered Glass (6mm thk x 400mm W x 1200mm H); w/ Stainless Steel Hinges & Leverset; Paint Color: Maple	4	7,350.00						
6	set	Single Leaf Hollow Core Flush Cubicle Door (600mm W x 1800mm H) w/ Stainless Steel Hinges & Stainless Steel Barrel Lock 4"; Door Paint Color: Cream	9	4,860.00						
7	set	Single Leaf Hollow Core Flush Door (800mm W x 2100mm H) on Lauan Door Jamb; w/ Stainless Steel Hinges & Stainless Steel Door Knobset; Paint Color: Mahogany	4	7,560.00						
8	set	Solid Panel Door (900mm W x 2100mm H) w/ Clear Vision Glass (6mm thk) + Fixed Transom (900mm W x 400mm H) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Knobset; Door Paint: Mahogany	22	12,150.00						
9	set	Solid Wood Panel Door (900mm W x 2100mm H) w/ Ordinary Clear Vision Glass (6mm thk) in Wooden Door Jamb (2" x 4"); w/ Stainless Steel Hinges & Stainless Steel Leverset; Paint Color: Maple	1	9,639.00	y					
10	set	Solid Wood Panel Door (900mm W x 2100mm H) with Door Jamb or equivalent with Ordinary Clear Vision Glass (6mm thk); (Note: Use Kiln Dried Lauan Wood or equivalent)	3	12,075.00						
11	set	Solid Wood Panel Door (900mm W x 2400mm H) with Door Jamb or equivalent with Transom (Note: Use Kiln Dried Lauan Wood or equivalent)	1	12,075.00				Sb	total (Lot 3)	

1	2	3	4		5	6	7	8	9	10
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
LOT	4 - GLA	ASS SUPPLIES (ABC - PhP27,145.0	00)							
1	set	Double Acting Double Panel Glass Door (1400mm W x 2100mm H)		23,345.00						
2	рс	Ordinary Clear Glass, 6mm thk x 440mm W x 1120mm H	4	450.00						
3	рс	Ordinary Clear Glass, 6mm thk. x 300mm W x 700mm H	8	250.00						
LOT	6 OFF	ICE AND IT FOLIDMENT (DED407	444 501		Г			Sub-	total (Lot 4)	
101	3 - UFF	FICE AND IT EQUIPMENT (PhP107, Air Conditioning Unit, 0.6HP,	114.50)							
1	unit	Window Type Cooling Capacity: 5700 Btu/h Power Supply: 230V / 60Hz / 1- phase Rated Power: 550W Rated Current: 2.5A EFR: 10.4 Btu/hW Air Curtain	1	11,654.50						
2	unit	Specifications: • 60 inches • 18 meters/sec air velocity • 1500x230x212 mm dim. • 600 watts power; 220V/60Hz *including installation	4	17,595.00						
3	unit	Orbit Fan, 18" Metal blade w/ Switch and Thermal Fuse Protection	4	2,420.00						
4	unit	Wireless Access Point • Up to 1200Mbps w/ 2 x 2 MIMO technology • 802.3af/802.3at and Passive PoE • Dual-Band Antennas • 2.4 GHz: 2 x 3 dBi, 5 GHz: 2 x 4 dBi • Ethernet Port: 1 Gigabit Lan port	4	3,850.00						
									total (Lot 5)	
								GR/	AND TOTAL	

Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Name:

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

	For Goods Offered from Abroad									
Name	of Bidder				Project II	Page of				
1	2	3	4	5	6	7	8	9		
1	2	3	4	3	0	,	0	9		
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)		
Legal	Capacity: _	***************************************			1					
Duly a	uthorized t	o sion th	e Rid for	and behalf of						