## REQUEST FOR QUOTATION/BID FORM

Date:	May 7, 2025
PR No.:	2025-04-738
Fund:	164
End-User:	GSU/Engr. Jose Rafael R. Manoguid

PROCUREMENT OF MACHINERY AND EQUIPMENT FOR GENERAL SERVICE UNIT

Project Name:

DAILY REPAIR AND MAINTENANCE WORKS

ABC:

Three Hundred Forty Seven Thousand Pesos (Php 347,000.00)

Mode of Procurement:

SHOPPING (Section 52.1 (b) of the 2016 RIRR of RA 9184)

Mode of Evaluation:

Lot Evaluation

Delivery Period:

Twenty Five (25) calendar days upon receipt of P.O.

## Sir/Madam:

Please quote your lowest price on the item/s listed below, subject to the Terms and Conditions below and submit your quotation duly signed by your representative not later than <u>MAY 13, 2025</u> sealed in an envelope.

GEMMA GACEDO, Ph.D. BAC Charperson

## Note:

- 1. Bidder shall provide correct and accurate information required in this form. All entries must be typewritten or legibly written.
- 2. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 3. Price quotation/s to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- 4. Bidder may submit, if available, original brochure showing certifications of the product being offered.
- 5. Quotations through email is acceptable. Winning bidder shall submit original signed RFQ before issuance of Purchase Order.
- Documentary requirements shall be attached upon submission of the quotation:
  - a. Mayor's/Business Permit
  - b. PhilGEPS Registration Certificate
  - c. Income/Business Tax Returns (for ABC's above P500K)
  - d. Omnibus Sworn Statement (for ABC's above P50K) for submission upon receipt of Notice of Award

Item No.	Description	QTY	UOM	BID OFFER		Offered Specs/	Damarka
				Unit Price	Total Price	Brand/Model	Remarks
1	Multi Line Laser Diode 640 nm, < 1 mW Operating temperature -10 - 40 °C Storage temperature -20 - 70 °C Laser class 2 Working range 40 m Working range with receiver 80 m (Diameter) Working range without receiver 40 m (Diameter) Accuracy ± 0.2 mm/m Self-levelling range ± 4° Levelling time 4 s Dust and splash protection IP 54 Power supply 3 x 1.5 V LR03 (AAA) Operating time (max.) 18 h in 1-line mode Tripod thread 1/4", 5/8" Weight, approx. 0.76 kg Length 159 mm Width 75 mm Height 141 mm Projection 3 x 360° line						

	Illustrate Daill			
	Impact Drill Voltage: 220V-240V~50/60HZ			
2	Input Power: 680W			
	No-load Speed: 0-3000 RPM			
	Max Drilling Capacity: 13MM			
	Two-Stroke Brush Cutter / Grass Cutter			
	Engine :Air-Cooled 2-Stroke,			
	Single Cylinder			
	Displacement: 40.2cc			
3	Rated Power: 1450W/7000RPM			
	Loading Speed: 2800-3200rpm			
	Gas/Oil Ration: 1:50			
	Fuel Tank: 850ML			
	Generator Set 3.5 HP (mobile)			
	Type: Brush, Single Phase			
	Voltage Regulating System: AVR (Automatic			
	Voltage Regulation)			
	AC Output Voltage: 220-240V			
	Rated Frequency: 60Hz			
	Maximum Output Current: 6.8A			
	Continuous Output Current: 5.9A			
	Maximum Output Power: 1500W			
	Continuous Output Power: 1300W			
	Power Factor (COS): 1.0	1		
	Engine:			
4	Type: Air-cooled, 4-stroke, gasoline engine			
	Maximum Output: 3.5 HP			
	Displacement: 98 ml			
	Compression Ratio: 8.8:1			
	Fuel Type: Automotive unleaded gasoline			
	Fuel Tank Capacity: 5.5L (1.45 Gallons)			
	Cooling System: Air-cooled			
	Starting System: Recoil			
	Direction of Rotation: Counter-clockwise			
	Continuous Operation: 10 hours			
	Dimensions (LxWxH): 45 x 35 x 39 cm	1		
	Weight: 20.25kg			
	Planer			
	Rated Power: 1200W			
	Amp. at 220V-230V: 5.6A			
_	No-Load Speed: 16000rpm			
5	Planing Width: 110mm	1		
	Plaing Depth: 0-3mm			
	Grooving Depth: 0-14mm			
	Weight: 4.4kg			
	Submersible Pump 2200W 3.0HP			
	Voltage:220-240V 60Hz			
	Output power:2200W 3 0HP			
	Max head:13M			
	Max flow rate:38M3/H			
	For dirty water			
6	Pipe diameter:3"			
	Copper wire motor			
	Pump body:Stainless			
	Motor body:Cast iron			
	With 9m length cable			
	Control box for protection			
	Built-in cutting blade			

	Chainsaw 36", 6.5 HP			T	— Т	
7	Length (inches) .36 Displacement (cm³) 105.7 Power output (kW/hp) 4.8/6.5 Revolutions per minute (rpm) MAX7,500 Revolutions per minute (rpm) idle 2,000 Weight (kg) 10.7 Power-to-weight ratio (kg/KW) 2.2 Saw chain pitch RMY					
8	Cordless / Brushless Impact Driver Set Capacity: Machine screw: M4 - M8 (5/32" - 5/16") Standard bolt: M5 - M14 (3/16" - 9/16") High tensile bolt: M5 - M12 (3/16" - 1/2") Coarse thread (in length) : 22 - 125mm (7/8" - 4-7/8") Driving shank (Hex): 6.35mm (1/4") Impacts per minute (ipm): 0-3,200 No load speed (rpm): 0-2,300 Max. fastening torque: 150N.m (1,330in.lbs) Dimensions (L x W x H): 145x79x235mm (5-3/4"x3-1/8"x9-1/4") Net Weight: 1.3kg (2.9lbs					
9	Portable Cut-Off Machine with Cover Continuous Rating Input – 2,200 watts Blade diameter – 355mm (14") Hole diameter – 25m.4mm (1") No-load speed – 3800 rpm Net weight – 18.4kg (40.6 lbs)					
10	Electric Angle Grinder Machine Input Power: 700W Rated Voltage: 220-240V Frequency: 50/60Hz No-load Speed: 11000rpm Spindle Thread: M10 Disc Diameter: 100mm (4")					
		TOTA	L BID PRICE			

Signature over Printed Name

Office Mobile No. / E-mail Address

Position/Designation

## TERMS AND CONDITIONS

- 1. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 2. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 3. The item/s shall be delivered according to the accepted offer of the bidder.
- Payment shall be processed after delivery and upon submission of the required supporting documents, in accordance with existing government accounting rules and regulations.
- 5. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The CatSU may rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- The Procuring Enity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 9184 and its 2016 revised IRR.