

**Price Schedule for Goods Offered from Within the Philippines**  
*[ shall be submitted with the Bid if bidder is offering goods from within the Philippines ]*

**PROCUREMENT OF LABORATORY EQUIPMENT AND ICT EQUIPMENT FOR ATIC PROJECT**

Name of Bidder: \_\_\_\_\_

Project ID No.: **22-09-035** Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
<b>LOT 1 - LABORATORY EQUIPMENT</b>										
1	unit	<b>Alcohol Distiller</b> Specifications: Capacity: 20L-35L Accessories: 100 ml graduated cylinder, submersible pump, temperature sticker, raw material belt, 3 pcs alcohol meter, filter bag, check valve, silicon plug, 2 pcs ferrule, 3 pcs silicon plug, grate bucket, user manual	1	60,000.00						
2	unit	<b>Water Distiller</b> For distilled water production Capacity: 4 liters per hour Capacity of built-in tank: 9 liters Product water: 2.0-2.2 us/cm Quality of product water: Type III Product water temperature: 70-85°C Current type, frequency, voltage: Single phase AC, 50Hz, 220V Power Consumption: 3.0kVA Source water consumption (at water t from 10-12°C at pressure from 0.2-0.4 MPa): 30 liters per hour Source water pressure: 0.1-0.4 MPa Dimensions (LxWxH): 290x390x570mm. Type of mounting: Desktop mounting with adjustable legs, wall mounting is possible Weight with control unit: 13.5kg Heating elements: 1 piece stainless steel tubular heating element 3.0kW 220V includes: 1 unit AVR 3kVA	1	362,500.00						

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
3	unit	<b>Binocular Stereo Microscope</b> Specifications: Viewing Head: Binocular viewing microscope body Eyepiece: WF10x Zoom Objective: 0.7x – 4.5x Zoom Ratio: 1:6.5 Working Distance: 100mm Transmitted Light: 12V/ 15W Halogen Lamp Incident Light: 12V/ 15W Halogen Lamp with Reflector	1	69,872.00						
4	unit	<b>Forced Convection</b> Specifications: Capacity: 450 liters Temperature range: Ambient +15 to 200°C Temperature Fluctuation at 100°C: +/- 0.2°C Temperature Variation at 100°C: +/- 3.5°C Interior Dimensions (WxDxH): 645x750x930mm Exterior Dimensions (WxDxH): 850x1100x1525mm Net Weight: 240kgs. Shelves: 8 maximum Max load per shelf: 25kg per shelf Electrical Requirements: 3 Phase, 380V/ 50Hz includes: 1 unit AVR 5KVA	1	1,095,674.00						
5	unit	<b>Incubator</b> Specifications: Dimension (In)(WxDxH): 480x460x 700mm (Out)(WxDxH): 640x600x955mm Capacity: 155 liters Net weight: 65kg Temp. Controller: Digital P.I.D. controller Temp. Range: RT ±5°C to 70°C (at 25°C) Temp. Accuracy: +/-0.2°C at 37°C Display: Dual LED display Material (In): Stainless steel (Out): Steel plate with powder coating Door: Double door, silicon packing magnet door Inner door: Tempered safety glass door Circulation Fan: Internal convectional fan Shelves: 3EA, adjustable type Safety device: Exclusive over temp. protector Power: 220V, 1.4A, 310W, 60Hz includes: 1 x AVR, 3KVA	1	265,250.00						

66

1	2	3	4	5	6	7	8	9	10	
Item	Unit of Measure	Brief Description	QTY	ABC/Unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
<b>LOT 2 - ICT EQUIPMENT</b>										
1	unit	<b>Drone Camera</b> 24-48 mm optical zoom camera video UAV 12MP 1/2.3" Cmos sensor • Up to 30 minutes flight time; 44mph speed, 905G takeoff weight, 3-axis gimball for steady shots • 8 GB internal storage; SD card support up to 128 GB • Battery life is up to 135 minutes • Remote controller, 3x propellers Includes: lithium polymer batteries; gimball protector, battery charger, power cable, USB adapter, spare control sticks, RC cables (lighting connector, standard Micro SD USB connector & USB Type-C connector); 128GB Micro SD card	1	110,000.00						
									<b>TOTAL</b>	

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_