REQUEST FOR QUOTATION/BID FORM

Date: April 11, 2025 2025-02-005/2025-03-362 PR No.: Fund: 164 BUDGET/Maryshiel S. Tabios End-User: RDS/Dr.Jose Z. Tria

Project Name:

SUPPLY, DELIVERY AND INSTALLATION OF AIRCONDITIONING UNIT FOR BUDGET

UNIT OFFICE AND RESEARCH & DEVELOPMENT SERVICES OFFICE

ABC:

One Hundred Eighty Thousand Pesos (Php 180,000.00)

Mode of Procurement: Mode of Evaluation:

NP-Small Value Procurement (Section 53.9 of the 2016 RIRR of RA 9184)

Lot Evaluation

Delivery Period: Fifteen (15) calendar days upon receipt of P.O.

Sir/Madam:

Please quote your lowest price on the item/s listed below, subject to the Terms and Conditions below and submit your quotation duly signed by your representative not later than APRIL 15, 2025 sealed in an envelope.

> ROMNIEL S. TORRES BAC Vice-Chairperson

Note:

- Bidder shall provide correct and accurate information required in this form. All entries must be typewritten or legibly written.
- Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized 2. representative/s.
- Price quotation/s to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable. 3
- Bidder may submit, if available, original brochure showing certifications of the product being offered.
- Quotations through email is acceptable. Winning bidder shall submit original signed RFQ before issuance of Purchase Order.
- Documentary requirements shall be attached upon submission of the quotation:
 - a. Mayor's/Business Permit
 - b. PhilGEPS Registration Certificate
 - c. Income/Business Tax Returns (for ABC's above P500K)
 - d. Omnibus Sworn Statement (for ABC's above P50K) for submission upon receipt of Notice of Award

Item	Description	QTY	UOM	BID OFFER		Offered Specs/	Remarks
No.	Description	QII	OOW	Unit Price	Total Price	Brand/Model	Remarks
1	2.5HP SPLIT TYPE AIRCON Features: * 2.5 Hp * Faster Cooling * 3D Air Flow * Power Cut Auto Restart * Self Cleaning Mode * Titan Gold Technology * 5-in-1 Health Filters * 5D DC Inverter Specification: * Cooling Capacity (BTU/HR) - 23,173 (4320-23760) * Power Supply (V-Hz) - 220V-60Hz * Power Consumption W- 2243 (300~2800 * Dimension (mm) - indoor (WxDxH) 1010x315x220mm * Dimension (mm) - outdoor (WxDxH) 780x605x290mm * Net Weight (kg) - indoor 12 * Net Weight (kg) - Outdoor 33 * Refrigerant R32	1	unit				

ARCONDITION, SPLIT TYPE, 2.5HP INVERTER WITH INSTALLATION Type: cooling only Power Supply (Ph-V-Hz): 230V-60Hz, 1Ph Control type: remote Rated cooling capacity (k./ln): 25500 (5600- 27500) Moisture removal (Litersh): 2.4 Indoor noise level at cooling -Hgh (db/A): 48 Indoor noise level at cooling -Hgh (db/A): 48 Indoor noise level at cooling -Hgh (db/A): 48 Indoor noise level at cooling -Low (db/A): 35 Outdoor noise level at cooling -Low (db/A): 38 Indoor noise level at cooling -Low (db/A): 35 Outdoor noise level at cooling -Low (db/A): 35 Rated current -Cooling - (A): 10.5 (2.0-13.0) Rated input -cooling -(A): 10.5 (2.0-13.0) Rated input -co					
AIRCONDITION, SPLIT TYPE, 1HP INVERTER, WITH INSTALLATION Weight: 7 kg Dimensions: L 18 x W 77 x H 24 (cm) Features: * 1.0 HP, Inverter Split Type Aircon * Auto Protection * Auto Protection * Auto Restart * Timer * Dehumidifier * Extra-Low Noise * Quiet Operation * Anti-Mildew Other Features * R410A Green Refrigerant * Global Power Supply Design * Low-Voltage Starup & Wide-voltage Operation * 10-Hour Automatic Power Off Technical Specifications * Cooling Capacity: 9,496 Kj/h * EER: 11.6 * Power Input820 watts	INVERTER WITH INSTALLATION Type: cooling only Power Supply (Ph-V-Hz): 230V-60Hz, 1Ph Control type: remote Rated cooling capacity (kJ/h): 25500 (5600- 27500) Moisture removal (Liters/h): 2.4 Indoor noise level at cooling -Turbo (db(A)): 52 Indoor noise level at cooling -High (db(A)): 48 Indoor noise level at cooling -High (db(A)): 44 Indoor noise level at cooling -Med (db(A)): 38 Indoor noise level at cooling -Low (db(A)): 38 Indoor noise level (db(A)): 54 Electrical System Voltage Range (V): 155-265 Rated current - Cooling - (A): 10.5 (2.0~13.0) Rated input - cooling - (W): 2350 (350-2650) Max current (A): 13 max input (W): 2650 Refrigerant/Charge (Gram): R32/750g Compressor (Tpye): Rotary Compressor (Model): C-1RZ140h3CBF Compressor (MFG): SANYO Fan Sytem Indoor air circulation (m3/h): 1450 Indoor fan motor type: AC Outdoor fan type: Cross Flow Indoor fan type: Propeller fanOutdoor fan motor type: DC Connecting System Connecting Pipe-Gas (inches): 1/2" Connecting Pipe-Gas (inches): 1/4" Connecting Wiring - Size x Core number	1	unit		
(Please see attached Picture)	AIRCONDITION, SPLIT TYPE, 1HP INVERTER, WITH INSTALLATION Weight: 7 kg Dimensions: L 18 x W 77 x H 24 (cm) Features: * 1.0 HP, Inverter Split Type Aircon * Auto Protection * Auto Restart * Timer * Dehumidifier * Extra-Low Noise * Quiet Operation * Anti-Mildew Other Features * R410A Green Refrigerant * Global Power Supply Design * Low-Voltage Starup & Wide-voltage Operation * 10-Hour Automatic Power Off Technical Specifications * Cooling Capacity: 9,496 Kj/h * EER: 11.6 * Power Input820 watts	2	unit		
TOTAL BID PRICE	(Please see attached Picture)				

,	nditions, I/We submit our quotation/s for the item/s above.
	Signature over Printed Name
	Position/Designation
	Office Mobile No. / E-mail Address

TERMS AND CONDITIONS

1. Quotations exceeding the Approved Budget for the Contract shall be rejected.

 Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.

3. The item/s shall be delivered according to the accepted offer of the bidder.

 Payment shall be processed after delivery and upon submission of the required supporting documents, in accordance with existing government accounting rules and regulations.

5. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The CatSU may rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

 The Procuring Enity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 9184 and its 2016 revised IRR.