

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Unit of Measure	Delivered, Weeks/Months
				Within 60 calendar days upon receipt of Notice to Proceed
1	Borrow backfill material	11.24	cu.m.	
2	Crushed gravel G-1	3.72	cu.m.	
3	Termite control chemical/toxicant (lentrex)	5	lit	
4	Coco form lumber 2x3x12	293	pcs	
5	Marine plywood 1/2" thk. 4' x 8'	40	pcs	
6	Common wire nails, assorted	62	kg	
7	RSB Grade 40, 10mmØ x 6.0	949	pcs	
8	RSB Grade 40, 12mmØ x 6.0	220	pcs	
9	RSB Grade 40, 16mmØ x 6.0	160	pcs	
10	G.I. tie wire #16	300.90	kg	
11	Portland cement	749	pcs	
12	Sand s1	55.98	cu.m.	
13	Crushed gravel 3/4	69.61	cu.m.	
14	CHB 4" thk	3,510	pcs	
15	Metal Door Ga. 16 including Metal D4-900mmW x 2100mmH	3	set	
16	Steel casement window W1-1500mmW x 1200mmH	2	set	
17	Steel casement window-awning W2-600mmW x 600mmH	6	set	
18	Cementitious water proofing membrane	10	gal	
19	Pillow block 2"	10	pcs	
20	Tubular steel bar 38mm x 38mm x 2mm thk. x 6m	1	pc	
21	Solid steel square bar 12mm x 12mm x 6	2	pcs	
22	Gate barrel lock	1	pc	
23	Welding rod	42.17	kg	
24	Cutting disk 4"	8	pcs	
25	Grinding disk 4"	6	pcs	

26	Flatwall latex (primer)	16	gal	
27	Semi-gloss latex (top coat)	26	gal	
28	Masonry putty (full putty)	39	gal	
29	Concrete neutralizer	3	gal	
30	Paint thinner	11	gal	
31	Red lead primer	15	gal	
32	Quick drying enamel-blue	9	gal	
33	G.I pipe schedule 40, 32mm dia x 20'	103	pcs	
34	G.I pipe schedule 40, 50mm dia x 20'	27	lot	
35	Cyclone wire galvanized, gauge 10 2"x2.7"x4"	141	pcs	
36	Cyclone wire galvanized, gauge 10 2"x2.7"x5"	80	pcs	
37	Plain round bar 12mm x 7.5	187	pcs	
38	Paint brush 3"	6	pcs	
39	Steel brush	4	pcs	
40	Cutting disk, 14" dia	5	pcs	
LOT EVALUATION				

I hereby certify to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company	Signature over Printed Name of Authorized Representative	Date
-----------------	---	------

Section VII. Technical Specifications

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]Please state the brand and model being offered</i>
1	Borrow backfill material	
2	Crushed gravel G-1	
3	Termite control chemical/toxicant (Iprex)	
4	Coco form lumber 2x3x12	
5	Marine plywood 1/2" thk. 4' x 8'	
6	Common wire nails, assorted	
7	RSB Grade 40, 10mmØ x 6.0	
8	RSB Grade 40, 12mmØ x 6.0	
9	RSB Grade 40, 16mmØ x 6.0	
10	G.I. tie wire #16	
11	Portland cement	
12	Sand s1	
13	Crushed gravel 3/4	
14	CHB 4" thk	
15	Metal Door Ga. 16 including Metal D4-900mmW x 2100mmH	
16	Steel casement window W1-1500mmW x 1200mmH	
17	Steel casement window-awning W2-600mmW x 600mmH	
18	Cementitious water proofing membrane	
19	Pillow block 2"	
20	Tubular steel bar 38mm x 38mm x 2mm thk. x 6m	

21	Solid steel square bar 12mm x 12mm x 6	
22	Gate barrel lock	
23	Welding rod	
24	Cutting disk 4"	
25	Grinding disk 4"	
26	Flatwall latex (primer)	
27	Semi-gloss latex (top coat)	
28	Masonry putty (full putty)	
29	Concrete neutralizer	
30	Paint thinner	
31	Red lead primer	
32	Quick drying enamel-blue	
33	G.I pipe schedule 40, 32mm dia x 20'	
34	G.I pipe schedule 40, 50mm dia x 20'	
35	Cyclone wire galvanized, gauge 10 2"x2.7"x4"	
36	Cyclone wire galvanized, gauge 10 2"x2.7"x5"	
37	Plain round bar 12mm x 7.5	
38	Paint brush 3"	
39	Steel brush	
40	Cutting disk, 14" dia	
LOT EVALUATION		

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company Signature over Printed Name of Date
Authorized Representative