

***Section VII. Technical Specifications***



# Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i><b>Please state the brand and model being offered</b></p>
1	<p><b>BRUSH CUTTER</b>                  2 stroke brush cutter                  with complete accessories and free nylon cutter holder and nylon trimmer line                  1 liter fuel tank capacity</p>	
2	<p><b>HAND TRACTOR</b>                  Type: walking tractor                  Usage: Farm tractor                  Structure weight: 360kg                  Overall Dimension: 2680 x 960 x 1250                  Engine Power: 8.82 KW/12Hp                  Power: 8.82 KW                  Wheel: 2WD                  Drive Type: Belt Drive                  Cooling Mode: Condenser (Radiator)</p>	



	Type of Tractor: single axle, dual-purpose Engine: cylinders 1, 4 stroke Displacement: 0.651 with accessories: harrow 47", cage wheel 21, disc plow, 12HP diesel engine AMTEC tested ( <b>with AMTEC Certification</b> )	
3	<b>DIESEL GENERATOR</b> Frequency: 60Hz; Speed: 3600 rpm; Voltage: 220V; rated output: 5.5 kva; Max. output: 6.5 kva; DC output: 12V/8.3A; Fuel type: diesel; fuel tank capacity: 15L; Lube oil capacity: 1.65L; Lube oil type: CD grade or SAE10W-30, 15W-40; Starting system: Manual and electric start; Battery: 12v/17Ah; Protection system: Low oil alarm; Overall dimension (LxWxH): 950x545x755mm; net weight: 150kg; gross weight: 160kg; with complete tools and accessories; manual; and warranty card	
4	<b>CULTIVATING TILLER</b> with 7.5hp diesel engine with rotovator, ditcher and rubber tire	

**I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.**

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date