Section VI. Schedule of Requirements

Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item No. | Description | Unit of Measure | Quantity | Delivered, Weeks/Months |
|-------------|--|--------------------|----------|---|
| | | | | Within Sixty (60) Calendar Days after receipt of Notice to Proceed (NTP) |
| ARDW | ARE MATERIALS | | | |
| 1 | Angle Bar (1/8" x 1" x 20') | piece | 5 | |
| 2 | Angle Bar Slotted (1.5"x1.5"x8ft) gray with bolts | piece | 12 | |
| 3 | Automatic Water Timer, outdoor garden irrigation controller | piece | 5 | |
| 4 | Baby roller | piece | 10 | |
| 5 | Chlorine | kilo | 50 | |
| 6 | Common Wire Nail 1" | kilo | 5 | |
| 7 | Common Wire Nail 2" | kilo | 2 | |
| 8 | Common Wire Nail 2 1/2" | kilo | 2 | |
| 9 | Cutting disck 4" | box | 1 | |
| 10 | Edging 1/2" x 1" x 10' | piece | 350 | |
| 11 | File 4" (triangle type) | piece | 6 | |
| 12 | Flat enamel paint | gal | 19 | |
| 13 | Flat Wall Enamel | pail | 5 | |
| 14 | Flat wall latex white | pail | 10 | |
| 15 | gloss Latex white | pail | 8 | |
| 16 | Galvanized Lock Channel Profile with wiggle wire, 60m | set | 10 | |
| 17 | G.I. Pipe 1 ¼" x 20' #40 | piece | 5 | |
| 18 | Glazing putty | gal | 2 | |
| 19 | Gloss Latex | gal | 1 | |
| 20 | Good Lumber 1"x1"x10' | piece | 19 | |
| 21 | Good Lumber 1"x1"x12' | piece | 19 | |
| 22 | Gravel | cu.m. | 10 | |
| 23 | Hack saw blade #200 | piece | 10 | |
| 24 | Hinges 3" x 3/4" | piece | 25 | |
| 25 | Hallow block 4" | piece | 150 | |
| 26 | Lab Faucet (single way gooseneck faucet) deck mount with duraline control valve, swivel union 360 Deg rotation, removable barb tip (leaves 1/4" Fem NPT Inlet; Working Pressure: Maximum 150 psi at 70 degrees Farenheit, All injection molded, rugged design and construction Polypropylene Material listed under NSF standard 14/61 for both potable water and DWV applications; Serrated outlet barb fitting connects to different size tubing | piece | 10 | |
| 27 | Marine Plywood 3/4" thick | piece | 145 | |

| Item No. | Description | Unit of Measure | Quantity | Delivered, Weeks/Months |
|-------------|---|--------------------|----------|----------------------------|
| | | | | Within Sixty (60) |
| | | | | Calendar Days after |
| | | | | receipt of Notice to |
| | | | | Proceed (NTP) |
| 28 | Pad Lock (Shackie Material: 304 stainless steel (Anti-cut; Key Material; Brass; Body material: 304 stainless; Packing: Double Blister Packing; Finished Body: Brushed; Cylinder material: Brass cylinder, Stainless steel Disc, Stainless | piece | 15 | |
| 29 | Paint brush 1" | piece | 20 | |
| 30 | Paint brush 2" | piece | 20 | |
| 31 | Paint brush 3" | piece | 10 | |
| 32 | Paint brush 4" | piece | 15 | |
| 33 | Paint Roller 4" | piece | 4 | |
| 34 | Paint roller 9" | piece | 5 | |
| 35 | Paint top coat (enamel) | gal | 3 | |
| 36 | Paint (Silver) | liter | 10 | |
| 37 | Paint (Baguio Green) | pail | 6 | |
| 38 | Paint (Thalo blue) | liter | 50 | |
| 39 | Paint thinner | gal | 15 | |
| 40 | Portland Cement | bag | 15 | |
| 41 | Quick Dry Enamel | gal | 10 | |
| 42 | Quick Dry Enamel | pail | 5 | |
| 43 | Red oxide | gal | 1 | |
| 44 | Sand paper #100 | piece | 10 | |
| 45 | Sand paper #60 | piece | 10 | |
| 46 | Sliding Glass Door Rachet Lock Key (Heavy Duty) | piece | 5 | |
| 47 | Steel brush | piece | 50 | |
| 48 | Tie Wire #16 | kilo | 8 | |
| 49 | Tubular 1"x1"x20' | piece | 20 | |
| 50 | Tubular 1"x2"x20' | piece | 5 | |
| 51 | Welding Rod (E6011) | box | 1 | |
| 52 | Welding Rod J38.12E60.13 | kilo | 3 | |
| 53 | Water Pump 1/2 hp (Electric Motor) | piece | 1 | |
| 54 | Wood Glue | liter | 17 | |
| LECTRI | CAL MATERIALS | | | |
| 55 | 18 Watts T8, Daylight | piece | 100 | |
| 56 | 25 Watts Flood Light, LED | piece | 30 | |
| 57 | 3.5mm THHN ² Wire | box | 2 | |
| 58 | 5.5mm THHN ² Wire | box | 4 | |
| 59 | Automatic Transfer Switch (ATS) | piece | 1 | |
| 60 | Gel Battery (SH-Batt-12V150AH) | piece | 2 | |
| 61 | LED Bulb 15 Watts, Daylight | piece | 200 | |
| 62 | Light Bulb 20 watts, white | piece | 35 | |
| 63 | Manual transfer Switch w/ Circuit Breaker 100 amps Industrial Type | set | 2 | |
| 64 | PVC Receptacle 4"Ø | piece | 100 | |
| 65 | PWM Solar Charger Controller SRNE MPPT 12/24 - 60A | unit | 1 | |

Gro

| Item No. | Description | Unit of Measure | Quantity | Delivered, Weeks/Months |
|-------------|---|--------------------|----------|----------------------------|
| | | | | Within Sixty (60) |
| | | | | Calendar Days after |
| | | | | receipt of Notice to |
| | | | | Proceed (NTP) |
| 66 | SNADI OFF GRID Solar Inverter 12V 1000W | unit | 1 | |
| 67 | Solar Panel (SP-Mono 200 Watts) | piece | 2 | |
| | Note: LOI | EVALUATIO |)N | |

I hereby certify to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company

Signature over Printed Name of Authorized Representative

Date

Gje