

## ***Section VII. Technical Specifications***



# Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] <b><u>Please state the brand and model being offered.</u></b></i></p>
1	<p><b>DESKTOP</b>            Specifications:            XC-830            Processor: Intel Pentium Silver Processor J5040 (2.0GHz Base Frequency; 3.2GHz Burst Frequency, Quad Core)            Memory: 4 GB DDR4 2400 MHz soDIMM</p> <p>Storage: 1TB 3.5-inch 7200 RPM            Optical Drive: 8X DVD-RW drive, 9.1 mm slim, tray-load            Graphics: Intel UHD Graphics            OS: Windows 10 Home 64-bit            WLAN: 802.11ac/a/b/g/n wireless LAN            LAN: Gigabit Ethernet            Monitor: EB192; Size: 18.5"; Input: VGA; Max Resolution: 1366 x 768 @ 60Hz; Glare: None; Response Time: 5ms; Glare: None; Response Time: 5ms (G to G)"            Warranty: 1 Year Parts - 1 Year Labor Only (1-1-0)            UPS: 650 VA</p>	

Item	Specification	Statement of Compliance
2	<p><b>SERVER</b></p> <p>Specifications:</p> <p>X3250 M5 1u8600SAS</p> <p>Processor: Intel Xeon 4C E3 1230v3 80W (3.3Ghz, 8MB, 1600Mhz)</p> <p>Chipset: Intel C226</p> <p>Memory: 32GB PC3L 12800 CL11 ECC DDR3 1600Mhz 1200GB Simple Swap 2.5SAS/SATA, (2 x 600GB SAS) installed. Up to 4 Simple Swap HDD</p> <p>Optical Drive: None (No option for internal)</p> <p>ServeRAID: ServeRAID H1110 Supports RAID 0, 1, 1E</p> <p>Network: Quad Gigabit Ethernet (2 Enabled + 2 FoD)</p> <p>Form Factor: 1u Rack Mount</p> <p>Graphics: SVGA 8MB SDRAM std/max/ integrated in BMC on systemboard</p> <p>Power Supply: 300W Fixed</p> <p>Warranty: 3 Years parts</p> <p>OS: Microsoft Windows Server 2019 - License - 5 device CALs - OEM - ROK - for PRIMERGY</p> <p>CX2560 M5, RX2520 M5, RX2530 M4, RX25</p>	
3	<p><b>SERVER</b></p> <p>Specifications:</p> <p>Processor: 85CXV PowerEdge R340 Server Intel Xeon E-224 3.4GHz, 8M cache, 4C/4T (71W)</p> <p>Memory: 8GB 2666MT/s DDR4 ECC UDIMM</p> <p>Network Controller: On-Board LOM</p> <p>Storage Controller: PERC H330 RAID Controller</p> <p>Hard Drive: 1TB 7.2K RPM SATA 6Gbps 512n 2.5in Hot-plug Hard Drive</p> <p>Internal Storage: 3.5" Chassis with up to 4 Hot Plug Hard Drives</p> <p>Optical Drive: DVD+/-RW, SATA, Internal for Hot Plug Chassis</p> <p>Power Supply: Single, Hot-plug Power Supply 350W</p> <p>Management: iDRAC9, Express</p> <p>IU Rack Server, Ready Rails sliding Rails with Cable Management Arm</p> <p>Warranty: 3Yr ProSupport: Next Business Day Onsite Service</p>	

Item	Specification	Statement of Compliance
	UPS: 1KVA 900W Online UPS Tower OS: Microsoft Windows Server 2019 - License - 5 device CALs - OEM - ROK - for PRIMERGY CX2560 M5, RX2520 M5, RX2530 M4, RX25	

**I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.**

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date

