Section VI. Schedule of Requirements



Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Total ABC (Php)	Delivered, Weeks/Months
S				Within Thirty (30) Calendar Days after receipt of Purchase Order
IT EQU	IPMENT			
1	BRANDED DESKTOP COMPUTER (Tower Type) Processor: Intel Core i7-11700 processor Memory: 8 GB DDR4 2666 MHz UDIMM Memory Slot: Up to 32 GB of Dual-channel DDR4 2666 MHz Storage: 256 GB M.2 2280 PCI=E SSD + 1 TB 3.5-inch 7200 RPM GPU: NVIDIA®GeForce® GT 1030 with 2 GB of DDR5 (supporting: DVI-D, HDMI®) Integrated high-definition, 5.1-channel surround sound WLAN: 802.11ac/a/b/g/n wireless LAN and Bluetooth® 4.2 LE LAN: Gigabit Ethernet OS: License Microsoft Window10 PRO & Microsoft Office 365 USB wire keyboard and wired mouse Monitor: K242HYL Hbi; Size: 23.8"; Input: VGA + HDMI; Max. Res. 1920x1080 @60Hz; Technology: VA Free Sync; Colors: 16.7 Million; Glare: None; Response Time: 5ms; With HDMI Cable	25	1,893,750.00	
2	BRANDED DESKTOP COMPUTER (All-inone) Intel Core i3 Processor 10th Gen (up tp 2.1 Ghz) Intel UHD Graphics DVD-RW ROM 4GB DDR4 RAM 256 SSD + 1TB HDD 23.8" FHD monitor LED Display (non-Touch) Connectivity: WLAN ready 802.11 a/b/g/n, Gigabit Ethernet I/O: HDMI, VGA, Audio Port, USB 3.0 Windows 10 Home License with USB keyboard and mouse	14	677,600.00	
3	BRANDED DESKTOP COMPUTER (Tower Type) Intel Core i3 Processor 8th Gen (3MB Cache, up to 3.0Ghz)	8	357,560.00	

Item No.	Description	Quantity	Total ABC (Php)	Delivered, Weeks/Months
	Intel UHD Graphics		(111)	VV CCRS/ IVIORERS
	DVD-RW ROM			
	4GB DDR4 RAM			
	128 SSD + 1TB 3.5" 7200 RPM HDD			
	21.5" FHD monitor (LED)			
	Connectivity: WLAN ready 802.11 a/b/g/n,			
	Gigabit Ethernet			
	I/O: HDMI, VGA, Audio Port (front/rear)			
	USB 3.0 Front/rear panel			
	Windows 10 Home License			
	with USB keyboard and mouse			
IT PERI	PHERALS AND SUPPLIES			
4	CABLE MANAGER	3	7,635.00	
	1U Cable Management Panel			
5	CAGE NUTS M5 x 25mm RACK	20	7,000.00	
	MOUNTING FOR SERVER RACKS AND CABINETS			
6	Cat5e UTP CABLE	4	30,380.00	
	Part Number: 1583A			
	Cat5e Horizontal, 4pr, UTP, PVC, jkt, CMR			
	Cat5e (200MHz), 4-Pair, U/UTP-unshielded,			
	Riser-CMR, Premise Horizontal cable, 24 AWG			
	solid bare copper conductors, polyolefin			
	insulation, ripcord, PVC jacket			
7	C24 PORT PATCH PANEL	3	7,575.00	
	Identification: ID plate, PVC, Transparent color		7,373.00	
	with paper			
	RJ45 Jack: Housing: ABS, UL 94V-0			
	Contact Brackets: PC, UL 94V-2, Transparent			
	color			
	RJ45 Jack Contact:			
	Material: Phosphor Bronze with Nickel Plated			
	Finish: 50 micro-inches Gold plated on plug			
	contact area			
	IDC:			
	Housing: PC+ Glass Fiber, UL 94V-2			
	Terminal: Phosphor Bronze with Tin plated			
	Jack Bracket Set: ABS, UL 94V-0			
	Support Bar: SPCC, 1.5 mm thickness			
	with Black (RAL 9005) color painted			
	PCB: FR4, UL 94V-0			
8	HARD DRIVE 6TB HDD SATA 3 7200RPM	4	54,000.00	
9	NETWORK VIDEO RECORDER, 32-ch 1.5U	1	32,550.00	
	16 PoE 4K NVR			
	Up to 32 channel IP cameras can be connected			
	Up to 2-ch @ 12 MP/16-ch @ 1080p decoding			
	capacity			
1				

Item No.	Description	Quantity	Total ABC (Php)	Delivered, Weeks/Months
	Only (B) version support 2 HDMI and 1 VGA		(===p)	VV CORD/ IVIOREND
	interfaces, and HDMI interfaces support			
	independent video output			
	4 HDDs for continuous video recording			
	Plug & Play with 16 Power-over-Ethernet (PoE)			
	interfaces			
	Supports various special function cameras,			
	including thermal camera/fisheye/people			
	counting/heatmap/ANPR (automatic number			
	plate recognition)			
	Advanced streaming technology enables smooth			
	live view and data self-correction in poor			
	network conditions			
	Supports dual-stream recording to save time and			
	bandwidth.			
10	PoE PORT SWITCH	1	9,515.00	
	3E0318P-E 16-Port 100 Mbps Unmanaged PoE			
	Switch			
	Optional 820 ft 250 m) Extended Transmission			
	Mode			
	16 x 10/100 Mbps Auto-MDIX Ports			
	Up to 30 Watts per PoE Port, PoE Power			
	Budget230 W			
	4 kV Surge Protection			
	IEEE 802.3x Flow Control Support			
	Plug-and-Play Installation			
	7.2 Gbps Switching Fabric			
	2.75 Mbits RAM Data Buffer			
	4K MAC Address Entries			
	Sturdy Metal Closure		7 100 00	
11	PoE PORT SWITCH	2	7,190.00	
	DS-3E0109P-E/M L2 8 Port Unmanaged PoE			
	250m long distance transmission			
	CCTV Switch9*10/100 Base-TX Ethernet ports			
	Supports standard and EXTEND network mode			
	Compliant with IEEE802.3u, IEEE802.3ab			
	Ethernet standards			
	Store-and-Forward switching			
	4K MAC addres table and MAC address			
	learning			
	1.8 Gbps backplane bandwidth			
	All-mental construction			
	Desktop and wall-mounted installation			
12	1U RACKMOUNT FIREWALL ROUTER	1	60,103.00	
	with 10 Intel Gigabit NICs Intel Pentium 4415U		50,105.00	
	Dual Core VPN PC Soft Router for pfSense /			
	OPNsense / VyOS			
	Inte Pentium Dual Core			
	2 x DDR4 SO - DIMM Socket (Up to 32 G)			
	Intel HD Graphics Support AES-NI			
	Support ALS-IVI			