

## ***Section VII. Technical Specifications***

GS

# Technical Specifications

| Item                            | Specification   | Statement of Compliance  |
|---------------------------------|---|--|
|                                 |   | <p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] Please state the brand and model being offered</i></p> |
| <b>Lot 1 – Office Equipment</b> |   |  |
| 1                               | <p><b>STENOGRAPH SHORTHAND MACHINE with bag &amp; tripod</b></p> <ul style="list-style-type: none"> <li>• Case catalyst Computer Aided Transcription Software</li> <li>• Computer laptop, Core i3, 4GB DDR4 2133 memory, 2TB SATA HD (1 set-StenEd Realtime Theory)</li> <li>• 3 sets-StenEd Realtime Theory Reference Bood (StenEd Realtime Theory &amp; Reader Realtime Theory-Free)</li> </ul> |  |

| <b>Lot 2 – Kitchen Equipment</b> |   |
|----------------------------------|---|
| 1                                | <b>REFRIGERATOR WITH INVERTER 2-DOOR</b><br>Net Dimension: 555x1635x637 mm<br>Net Case Weight: 51 kg<br>Cooling Type: Mono Cooling<br>Number of Sherif: 2 EA<br>Number of Shelf (Slide Out): 1EA, tempered glass, egg container (egg tray), interior LED light, power cooling zone, 5EA no of Door Pocket, keeps food frozen up to 12 hours               |
| 2                                | <b>BAKING OVEN</b><br>Baking Section Interior: 42'x32'12',<br>Two Compartments: 42"x32"x12" each section provided with own deck and door<br>Roast Section: 12"<br>Roast Interior: 42"x32"x12"<br>Intermediate Shelf: 37 1/2" wide with 28 1/2" deep Burners, two U-shaped tubular burners, Thermostat, 150 to 500 degrees Fahrenheit temperature (1 unit) |

**I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.**

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

