

Section VII. Technical Specifications

Go

**Section VII- Technical Specifications-
PROCUREMENT OF ELECTRONIC RESEARCH STATION**

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] Please state the brand and model being offered</i></p>
	ELECTRONIC RESEARCH STATION	
	INCLUSIONS:	
	FURNITURE & FIXTURES	
	Circular Glass tablet table (Good for 5 seaters) Diameter 72 in. with 30 in. diameter inner space Tablet Height: 33in., Tablet Width: 21in.	
	Lighted signage Acrylic Material 2'H x 2'W x 2'D	
	Bar Chair (blue) Hydraulic chair, fiber plastic, chrome-plated Material	
	HARDWARE Android Tablet (Compatible with e-resources) At least 10" Screen WiFi ready At least 6GB RAM At least 64GB ROM	
	Tablet security lock/alarm Tablet Display stand: 0*7*18(cm), Weight: 0.4kg Material for stand: Acrylic Material for alarm: ABS	
	Service Inclusions Delivery and Installation	

Section VII- Technical Specifications-
PROCUREMENT OF ELECTRONIC RESEARCH STATION

	Carpentry and Fabrication works	
	NOTE: LOT EVALUATION	