Section III. Bid Data Sheet

\_\_\_\_\_\_

Clause							
5.3	For this purpose, contracts similar to the Project shall be:						
	a. Procurement of Machineries						
	<ul> <li>b. completed within two (2) years (March 2019 to March 2021) prior to the deadline for the submission and receipt of bids.</li> </ul>						
7.1	"Subcontracting is not allowed"						
12	The price of the Goods shall be quoted DDP, CSU, Virac, Catanduanes or the applicable International Commercial Terms (INCOTERMS) for this Project.						
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the						
	following forms and amounts:						
	<ul> <li>a. The amount of not less than Php5,660.00 (2% of the ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than Php14,150.00 (5% of ABC), if bid security is in</li> </ul>						
	Surety Bond.						
15	Each bidder shall submit one copy of the first and second components of its Bid.						
	The Procuring Entity allows the submission of bids through online submission or any other electronic means, hence, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.						
19.2	Partial bid is allowed.						
	Partial bid	s allowed.					
19.3		ems indicating quantity and ABC					
19.3			QTY	ABC/UNIT			
19.3	List each it	ems indicating quantity and ABC	QTY 1				

## Section III- BID DATA SHEET – PROCUREMENT OF MACHINERIES (2<sup>nd</sup> bidding)

		Cooling Mode: Condenser (Radiator)				
		Type of Tractor: single axle, dual-purpose				
		Engine: cylinders 1, 4 stroke				
		Displacement: 0.651				
		with accessories: harrow 47", cage wheel				
		21, disc plow, 12HP diesel engine				
		AMTEC tested (with AMTEC Certification)				
	Unit	DIESEL GENERATOR	1	75,000.00		
		Frequency: 60Hz; Speed: 3600 rpm; Voltage:				
		220V; rated output: 5.5 kva; Max. output:				
		6.5 kva; DC output: 12V/8.3A; Fuel type:				
		diesel; fuel tank capacity: 15L; Lube oil				
		capacity: 1.65L; Lube oil type: CD grade or				
		SAE10W-30, 15W-40; Starting system:				
		Manual and electric start; Battery:				
		12v/17Ah; Protection system: Low oil alarm;				
		Overall dimension (LxWxH):				
		950x545x755mm; net weight: 150kg; gross				
		weight: 160kg; with complete tools and				
		accessories; manual; and warranty card				
	unit	CULTIVATING TILLET with 7.5hp diesel	1	42,000.00		
		engine with rotovator, ditcher and rubber				
		tire				
		TOTAL	5			
20.2	The Bidder shall submit its latest income and business tax returns filed and paid					
	through the BIR Electronic Filing and Payment System (eFPS) and other appropriate					
	licenses and permits required by law and stated in the BDS.					
21.2	NOT APPLICABLE					