

Section VII. Technical Specifications

**Section VII- Technical Specifications-
PROCUREMENT OF MACHINERIES (2nd bidding)**

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] Please state brand/model being offered</i></p>
1	<p>BRUSH CUTTER 2 stroke brush cutter *with complete accessories and free nylon cutter holder and nylon trimmer line *1 liter fuel tank capacity</p>	
2	<p>HAND TRACTOR Type: walking tractor Usage: Farm tractor Structure weight: 360kg Overall Dimension: 2680 x 960 x 1250 Engine Power: 8.82 KW/12Hp Power: 8.82 KW Wheel: 2WD Drive Type: Belt Drive Cooling Mode: Condenser (Radiator) Type of Tractor: single axle, dual-purpose Engine: cylinders 1, 4 stroke Displacement: 0.651 with accessories: harrow 47", cage wheel 21, disc plow, 12HP diesel engine AMTEC tested (with AMTEC Certification)</p>	
3	<p>DIESEL GENERATOR Frequency: 60Hz; Speed: 3600 rpm; Voltage: 220V; rated output: 5.5 kva; Max. output: 6.5 kva; DC output: 12V/8.3A; Fuel type: diesel; fuel tank capacity: 15L; Lube</p>	

**Section VII- Technical Specifications-
PROCUREMENT OF MACHINERIES (2nd bidding)**

	oil capacity: 1.65L; Lube oil type: CD grade or SAE10W-30, 15W-40; Starting system: Manual and electric start; Battery: 12v/17Ah; Protection system: Low oil alarm; Overall dimension (LxWxH): 950x545x755mm; net weight: 150kg; gross weight: 160kg; with complete tools and accessories; manual; and warranty card	
4	CULTIVATING TILLET with 7.5hp diesel engine with rotovator, ditcher and rubber tire	
	NOTE: ITEMIZED EVALUATION	5