

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] <u>Please state the brand and model being offered.</u></i></p>
OFFICE EQUIPMENT		
1	<p>AIR CONDITIONER Window Type 1.5hp with remote control Applicable Unloaded Area: 20-35 sqm. Power Consumption: 1,270 watts, fast cooling High Efficient Internal: Copper Pipe</p>	
2	<p>PHOTOCOPIER MACHINE Memory: 256mb Dimension (WxDxH) 587x581x537mm Copier: Copying Process - Laser beam scanning & Electro Photographic Printing Multiple Copying: up to 99 copies Resolution: 600dpi Printer: Standard Language: Standard GDI Resolution: Up to 600dpi Interface: Standard USB 2.0 Paper Handling with Automatic Reversing Doc Feeder Recommended Paper size: A3, A4, A5 Bypass tray: A3, A4, A5, A6 Paper Input Capacity: Standard: 350 sheets Maximum 1,350 sheets</p>	

G

Item	Specification	Statement of Compliance
FURNITURE & FIXTURES		
3	DUAL ROLLER BLACKOUT BLINDS 1.10mW x 2.0mH Material: Polyester Fabric; Color: Vanilla White; Thickness" 1st Layer (Blackout) - 0.43; 2nd Layer (Sunscreen) - 0.30mm	
4	DUAL ROLLER BLACKOUT BLINDS 0.95mW x 2.0mH Material: Polyester Fabric; Color: Vanilla White; Thickness" 1st Layer (Blackout) - 0.43; 2nd Layer (Sunscreen) - 0.30mm	
5	DUAL ROLLER BLACKOUT BLINDS 1.10mW x 1.60mH Material: Polyester Fabric; Color: Vanilla White; Thickness" 1st Layer (Blackout) - 0.43; 2nd Layer (Sunscreen) - 0.30mm	
6	COMPUTER CHAIR Ergodynamic Top Quality EMC-118 Midback Office Chair (Black) Heavy Duty Quality for Call Center BIFMA USA Tested Chair High Quality Bifma Certified USA Base Type: Chrome Steel Base Size: 300mm Base Capacity: 300kgs Gas Lift Type: 120D Mechanism Type: Tilt Lock Mechanism Mechanism Thickness: 2.5mm Chair Seating Capacity: 90-100kgs	
7	COMPUTER TABLE Medium Density Fiber Board, Metal Framing Black	
8	EXECUTIVE OFFICE CHAIR High-back Swivel, Black Leatherette with arm rest and gaslift; Chrome legs and star base	
9	OFFICE CHAIR Mid-back Ergodynamic Swivel, Mesh back with gaslift & arm rest, chrome legs and star base; Color: Black	
10	OFFICE CHAIR Mid-Back Ergodynamic Mesh Chair 360° Swivel Function	
Note: Itemized Evaluation		

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company

Signature over Printed Name of
Authorized Representative

Date

