## Section III- BID DATA SHEET – PROCUREMENT OF IT EQUIPMENT and DEVICES

|  | 1 | 1  |   | 1         |
|--|---|--|---|-----------|
|  |   | Paper size minimum: 2"x2"  |   |           |
|  |   | Paper size maximum: 8.5" x 240" at 200dpi,   |   |           |
|  |   | 8.5" x 215" at 300dpi  |   |           |
|  |   | Daily Duty Cycle: 5,000 sheets2  |   |           |
|  |   | Paper Weight: 27-413g/m2   |   |           |
|  |   | Consumables: Roller assembly kit: 200,000  |   |           |
|  |   | pages  |   |           |
|  |   | General:   |   |           |
|  |   | Operating Systems: Windows 10; Windows   |   |           |
|  |   | 8/8.1; Windows 7   |   |           |
|  |   |  |   |           |
|  |   | Mac OS x 10.9.8 – macOS 10.12 x  |   |           |
|  |   | Software requires internet connection for  |   |           |
|  |   | download installation  |   |           |
|  |   | Temperature  |   |           |
|  |   | Operating: 41" to 95°F (5° to 35°C)  |   |           |
|  |   | Storage: -13° to 140°F (-25° to 60°C)  |   |           |
|  |   | Humidity: Operating: 10-80% (no condensation)  |   |           |
|  |   | Dimensions:  |   |           |
|  |   | Product only: 11.7" x 7.7" x 12.5"   |   |           |
|  |   | Product in package: 14.5" x 9.9" x 11.5"   |   |           |
|  |   | Weight: starting at 2kg/4,4 lbs  |   |           |
|  |   |  |   |           |
|  |   | Product only: 8.1 lb   |   |           |
|  |   | Product in package: 10.6lb   |   |           |
|  |   | Scan features:   |   |           |
|  |   | Other: Card Thickness Maximum: less than   |   |           |
|  |   | 1.24mm with emboss   |   |           |
|  |   | Buttons: Double-feed Detect Skip, Slow Scan  |   |           |
|  |   | Mode, Scan, Stop   |   |           |
|  | 7 | DSLR CAMERA  | 1 | 45,000.00 |
|  |   | 24.2 megapixels, EOS 80D Digital SLR Camera  |   |           |
|  |   | with 18-55mm IS STM Lens, with 1 year  |   |           |
|  |   | warranty; box contents: camera body, lens,   |   |           |
|  |   | strap, battery, charger, 1 year warranty   |   |           |
|  |   | certificate  |   |           |
|  | 0 |  | 4 | 24.424.00 |
|  | 8 | LAPTOP   | 1 | 31,194.00 |
|  |   | Processor: i3-7020U processor (3M cache, 2.30  |   |           |
|  |   | GHz)   |   |           |
|  |   | Operating System: windows 10 pro x 64  |   |           |
|  |   | Graphics: intel integrated   |   |           |
|  |   | Display: 14-in HD (1366 x 768)   |   |           |
|  |   | Memory: 4GB DDR4 onboard   |   |           |
|  |   |  |   |           |
|  |   | Storage: 1 TB SATA 3 HD  |   |           |
|  |   | Storage: 1 TB SATA 3 HD<br>Audio: 2 x 1.5W speakers with Dolby audi  |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi   |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours   |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x   |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88   |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs  |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs<br>WiFi bluetooth: 1 x 1 AC wifi + Bluetooth 4.1   |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs<br>WiFi bluetooth: 1 x 1 AC wifi + Bluetooth 4.1<br>1/0 ports: USB 3.0, USB 2.0  |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs<br>WiFi bluetooth: 1 x 1 AC wifi + Bluetooth 4.1<br>1/0 ports: USB 3.0, USB 2.0<br>HDMI  |   |           |
|  |   | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs<br>WiFi bluetooth: 1 x 1 AC wifi + Bluetooth 4.1<br>1/0 ports: USB 3.0, USB 2.0  |   |           |
|  | 9 | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs<br>WiFi bluetooth: 1 x 1 AC wifi + Bluetooth 4.1<br>1/0 ports: USB 3.0, USB 2.0<br>HDMI  | 1 | 35,000.00 |
|  | 9 | Audio: 2 x 1.5W speakers with Dolby audi<br>Battery: up to 5.5 hours<br>Dimensions: 333.9 mm x 247.9mm x<br>22.4mm/13.1 x 9.76" x 0.88<br>Weight: starting at 2kg/4.4 lbs<br>WiFi bluetooth: 1 x 1 AC wifi + Bluetooth 4.1<br>1/0 ports: USB 3.0, USB 2.0<br>HDMI<br>4-in-1 card reader, RJ 45, audio jack | 1 | 35,000.00 |

## Section III- BID DATA SHEET – PROCUREMENT OF IT EQUIPMENT and DEVICES

|    | Storage: 1 TB HDD+128G PCIE SSD  |   |           |
|----|--|---|-----------|
|    | Operating System: Windows 10 Home 64,  |   |           |
|    | English  |   |           |
|    | Display: 14FHD AG 220N   |   |           |
|    | Camera: 0.3M   |   |           |
|    | Color: Business Black  |   |           |
|    | Fingerprint Reader No  |   |           |
|    | Battery: 2CELL 35WH  |   |           |
|    | Weight: starting at 2kg/4.4 lbs  |   |           |
|    | Warranty: 2-Year International   |   |           |
| 10 | MONITOR 19"  | 1 | 5,500.00  |
| 11 | NETWORK LBE-5AC-GEN2 POINT-TO-POINT  | 1 | 4,350.00  |
|    | WIRELESS BRIDGE 5GHz AC GEN2 23dBi   |   |           |
|    | Specifications:  |   |           |
|    | Dimensions 358 x 271.95 x 272.5mm (14.09 x                                   |   | 1         |
|    | 10.71 x 10.73")  |   |           |
|    | Power Supply: 24V, 0.3A Gigabit PoE power                                    |   |           |
|    | adapter (supplied)   |   |           |
|    | Max power consumption 7W   |   |           |
|    | Power supply method Passive PoE (4,5+ positive;                              |   |           |
|    | 7,8 negative)  |   |           |
|    | Supported voltage range 24V± 10% Working                                     |   |           |
|    | frequency Global America 2412-2472 MHz 2412-                                 |   |           |
|    | 2462 MHz 5150-5875 MHz U-NII-1: 5150-5250                                    |   |           |
|    | MHz U-NII-2A: 5250-5350 MHz U-NII-2C: 5470-                                  |   |           |
|    | 5725 MHz U-NII-3:5725-5850 MHz Gain 23 dBi                                   |   |           |
|    | Network Interface (1) 10/100/1000 Ethernet                                   |   |           |
|    | port Processor specifications MIPS 74Kc Memory                               |   |           |
|    | 64MB DDR2 LEDs power supply, Ethernet  |   |           |
|    | Channel width PtP mode PtMP mode   |   |           |
|    | 10/20/30/40/50/60/80 MHz Box features  |   |           |
|    | Reflector (SGCC 0.6T)/Plastic: PC Installation                               |   |           |
|    |  |   |           |
|    | pole installation kit (included) Wind load 275N                              |   |           |
|    | @ 200 km/h (61.8 lbf @ 125 mph) Wind   |   |           |
|    | resistance 200 km/h (125 mph) ESD  |   |           |
|    | (electrostatic discharge)/EMP (electromagnetic                               |   | · .       |
|    | pulse) protection ± 24 kV contact/air Operating                              |   |           |
|    | temperature -40 to 70°C (-40 to 158°F) operating                             |   |           |
|    | humidity 5 to 95% non-crystalline Certification                              |   |           |
|    | CE, FCC, IC, SRRC  |   |           |
| 12 | PRINTER  | 2 | 11,994.00 |
|    | Cartridge-free printer with blue control panel                               |   |           |
|    | 3-in-1 is easy to use compact  |   |           |
|    | Wi-Fi Direct   |   |           |
|    | Nozzle Configuration: 180 Nozzles Black, 59                                  |   |           |
|    | Nozzles per Color  |   |           |
|    | Minimum Droplet Size: 3pl, with variable-sized                               |   |           |
|    | droplet Technology   |   |           |
|    | Ink Technology: Dye Ink  |   |           |
|    | Printing Resolution: 5,760 x 1,440DPI  |   |           |
|    | Application: Home, Home Office   |   |           |
|    | All-in-One Functions: Print, Scan, Copy                                      |   |           |
|    |  |   |           |
|    |  |   |           |
|    | Printing Speed ISO.IEC 24734: 10 pages/min<br>Monochrome, 5 pages/min Colour |   |           |

## Section III- BID DATA SHEET – PROCUREMENT OF IT EQUIPMENT and DEVICES

\_\_\_\_\_

|      |  | <ul> <li>(Plain paper 75g.m), 15 pages/min Colour (plain paper 75 g/m), 69 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photopaper)</li> <li>SCAN</li> <li>Single-sided scan speed (A4 black): 200 DPI; 11 sec with flatbed scan</li> </ul>   |    |           |  |
|------|--|---|----|-----------|--|
|      |  | Single-sided scan speed (A4 colour): 200 DPI; 28<br>sec with flatbed scan<br>Scanning Resolution: 1,200 DPI x 2,400 DPI<br>(Horizontal x Vertical)<br>Output formats: BMP, JPEG, TIFF, PDF<br>Scanner type: Contact Image Sensor (CIS)  |    |           |  |
|      | 13   | PRINTER<br>Eco Tank A3 Wi-Fi Duplex All-in-One Ink Tank<br>Print, Scan, Copy, Fax with ADF<br>Print Speed of up to 25.0 ipm<br>Prints up to A3+ (for simplex)<br>Automatic duplex printing<br>Ultra-high page yield of 7,500 pages (black) and<br>6,000 pages (colour)<br>Wi-Fi, Wi-Fi Direct, Ethernet | 1  | 52,100.00 |  |
|      | 14   | PRINTER<br>All-in-One Ink Tank Printer with ADF (print. Scan.<br>Fax with ADF) Maximum Copy Size: legal,<br>scanner type: flatbed colour image scanner,<br>sensor type: Cis, optical resolution:<br>1200x2400dpi  | 1  | 17,640.00 |  |
|      | 15   | ROUTER LITE RB952Ui-5ac2Nd-TC Hap AC<br>Wireless double-frequency Router WIFi 2.4G 5G<br>802.11AC 2dbi  | 1  | 3,900.00  |  |
|      | 16   | UPS BE-500R-PH/ES 500VA   | 1  | 7,000.00  |  |
|      |  | TOTAL   | 22 |           |  |
|      |  | NOTE: ITEMIZED EVALUATION   |    |           |  |
| 20.2 | The Bidder shall submit its latest income and business tax returns filed and p<br>through the BIR Electronic Filing and Payment System (eFPS) and other appropri-<br>licenses and permits required by law and stated in the <b>BDS</b> . |   |    |           |  |
|      |  | ICABLE  |    |           |  |

6

Gpd